

MN1

HOWE

PRODUCT DESCRIPTION



MN1

MN1 is a meeting and conference chair with a distinct design by the successful Danish designer Morten Nikolajsen. An exposed veneer back frame gives MN1 character and the opportunity of harmonizing the chair with a veneer tabletop for an exclusive look. With focus on comfort and classic lines MN1 is ideal for a wide range of uses; seminar and conference rooms, meeting rooms as well as auditoria. MN1 is available with an X-base, a 5-star base and a cantilever base and in two different back heights. Both versions are available with and without an elegantly designed armrest angled for superb ergonomic seating.

DESCRIPTION

MN1 is a meeting and conference chair focusing on comfort and classic lines. Designed for a wide range of uses. MN1 is FSC® certified.

PRODUCT DETAILS

SEATS

Upholstered seat with 1.57" foam thickness. Waterfall front for ergonomic seating.

BACKS

The back consists of a pressed veneer frame. Thickness is 0.79". Anatomically shaped for ergonomic seating. The back comes in two different height; normal back and high back. As standard the back is upholstered in black/grey mesh fabric. The back can also be front upholstered in fabric or leather. The frame will always be visible.

Standard back frame finishes:

Oak, black stained oak, or walnut stained oak.

ARMRESTS

MN1 is available with and without armrests. The armrests are a twisted design angled for ergonomic seating. The material is polished aluminium. Armrests powder coated in black are optional. The armrests also come with a thin bended veneer sheet glued onto the aluminium armrest. Thickness is 0.16".

Standard veneer armrest finishes:

oak, black-stained oak, or walnut-stained oak.



The veneer sheets are also available upholstered with 0.08" foam thickness in fabric or leather. All armrests are retrofittable.

FRAMES

X-BASE

High pressure die-cast aluminium X-base, Ø26.8". Finish comes in polished aluminium. Black powder coating is optional. The X-base is slim and is 0.4" at the thinnest point. The X-base is height adjustable with a slim steel gas cylinder, Ø1.6". 3.9" height-adjustment span. As standard the gas cylinder is chromed steel finish, but is also available in black.

5-STAR BASE

High pressure die-cast aluminium Ø26" 5-star base. Finish comes in polished aluminium. Black powder coating is optional. Castors in black plastic. Soft lane castors as an option. The 5-star base is in flat design. It is height adjustable with an Ø2.0" steel gas cylinder. 3.9" height adjustment. As standard the gas cylinder is chromed steel finish, but is also available in black.

The X-base and 5-star base also has a tilt mechanism. The mechanism is made of premium aluminium and the finish is black powder-coating. The tilt moves from 7° backwards to 4° forwards. The mechanism can be locked in its 3° backward standard position by pushing the button centered under the mechanism. Height adjustment is done by vertical actuation of the height adjustment lever. The plastic cover underneath the seat is black PP.

A return swivel mechanism is optional for the X-base version. If chosen, seating height is fixed.

The X-base version will be delivered seat and gas cylinder a part and is easy to assemble with a simple plug in.

CANTILEVER

High quality steel cantilever base. Round steel tube Ø0.98" x 0.08" gauge. Finish comes in chrome3 (min. 20 µ). Powder coated in black is optional. MN1 with cantilever base is stackable up to 5 chairs. Plastic cover underneath the seat is in black PP.

The cantilever version has a natural and controlled back flexure.

GLIDES

4 round glides on cantilever. Material is black PA6, Ø0.79". 0.24" high.

4 rectangular glides on X-base chair in black PA6, 1.57" x 0.39" x 0.16".

Felt glides is an option for both the cantilever version and X-base version. Felt glides for cantilever are 0.35" high and for X-base it is 0.28" high.

CASTORS

5 black castors Ø2.36" on 5-star base. Material is PA.

UPHOLSTERY

The upholstery is in fabric, trevira, microfibre, leather, or PU. The seat is fully upholstered and the back is front upholstered and the back frame is therefore always visible. As standard the cushioning is fire retardant CMHR polyurethane foam.



Foam thickness is 1.57" on the seat, 0.39" on the back and 0.08" on the armrests. Foam density is 3.6 lb/cu ft on the seat and back, and 2.8 lb/cu ft on the armrests. The foam is oeko-tex certified.

STACKING CAPACITY

MN1 with cantilever base is stackable up to 5 chairs on floor in height of 48." (normal back height). This is applicable for versions with and without armrests.

MN1 with cantilever base is stackable up to 5 chairs on dolly in height of 52.2" (normal back height). This is applicable for versions with and without armrests.

MN1 with X-base and 5-star base is not stackable.

REQUIRED FLOOR SPACE

Cantilever normal back without armrests:
4 sq. ft floor space.

Cantilever high back without armrests:
4,3 sq. ft floor space.

Cantilever normal back with armrests:
4,95 sq. ft floor space.

Cantilever high back with armrests:
5,06 sq. ft floor space.



DIMENSIONS AND WEIGHT

DIMENSIONS	X-base normal back	X-base high back	Cantilever normal back	Cantilever high back	5-star base normal back	5-star base high back
Depth of chair:	22.4"	24.2"	22.6"	24.4"	25.2"	25.2"
Width of chair:	19.1"	19.1"	18.9"	18.9"	25.2"	25.2"
Height of chair:						
Width of chair with armrest:	33.7"-37.2"	41.5"-45.1"	35"	42.7"	34.5"-38.8"	41.5"-45.9"
Armrest height:	22.4"	22.4"	22.4"	22.4"	25.2"	25.2"
Veneer armrest height:	25.4"-28.9"	25.4"-28.9"	26.8"	26.8"	30.3"-34.6"	30.3"-34.6"
Upholstered armrest height:	25.5"-29.1"	25.5"-29.1"	26.9"	26.9"	30.5"-34.8"	30.5"-34.8"
Seating height:	25.6"-29.2"	25.6"-29.2"	27"	27"	30.6"-34.9"	30.6"-34.9"
Console diameter:	17.7"-21.3"	17.7"-21.3"	18.9"	18.9"	18.3"- 22.6"	18.3"-22.6"
	Ø19.1"	Ø19.1"	-	-	Ø25.2"	Ø25.2"

WEIGHT

X-base normal back: 23.14 lbs.

X-base normal back with armrests: 24.25 lbs.

X-base high back: 24.03 lbs.

X-base high back with armrests: 25.13 lbs.

Cantilever normal back: 19.84 lbs.

Cantilever normal back with armrests: 20.94 lbs.

Cantilever high back: 20.72 lbs.

Cantilever high back with armrests: 21.82 lbs.

5-star normal back: 23.58 lbs.

5-star normal back with armrests: 24.69 lbs.

5-star high back: 24.47 lbs.

5-star high back with armrests: 25.57 lbs.

ACCESSORIES

TRANSPORT DOLLY with capacity of 5 side chairs or armchairs per unit. Single dolly (34.2 lbs).

ERGONOMICS & ENVIRONMENT

MNI has a waterfall front for ergonomic seating. In addition, the back is anatomically shaped for comfortable and ergonomic seating. The stacking of the cantilever version is ergonomically correct as the chairs only have to be lifted low to slide from front.

The seats, backs, armrests, frames, and chroming are all produced according to ISO14001 standards. MNI is FSC® certified and the chrome is trivalent chrome (chrome3).

TESTS

The chair is designed for severe contract use and has been subject to a variety of tests to ensure its highest quality and durability.

The furniture is tested by third-party organizations and passed testing according to the required EN and BIFMA standards, staying also in line with strict emission regulations.

All the certificates are available for access and download [here](#).

WARRANTIES

HOWE a/s gives a 5 year warranty on all MNI chairs against weld breakages, defective material, workmanship and performance under normal use.

For full information please see the warranty provision on howe.com

PACKAGING

X-base and 5-star base, normal back: 3 per carton.

X-base and 5-star base, normal back with armrests: 3 per carton.

X-base and 5-star base, high back: 3 per carton.

X-base and 5-star base, high back with armrests: 3 per carton.

Cantilever normal back: 4 per carton.

Cantilever normal back with armrests: 4 per carton.

Cantilever high back: 3 per carton.

Cantilever high back with armrests: 3 per carton.



