



DESIGN BY HOWE 2011

[WWW.HOWE.COM/USU](http://WWW.HOWE.COM/USU)

## USU

Usu is value for money. It is the obvious choice for the price conscious customer who is still requiring simple aesthetics, space-saving attributes and ease of handling. It is developed for multi-usage canteen and training areas. The concealed castor solution adds even more to the ease of handling. The chair hanger system can be retrofitted. The legs are folded in pairs by a simple and secure spring-handle and the sub frame can be used as carriage handle. The table's simple and elegant aesthetics make it compatible with other furniture styles.





## DESCRIPTION

4-legged stackable folding table for multi-purpose canteen and training applications.

## PRODUCT DETAILS

### TABLETOPS

0.63" chipboard when surface is laminate. Total thickness 0.71"

0.71" chipboard when surface is melamine. Total thickness 0.71"

### LAMINATE VERSION

White laminate is standard colour with 0.03" laminate on both sides. Total thickness of 0.69". Any Formica Colour System colour available upon request.

### MELAMINE VERSION

White melamine is standard colour. Also white melamine surface on backside. Total thickness of 0.71". Other decors available upon request.

### EDGES

Standard option is: 0.08" matching ABS edge on laminate and melamine tabletops.

### BASES


Legs in round steel tube  $\varnothing 1.38"$  0.98" gauge. Leg steel quality according to norm EN10305-3 and subframe according to DC01. Angled leg corners. Legs and mechanism in chrome (20  $\mu$ ). Subframe in white powder coating.

### GLIDES & CASTORS

As standard four adjustable glides  $\varnothing 1.38"$  made of black nylon (PA6). Adjustable up to 1.18" height. Two mono-directional castors in black nylon (PA6) in glides on one end are optional (castors in grey TPE).

## MECHANISM

Folding mechanism in steel construction concealed under plastic cover. Release handle in spring-managed steel rod. Legs folds in pairs. Built-in friction to prevent legs for folding out unintendedly.



## STACKING CAPACITY

Folded tables have a folding depth of 4.96". Can be stacked vertically on long side.

## DIMENSIONS AND WEIGHT

### DIMENSIONS

The height of the table is 28.7"

### WEIGHT

47.2" x 31.5" rectangular table with laminate tabletop weighs 55.8 lb.

### STANDARD SHAPES & SIZES

#### RECTANGLES:

47.2" x 23.6"

47.2" x 31.5"

63" x 31.5"

70.9" x 31.5"

Other sizes available, please contact HOWE a/s for further inquiries.

## ACCESSORIES

**CHAIR HANGER SYSTEM** in chromed steel rod to be attached on subframe. Retro-fittable. Single or double version. Double version for tables in 31.5" depth only.

**TABLE TRANSPORTER** made of steel frame Ø1.57" 0.75" MDF bed with bumper edge for protection. Powder coated in HOWE grey colour. Stores up to 10 tables. Height: 46.1"; length: 76"; depth: 31.9"

## ERGONOMY & ENVIRONMENT

The Usu table is manageable for one person. With the castor versions no heavy lifts are required. All parts of the table can be dismantled and recycled.

Frame and mechanism consists of only steel elements plus plastic components easy to dismantle.



## TESTS

The Usu table has been subjected to the DS/EN 15372:2008, level 3 table strength and durability test. The table passed without damages or signs of beginning damages.

## WARRANTIES

HOWE a/s gives a 5 years guarantee on all Usu tables against weld breakages, defective material, workmanship and performance under normal use. The guarantee is valid as from date of shipment. The HOWE warranty becomes invalid, if the product exhibits signs of abuse or improper handling or other physical damage. The HOWE warranty excludes those parts, which are subject to normal wear and tear in use.