# PRICE LIST 2024



FLEXIBILITY
DELIVERED



### Table of Content


#### Chairs

Chairs		4
40/4		4
Side chair		4
Side chair	- upholstered	5
Side chair Xtra		6
Arm chair		7
Arm chair	- upholstered	8
Swivel		9
Swivel	- upholstered	10
Bar and Lounge	)	11
Metal and Woo	d	12
SixE		13
4-leg		13
4-leg on castors	i	14
Sled		15
Barstool		16
Swivel		17
Learn		18
MN1		19
Cantilever		19
X-base		20
5-star		21
AS100		22
Accessories for	chairs	23
Notes for chairs		30



31

### Table of Content





### 40/4 side chair - polyamide and veneer

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 40 chairs on a dolly
- EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag<sup>CertTM</sup>

- Quick ship LINKFSC wood certified



		AMIDE PA)	VENEER (DVA)				
STANDARD FRAME COLOURS  (	PA200 PA300	PA100 PA110 PA250 PA260 PA320 PA360 PA380	V2 V3 V13	V1 V5 V15 V12	LW17 • LW30		
RAL K7 colours available at customer request	\$	PA370 •	\$	\$	\$		
Non linking (RA)  14.3 lb  14.3 lb  14.3 lb  14.3 lb  14.3 lb		528	711 759		823		
Brace linking (BA) 14.6 lb	os						
W 490 mm 19.3" 530 mm 20.9"	556	595	780	828	892		
Side chair outdoor (DOARA) 14.3 lb	S						
## 552   #90 mm   530 mm   19.3"   530 mm	731	770	N/A	N/A	N/A		

Felt glides	20	\$
per RAL K7 colour for frames one colour if below 200 pcs)	+520	\$
per RAL K7 colour for veneer one colour if below 200 pcs)	+520	\$



### 40/4 side chair upholstered

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 25 chairs on a dolly
   EN 16139 / Ansi/Bifma X5.1
   GreenTag<sup>CertTM</sup>
   FSC wood certified

			SEAT UPHOLSTERED					
				amide Sa)		na) a		
10000 10000 0000 10000 V	<b>●</b> ○ B10 B30	GROUF	PA200	PA100 PA110 PA250 PA260 PA320 PA360 PA380		(DTA) V1 V5 V15 V12	LW17 • LW30	FULLY UPHOLSTERED (DUA)
RAL K7 colours avail	able at customer request		\$	PA370 \$	\$	\$	\$	\$
Non linking (RA)	13.9	lbs COM	627 666	651 690	848 887	878 917	922 961	711 767
	E E	3	718 768	742 792	939 989	969 1019	1013 1063	914
A	460 mm 18.1" 30.5"	4 5 COL	845 871 785	869 895 809	1066 1092 1006	1096 1122 1036	1140 1166 1080	1023 1059 938
	490 mm 19.3" 530 mm 20.9"							
Brace linking (BA)	14.3	1	694 733	718 757	915 954	945 984	989 1028	780 836
		3	785 835	809 859	1006 1056	1036 1086	1080 1130	910 983
H	490 mm 530 mm 1937 m 19	5 COL	912 938 852	936 962 876	1133 1159 1073	1163 1189 1103	1207 1233 1147	1092 1128 1007
	17.5 20.7							

Felt glides	20	]\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$




## 40/4 side chair Xtra

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 40 chairs on a dolly
   EN 16139 / Ansi/Bifma X5.1
   GreenTag CenTIM

- 1.6" wider and 0.2" higher than the standard 40/4
  FSC wood certified



STANDARD FRAME COLOURS  ( )	V2 V3 V13	V1 V5 V15 V12	LW17 LW30	GROUP	V2 V3 V13	V1 V5 V15 V12	LW17 • LW30	FULLY UPHOLSTERE
RAL K7 colours available at customer request	\$	\$	\$		\$	\$	\$	B     \$
Non linking (RA) 13.9	lbs			COM	977	1007	1051	818
				1	1016	1046	1090	874
				2	1068	1098	1142	948
( e				3	1118	1148	1192	1021
30.5°	818	866	930	4	1195	1225	1269	1130
485 mm 7779—				5	1221	1251	1295	1166
530 mm 530 mm 20.9"				COL	1135	1165	1209	1045
Brace linking (BA) 14.1	lbs			COM	1044	1074	1118	887
0 ( )				1	1083	1113	1157	943
				2	1135	1165	1209	1017
				3	1185	1215	1259	1090
30.5"	887	935	999	4	1262	1292	1336	1199
465 mm 7779-79-70 307.5 m				5	1288	1318	1362	1235
530 mm 530 mm 20.9"				COL	1202	1232	1276	1114

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



## 40/4 armchair - polyamide and veneer

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 40 chairs on a dolly
   EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag CertTM
- FSC wood certified



		OLYAMIDE VENEER (DVB)				
STANDARD FRAME COLOURS  B1 B6 B7 B9 B10 B30	PA200 • PA300	PA100 • PA110 • PA250 • PA260 • PA320 • PA360 • PA360	V2 V3 V13	V1 V5 V15 V12	LW17 LW30	
RAL K7 colours available at customer request	\$	PA380 PA370 \$	\$	\$	\$	
Non linking (RA) 17 lbs	677	716	897	945	1009	
Armlinking (J) 17.2 lb	787	826	1007	1055	1119	
Armchair outdoor (DOBRA)  17 lbs  18 8 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	919	958	N/A	N/A	N/A	

Felt glides	20	\$
Table surface protection	+23	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



## 40/4 armchair upholstered

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 25 chairs on a dolly
   EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag<sup>CertTM</sup>
   FSC wood certified

			SEAT UPHOLSTERED						FULLY	<b>UPHOLS</b>	TERED			
		POLYAMIDE				VENEER						(DUB)		
				<u> </u>	SB)		(DTB)							
STANDARD FRAME C	COLOURS	GROUF	PA200 PA300		PA100 PA110 PA250 PA260	•	V2 V3 V13	V1 V5 V15 V12	9 9 9	LW17 LW30		SLACK POLYAMIDE ARMREST	STAINED ARMREST	UPH. ARMRESTS
B1 B6 B7 B9  RAL K7 colours avail	B10 B30  lable at customer request				PA320 PA360 PA380 PA370							BLACK PC ARM	BLACK STAINED VENEER ARMREST	UPH. AR
	•		\$		\$		\$	\$		\$		\$	\$	\$
Non linking (RA)	16.8 lk	S COM	813	5	839		1036	106	6	111	10	898	972	972
	. · · · · · · · · · · · · · · · · · · ·	1	854	4	878		1075	110	5	114	19	954	1028	1053
		2	900		930		1127	115		120		1028	1102	1143
-	1 9 P 7/E	3	956	5	980		1177	120	7	125	51	1101	1175	1229
	26.2" 0mm 8.1" 30.5"	4	103		1057		1254	128		132		1210	1284	1350
	26.2.7. 460mm 18.1" 77.5 mm	5	105		1083		1280	131		135		1246	1320	1408
	605 mm 530 mm 23.8"	COL	973	3	997		1194	122	4	126	68	1125	1199	1242
Armlinking (J)	17 lb	COM	92	5	949		1146	117	6	122	20	1008	1082	1082
		1	964	4	988		1185	121	5	125	59	1064	1138	1163
	9 <u>000000000000000000000000000000000000</u>	2	101	6	1040	)	1237	126	7	131	1	1138	1212	1253
		3	106	6	1090	)	1287	131	7	136	51	1211	1285	1339
	26.2" 60mm 18.1" 775 mm 30.5"	4	114	3	1167	7	1364	139	4	143	38	1320	1394	1460
	26.2" 460 mm 18.1" 775 m 30.5	5	116		1193		1390	142		146		1356	1430	1518
	I 41 1 1 1	COL	108	3	1107	7	1304	133	4	137	78	1235	1309	1352
	605 mm 23.8" 530 mm 20.9"													

Felt glides	20	\$
Table surface protection	+23	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



# 40/4 swivel - polyamide and veneer

### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty

Castors or glides available Height adjustable Soft castors as an option GreenTag <sup>CertTM</sup> FSC wood certified	POLY	AMIDE		VENEER	
	(D	P)		(DV)	
STANDARD FRAME COLOURS		0.00	0.000	V1 V5 V15 V12	LW17 LW30
B1 B6 B7 B9 B10 B30		PA320 PA360 PA380		V12	
RAL K7 colours available at customer request	\$	PA370 •	\$	\$	\$
Side chair (DPESS) 25.6 lbs	911	950	1 125	1 173	1 237
Armchair (DPFSA) 27.3 lbs	1 101	1 140	1 311	1 359	1 423

Soft lane castors	20	\$
per RAL K7 colour for frames one colour if below 200 pcs)	+520	\$
per RAL K7 colour for veneer one colour if below 200 pcs)	+520	\$



### 40/4 swivel upholstered

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyCastors or glides available
- Height adjustable
- Soft lane castor as an option
   GreenTag CertTM

GreenTag <sup>Cerrim</sup>		- 0								
FSC wood certified			SEAT	UPHOLST	ERED			FULLY		
			AMIDE DS)		VENEER (DT)		UPHO	LSTERE	O (DU)	
STANDARD FRAME COLOURS	GROUP	PA300	PA100 PA110	V2 V3	V5 🌑	LW17 • LW30	MIDE	VED REST	ARM	
			PA250 PA260 PA320	V13 🧓	V15 V12		K POLYA	STAINED R ARMREST	UPH.	
B1 B6 B7 B9 B10 B30			PA360 PA380				BLACK POLYAMIDE ARMREST	BLACK :	W-W/O UPH. ARM	
RAL K7 colours available at customer request		\$	PA370 •	\$	\$	\$	18 \$	\$	\$	
Side chair (DUESS) 25.1 lb	s COM	1049	1073	1272	1302	1346	N/A	N/A	1135	
533	1	1088	1112	1311	1341	1385	N/A	N/A	1191	
	3	1140 1190	1164 1214	1363 1413	1393 1443	1437 1487	N/A	N/A	1265 1338	
.5-534" .7-234" .775-900 mm 30.5"-35.4"	4	1267	1214	1413	1520	1564	N/A N/A	N/A N/A	1447	
\$ 25.5	5	1293	1317	1516	1546	1590	N/A	N/A	1483	
24.80 a = 200 mm	COL	1207	1231	1430	1460	1504	N/A	N/A	1362	
, 660 mm 26"										
Armchair (DUFSA) 26.9 lb	сом	1237	1261	1460	1490	1534	1322	1396	1396	
	1	1276	1300	1499	1529	1573	1378	1452	1477	
D ST.	2	1328	1352	1551	1581	1625	1452	1526	1567	
26.6°-31.5° 26.6°-31.5° 70-595.mm 18.5°-23.4° 1735-900.mm 30.5°-35.4°	3	1378	1402	1601	1631	1675	1525	1599	1653	
675 - 800 m 26.6° - 31.5° 470 - 595 mm 185° - 23.4° 185° - 23.4° 1775 - 900 m	4	1455	1479	1678	1708	1752	1634	1708	1774	
30.50	5	1481	1505	1704	1734	1778	1670	1744	1832	
2 4 B	COL	1395	1419	1618	1648	1692	1549	1623	1666	
660 mm										

Soft lane castors	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



### 40/4 barstool and lounge chair

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyStacks up to 10 barstools on the follor
- Stacks up to 20 lounge chairs on the floor
  EN 15373 / ANSI/BIFMA X5.1
- FSC wood certified




CortTM							_
• GreenTag <sup>CertTM</sup>	POLY	AMIDE	VENEER			FUI	
STANDARD FRAME COLOURS  B1 B6 B7 B9 B10 B30  RAL K7 colours available at customer request	PA200 PA300	PA100 PA110 PA250 PA260 PA320 PA360 PA380 PA370	V2 V3 V13	V1 V5 V15 V12	LW17 • LW30	GROUP	PRICE
KAL K7 COlouis available at costoffiel request	\$	\$	\$	\$	\$		\$
Lounge chair (DVDRA) 13.2 lb	s N/A	N/A	895	943	1 007	COM 1 2 3 4 5 COL	984 1040 1114 1187 1296 1332 1211
Barstool (DPCAA) 22.9 lb	s					сом	1123
500 EE 5.00 EE	900	939	1 123	1 171	1 235	1 2 3 4 5 COL	1179 1253 1326 1435 1471 1350
Barstool counter height (DPCCA) 20.3 lb	s					сом	1123
## 18.7" \$40 mm   540 mm   21.3"	900	939	1 123	1 171	1 235	1 2 3 4 5 COL	1179 1253 1326 1435 1471 1350
Barstool outdoor (DOCCA) 22.9 lb	S						
Simm 25.5	1 144	1 183	N/A	N/A	N/A		

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



### 40/4 wood frame and 40/4 metal



Price List 2024 - USD excl. sales tax - Version 1.0

		_
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$

20

Felt glides



### SixE 4-leg

#### By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
  SixE stacks up to 25 chairs on a dolly
  GreenTag<sup>CertTM</sup>
  Quick ship LINK



	POLYPR	OPYLENE	(LENE UPHOLSTERY					
	(EPAMA	(EPBMA)						
Standard frame colours:	PP200 •	PP100 PP300		SEAT	UPH.	FULLY UPH.		
B1 B6 B7 B9 B10 B30  Choose matching frame and shell colour without additional costs:		PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)	
RAL K7 colours available at customer request	\$	RECYCLED PP100 •		\$	\$	\$	\$	
		1 1	сом	<del>Ф</del> 649	φ 697	1064	N/A	
Sidechair (EPAMA) 11 lbs			1	680	728	1160	N/A	
			2	714	762	1258	N/A	
			3	739	787	1335	N/A	
385 mm 38.9°	420	468	4	781	829	1463	N/A	
17.7.T	720	400	5	824	872	1586	N/A	
41-1 1 1			COL	760	808	N/A	N/A	
520 mm 20.5" , 535 mm 21.1"				7.00	000	,,, .	1,77.	
Sidechair with Quicklinking (EPAMA-R) 11 lbs			СОМ	726	774	1141	N/A	
Somme 200°			1	757	805	1237	N/A	
			2	791	839	1335	N/A	
			3	816	864	1412	N/A	
	497	545	4	858	906	1540	N/A	
			5	901	949	1663	N/A	
12 mm 0.5* 1000 mm 41.3*			COL	837	885	N/A	N/A	
Armchair (EPBMA) 12.6 lb	s		СОМ	783	831	N/A	1187	
7 4111011011 (2. 5711) (7			1	814	862	N/A	1283	
			2	848	896	N/A	1381	
ε			3	873	921	N/A	1458	
885 mm 27.4". 17.7". 1785 mm 30.9".	545	593	4	915	963	N/A	1586	
7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8			5	958	1006	N/A	1709	
565 mm 535 mm 22.2" 531.1"			COL	894	942	N/A	N/A	
Armchair with armlinking (EPBMA-Y) 12.6 lb	S		СОМ	804	852	N/A	1208	
570 mm - 72.4*			1	835	883	N/A	1304	
25			2	869	917	N/A	1402	
		/14	3	894	942	N/A	1479	
	566	614	4	936	984	N/A	1607	
1 1 1			5	979	1027	N/A	1730	
\$2 mm 2 1090 mm 42.5°			COL	915	963	N/A	N/A	

Price List 2024 - USD excl. sales tax - Version 1.0

Felt glides 21 \$

Fee per RAL K7 colour for frames (for one colour if below 200 pcs)

+520

\$



### SixE 4-leg on castors

#### By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
  SixE stacks up to 15 chairs on a dolly
  GreenTag<sup>CertTM</sup>



	POLYPR	OPYLENE	UPHOLSTERY					
		(/EPBSE)						
Standard frame colours:	PP200	PP100 PP300		SEAT	UPH.	FULLY	UPH.	
B1 B6 B7 B9 B10 B30  Choose matching frame and shell colour without additional costs:		PP310 PP270 PP120 PP340 PP350 PP350	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)	
RAL K7 colours available at customer request	\$	RECYCLED PP100 •		\$	\$	\$	\$	
Sidechair (EPA) 17.42 lb	_ <del>,</del>	Ψ	сом	904	952	1296	N/A	
17.42 is			1	935	983	1392	N/A	
			2	969	1017	1490	N/A	
7 7.7"   7.7"   30.9"   30.9"	654	654		3	994	1042	1567	N/A
300 N			702	4	1036	1084	1695	N/A
			5	1079	1127	1818	N/A	
520 mm, 535 mm, 20.5"			COL	1015	1063	N/A	N/A	
Armchair (EPB) 20.3 lb			сом	1038	1086	N/A	1421	
/ Therial (Li b)			1	1069	1117	N/A	1517	
			2	1103	1151	N/A	1615	
E			3	1128	1176	N/A	1692	
28.8 mm 27.4" Z85 mm 77.7" Z85 mm 30.9".	777	825	4	1170	1218	N/A	1820	
2 8 5 7			5	1213	1261	N/A	1943	
			COL	1149	1197	N/A	N/A	
565 mm 535 mm 22.2" 21.1"								

Price List 2024 - USD excl. sales tax - Version 1.0

Soft lane castors

Fee per RAL K7 colour for frames (for one colour if below 200 pcs) +520



### SixE sled

#### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
  SixE stacks up to 25 chairs on a dolly
  GreenTag<sup>CertTM</sup>



	POLYPROPOYLENE UPHOLSTERY						
	(EPA	/EPB)					
Standard frame colours:	PP200 •	PP100 PP300		SEAT	UPH.	FULLY UPH.	
B1 B6 B7 B9 B10 B30  Choose matching frame and shell colour		PP310 PP270 PP120 PP340	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)
without additional costs:		PP350  RECYCLED PP100					
RAL K7 colours available at customer request	\$	\$		\$	\$	\$	\$
Sidechair (EPARB) 13.2	os		COM	751	799	1154	N/A
			1	782	830	1250	N/A
			2	816	864	1348	N/A
785 mm 30.9°	5.0		3	841	889	1425	N/A
450 mm 17.7" 17.7" 18.5 m 30.9	510	558	4	883	931	1553	N/A
5 2 2			5	926	974	1676	N/A
500 mm 19.7" 545 mm 21.5"			COL	862	910	N/A	N/A
Sidechair with bracelinking (EPABB) 13.7 II	os		COM	833	881	1233	N/A
			1	864	912	1329	N/A
<u>,515 mm</u>			2	898	946	1427	N/A
			3	923	971	1504	N/A
	589	637	4	965	1013	1632	N/A
			5	1008	1056	1755	N/A
12 mm 0.55 1045 mm 41 hr			COL	944	992	N/A	N/A
Armchair (EPBRB) 16.1 II	os		СОМ	885	933	N/A	1277
, a			1	916	964	N/A	1373
			2	950	998	N/A	1471
ε,			3	975	1023	N/A	1548
27.4" S8 mm   17.7"   17.7"   17.5"   17.7"   17.5"   17.7"   17.5"	635	683	4	1017	1065	N/A	1676
27.47 27.47 17.77 30.90			5	1060	1108	N/A	1799
565 mm 22.2" 545 mm 21.5"			COL	996	1044	N/A	N/A
Armchair with armlinking (EPBRB-Y) 16.1 II	os		СОМ	906	954	N/A	1298
			1	937	985	N/A	1394
, 570 mm <sub>22.4</sub> "			2	971	1019	N/A	1492
			3	996	1044	N/A	1569
	656	704	4	1038	1086	N/A	1697
			5	1081	1129	N/A	1820
70 mm 2.28 10/5 mm			COL	1017	1065	N/A	N/A
42.3"	-						

Price List 2024 - USD excl. sales tax - Version 1.0

Felt glides 21

Fee per RAL K7 colour for frames (for one colour if below 200 pcs) +520 \$



### SixE barstool

#### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
  SixE stacks up to 10 chairs on a dolly
  GreenTag<sup>CertTM</sup>



	POLYPR	OPYLENE	UPHOLSTERY				
		PC)					
Standard frame colours:	PP200 •	PP100 PP300		SEAT	FULLY		
B1 B6 B7 B9 B10 B30		PP310 PP270 PP120		BLACK (EFC)	COLOUR (EFC)	UPH. (EUC)	
Choose matching frame and shell colour without additional costs:		PP340 PP350	GROUP	, -,	, ,		
		RECYCLED PP100					
RAL K7 colours available at customer request	\$	\$		\$	\$	\$	
Barstool 4 Leg (EPCAO) 16.1 lb.	S		COM	1018	1066	1402	
			1	1049	1097	1498	
			2	1083	1131	1596	
	7.0		3	1108	1156	1673	
30.3° 1105 mm	762	810	4	1150	1198	1801	
8			5	1193	1241	1924	
550 mm 21.7" \$35 mm 21.1"			COL	1129	1177	N/A	
Barstool 4 Leg, counter height (EPCAP) 11.7 lb.	s		COW	1018	1066	1402	
			1	1049	1097	1498	
			2	1083	1131	1596	
T F E.			3	1108	1156	1673	
248" - 885 mm - 965 mm	762	810	4	1150	1198	1801	
8 2			5	1193	1241	1924	
540 mm, 535 mm, 21.1"			COL	1129	1177	N/A	
Barstool Sled frame (EPCAM) 20.9 lb.		_	сом	1120	1168	1494	
DOISION SIECTIONIE ILI CANTI 20.7 ID.	1		1	1151	1199	1590	
			2	1185	1233	1688	
T TO THE			3	1210	1258	1765	
N N N N N N N N N N N N N N N N N N N	852	900	4	1252	1300	1893	
30.3°	552	/00	5	1295	1343	2016	
			COL	1231	1279	N/A	
530 mm, 560 mm, 20.9"			COL	1201	12//	14//	

Price List 2024 - USD excl. sales tax - Version 1.0

Felt glides 21 \$

Fee per RAL K7 colour for frames (for one colour if below 200 pcs)

### SixE swivel

#### By PearsonLloyd

- No matter how you look at SixE, it presents itself as a perfectly bold move. bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10\* year warranty
  Design for Disassembly
  GreenTag<sup>CertTM</sup>



		OPYLENE 5/EPFES)	UPHOLSTERY			
Standard frame colours:	PP200 •	PP100 PP300		SEAT	UPH.	FULLY
BAIN - HOWE Grey		PP310 PP270 • PP120 • PP340 • PP350 • PP350	GROUP	BLACK (EPO/ EPP)	COLOUR (EPO/ EPP)	UPH. (EFSES/ EFTES)
	\$	RECYCLED PP100 •		\$	\$	\$
Sidechair 15.9 lbs			COM	839	887	1236
			1	870	918	1332
5.6"-203" 5.6"-203" 7.65-885 mm 30.1"-348"			2	904	952	1430
395-515mm 15.6"-20.3" 15.6"-885 m			3	929	977	1507
1 2 2 2 2	595	643	4	971	1019	1635
2 2 00 000 000 288			5	1014	1062	1758
590 mm 23.2"			COL	950	998	N/A
Armchair 18.3 lbs			сом	973	1021	1361
ATTICIUII	1		1	1004	1052	1457
			2	1038	1086	1555
ET: - 9 P - [5]			3	1063	1111	1632
5-885 mm 01"-348 mm	718	766	4	1105	1153	1760
			5	1148	1196	1883
385-515 mm 385-515 mm 385-885 mm 385-885 mm 385-885 mm			COL	1084	1132	N/A

Price List 2024 - USD excl. sales tax - Version 1.0

Soft lane castors



### SixE Learn

#### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move

- bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10\* year warranty
   Design for Disassembly
   Chair for active learning environments, classrooms and higher education
   GreenTag<sup>CertTM</sup>



	POLYPROPYLEN						UPHO	LSTERY	
Standard frame colours:			(EPC	)/EPP)					
siandara frame colouis.			PP200 •	PP300			SEAT	UPH.	FULLY
B10 BAIN - HOWE Grey				PP310 PP270 PP120 PP340 PP350		GROUP	BLACK (EFO/ EFP)	COLOUR (EFO/ EFP)	UPH. (EFQ/ EFR)
			\$	RECYCLED PP100			\$	\$	\$
Learn side chair		25.8 lbs			7	COM	1421	1461	1770
		Vol				1	1452	1492	1866
	ET.	-				2	1486	1526	1964
	26"-30.7" 26"-30.7" 25-515.mm	, "				3	1511	1551	2041
	-3780		1127	1167		4	1553	1593	2169
1	-56-					5	1596	1636	2292
<del>-</del>	26"-30.7" 395-515mm	720 mm 28.3"				COL	1532	1572	N/A
Learn armchair		28 lbs			7	сом	1555	1603	1893
Loan annonai						1	1586	1634	1989
	CT					2	1620	1668	2087
	E	ON I				3	1645	1693	2164
	660 - 780 mm 26" - 30.7" 5- 515 mm 5-6" - 20.3"		1252	1300		4	1687	1735	2292
	-0-19	ň				5	1730	1778	2415
4	26 30.7 26 30.7 395 - 515 mm 15.6" - 20.3"	720 mm 28.3"				COL	1666	1714	N/A

Soft lane castors	21	\$
Bag hook	52	_\$
•		
Cupholder	46	7\$



### MN1 cantilever

#### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantyStacks 5 chairsFSC certifiedDesign for Disassembly



		ME	ESH	FULLY	UPH.			or black
		(KELCC	/KELCD)	(KYLCC	/KYLCD)	Black base	bo	ise
Standard base finish is chrome		V3 (6)		V3 🐞	LW25	w. or w/o		
Black base and armrests as an option	GROUP		LW17		LW17	black		
Standard armrests is polished aluminium		Back frame	Back frame	Back frame	Back frame	armrests	Uph.	Veneer
43.4			Black or		Black or		armrests	armrests
4 €		Oak	walnut	Oak	walnut			
81 87			stained		stained			
		\$	\$	\$	\$	\$	\$	\$
Side chair, normal back (A) 19.8 lbs	COM	1379	1467	1548	1636			
` '	1	1406	1494	1631	1719			
	2	1437	1525	1715	1803			
	3	1467	1555	1815	1903			
E .	4	1531	1619	2001	2089	+46	+N/A	+N/A
480 mm 890 mm 33°	5	1552	1640	2064	2152	"	,	,
88 %	COL	1508	1596	1934	2022			
480 mm 575 mm	LUCL	1684	1772	2460	2548			
18.9" 22.6"	LSL	1867	1955	3011	3099			
10-20-00 E-0-20-00 E								
Side chair, high back (B) 20.7 lbs	COM	1515	1603	1682	1770			
	1	1542	1630	1765	1853			
PI	2	1573	1661	1849	1937			
/ E	3	1603	1691	1949	2037	+46	+N/A	
SSmr SZT	4	1667	1755	2135	2223			+N/A
18 18 18 18 18 18 18 18 18 18 18 18 18 1	5	1688	1776	2198	2286			
28 88	COL	1644	1732	2068	2156			
480 mm 620 mm	LUCL	1820	1908	2594	2682			
18.9" 24.4"	LSL	2003	2091	3145	3233			
Armchair, normal back (A) 20.9 lbs	COM	1510	1598	1679	1767			
,	1	1537	1625	1762	1850			
	2	1568	1656	1846	1934			
	3	1598	1686	1946	2034			
E	4	1662	1750	2132	2220	+90	+303	+204
880 mm 880 mm 880 mm 38.5° mm 880 mm	5	1683	1771	2195	2283			
880 mm 18.9° mm 880 mm 35° mm 880 mm	COL	1639	1727	2065	2153			
	LUCL	1815	1903	2591	2679			
570 mm 22.4" , 575 mm 22.6"	LSL	1998	2086	3142	3230			
Armchair, high back (B) 21.8 lbs	сом	1646	1734	1813	1901			
21.0 10.3	1	1673	1761	1896	1984			
	2	1704	1792	1980	2068			
	3	1734	1822	2080	2168			
	4	1798	1886	2266	2354	+90	1202	+204
	5	1819	1907	2329	2417	+90	+303	+204
268 mm 18.9° I 1065 r	COL	1775	1863	2199	2287			
1 41-	LUCL	1951	2039	2725	2813			
570 mm 620 mm 22.4"	LSL	2134	2222	3276	3364			
277		<u> </u>						

Price list 2024 - USD excl. V.A.T. - Version 1.0

Felt glides 42 \$



### MN1 X-base

#### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantySimple and elegant aestheticsDesign for DisassemblyHeight adjustableFSC certified



				ME	ESH	FULLY	UPH.		chrome	or black
				(KE	M)	(K)	(M)	Black base	bo	ise
Black base and	armrests as an opti	on		V3		V3	LW25	w. or w/o		
			GROUP		LW17		LW17	black		
Standard base	and armrests is polis	shed		Back frame	Back frame	Back frame	Back frame	armrests	Uph.	Veneer
aluminium					Black or		Black or		armrests	armrests
				Oak	walnut	Oak	walnut			
	B51 B7				stained		stained			
				\$	\$	\$	\$	\$	\$	\$
Side chair, norm	nal back (A)	23.1 lbs	COM	1642	1730	1803	1891			
			1	1669	1757	1886	1974			
		P-T	2	1700	1788	1970	2058			
Test -		2	3	1730	1818	2070	2158			
	ETE -	37.	4	1792	1880	2256	2344	+46	+N/A	+N/A
	\$ 12 P	33.7" - 37.2"	5	1815	1903	2319	2407		•	'
-	177"-213"	33.7.8	COL	1773	1861	2189	2277			
		670 0000	LUCL	1947	2035	2715	2803			
Control of the Contro	485 mm	570 mm	LSL	2130	2218	3266	3354			
		TOTAL POLICE	2011	1.770	10//	1007	2005			
Side chair, high	back (B)	24 lbs	сом	1778	1866	1937	2025			
			1	1805	1893	2020	2108			
		P-I	2	1836	1924	2104	2192			
1577-213"	1055-1145 mm 41.5" - 45.1"	3	1866	1954	2204	2292	+46	+N/A		
	( 54 5	4	1928	2016	2390	2478			+N/A	
	5 5	5	1951	2039	2453	2541				
	-58	201 4	COL	1909	1997	2323	2411			
	817.		LUCL	2083	2171	2849	2937			
	485 mm 19.1"	615 mm 24.2"	LSL	2266	2354	3400	3488			
Armchair, norma	al back (A)	24.3 lbs	сом	1725	1813	1849	1937			
	(		1	1752	1840	1932	2020			
		6 T	2	1783	1871	2016	2104			
	5-		3	1813	1901	2116	2204			
	E 68 E 5	45 mn	4	1875	1963	2302	2390	+90	+303	+204
	25.4" - 28.9" 25.4" - 28.9" 450 - 540 mm	0	5	1898	1986	2365	2453	'/0	1303	1204
	5 4 5	33.	COL	1856	1944	2235	2323			
	9 -		LUCL	2030	2118	2761	2849			
	570 mm	570 mm 22.4"	LSL	2213	2301	3312	3400			
				10/1	10.40	1000	2271			
Armchair, high b	oack (B)	25.1 lbs	сом	1861	1949	1983	2071			
			1	1888	1976	2066	2154			
		Pel	2	1919	2007	2150	2238			
		/ E :_	3	1949	2037	2250	2338			
	E 16. E	4 3	4 5	2011	2099	2436	2524	+90	+303	+204
	25.4" - 28.9" 25.4" - 28.9" 39 - 540 mm	1055 - 1145 mm 41.5" - 45.1"	-	2034	2122	2499	2587			
	5.4	100	COL	1992	2080	2369	2457			
	0 0	(15 mm	LUCL	2166	2254	2895	2983			
	570 mm 22.4"	615 mm 24.2"	LSL	2349	2437	3446	3534			
		10111071								

Price list 2024 - USD excl. V.A.T. - Version 1.0

Fixed with return swivel	61	\$
Felt glides	42	\$



### MN1 5-star

#### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantySimple and elegant aestheticsDesign for DisassemblyHeight adjustableFSC certified



		ME	ESH	FULLY	UPH.			oad with or black
		(KENLA	/KENLB)	(KENLA	/KENLB)	Black base	bo	ise
Standard base is polished aluminium		V3	LW25	V3 ()	LW25	w. or w/o		
with black castors.	GROUP		LW17		LW17	black		
Black base and armrests as an option		Back frAHe	Back frAHe	Back frAHe	Back frAHe	armrests	Uph.	Veneer
Standard armrest is polished aluminium			Black or		Black or		armrests	armrests
orania and anniholino politica dientimient		Oak	walnut	Oak	walnut			
			stained		stained			
B51 B7		\$	\$	\$	\$	\$	\$	\$
Side chair, normal back (A) 23.6 lbs	COM	1824	1912	1978	2066			
( )	1	1851	1939	2061	2149			
	2	1882	1970	2147	2235			
E	3	1912	2000	2245	2333			
1.388 mm 888 mm	4	1976	2064	2433	2521	+46	+N/A	+N/A
5,2	5	1997	2085	2494	2582	'40	114//	111//
83226"	COL	1953	2041	2364	2452			
	LUCL	2129	2217	2890	2978			
640 mm 25.2" 25.2"	LSL	2312	2400	3443	3531			
NOTIFIED TO STATE OF THE PARTY								
Side chair, high back (B) 24.5 lbs	COM	1960	2048	2114	2202			
	1	1987	2075	2197	2285			
PI	2	2018	2106	2283	2371			
E .	3	2048	2136	2381	2469			
6 28	4	2112	2200	2569	2657	+46	+N/A	+N/A
46-55 mm 1837-226" 005-1165 mm	5	2133	2221	2630	2718	"		.,
585 1 384	COL	2089	2177	2500	2588			
3 0 0 0 0 0 0 0 1	LUCL	2265	2353	3026	3114			
640 mm 25.2" 640 mm 25.2"	LSL	2448	2536	3579	3667			
Armchair, normal back (A) 24.7 lbs	COM	1907	1995	2032	2120			
, ,	1	1934	2022	2115	2203			
( ) D T	2	1965	2053	2201	2289			
ET. O O E	3	1995	2083	2299	2387			
E 3 E-2 8	4	2059	2147	2487	2575	+90	+303	+204
0-80 mm 03"-346" 3"-22.6" 3"-22.6" 875-985 mm 345"-388"	5	2080	2168	2548	2636			
770-880 mm 30.3"-34.6" 18.3"-22.6" 18.3"-22.6" 875-985 mm 34.5"-38.9"	COL	2036	2124	2418	2506			
	LUCL	2212	2300	2944	3032			
640 mm 25.2" 25.2"	LSL	2395	2483	3497	3585			
AND	2011	00.42	0101	01/0	0057	$\overline{}$		
Armchair, high back (B) 25.6 lbs	COM 1	2043 2070	2131	2168 2251	2256 2339			
	2	2101	2158 2189	2337	2339			
	3	2101	2189	2337	2523			
2.89 mm 5.73 - 34.6 5.75 mm 7 72.6 1055 - 1165 mm	4	2131	2219	2623	2523			
770-880 mm 8.3-74.6 8.3-72.6 8.3-72.6 1055-1165	5	2195	2283	2623	2772	+90	+303	+204
22.5° -3.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5° -1.4° -1.5°	COL	2172	2304	2554	2642			
770-880 m 5-357-346 m 83-7-226 m 83-7-226 m	LUCL	2348	2436	3080	3168			
640 mm 640 mm	LUCL	2531	2436	3633	3721			
25.2" 25.2"	LSL	2551	2017	3633	3/21			
		ı						

Price list 2024 - USD excl. V.A.T. - Version 1.0

Soft lane castors 42 \$



### AS100

#### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
  Lightweight and space-saving
  Easy to link multiple chairs for relocation
  Castors are weight activated brake castors
- Stacks horizontally as many chairs as wanted
- Return swivel mechanism with 4 positions



STANDARD ARMRESTS, SEATBAR AND BASE COLOURS	GROUP	FULLY UPHOLSTERED (DU)
		\$
Side chair (CCS) 22 lbs	COM	1336
	1	1397
1 N W 1	2	1458
	3	1531
889 mm	4	1640
889.7	5	1710
	COL	1594
700 700	LUBL	1640
700 mm 27.6" 700 mm	LUCL	1947
	LSL	2318 1449
Armchair (CCA) 24 lbs	COM 1	1510
	2	1571
	3	1644
	4	1753
880 mm 5 3 mm 5 3 mm 6	5	1823
880mm 455 mm 455 mm 347mm	COL	1707
	LUBL	1753
700 mm _ 700 mm _	LUCL	2060
700 mm 700 mm 777 K"	LSL	2431

Price List 2024 - USD excl. sales tax - Version 1.0

Soft castors for hard floors 17



#### 40/4 Writing tablet

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

Writing tablet witho	out or with cupholder	No.	Per Piece	
Writing tablet without cupholde 40/4 writing tablet, chrome fran Left and right version is availabl	ne, 0.4" compact laminate	NO.	\$	
No Cupholder Bla	ck	DAWS	329	
No Cupholder Wh	ite	DAWS	329	
Cupholder Bla	ck	DAWS_Y	372	
Cupholder Wh	ite	DAWS_Y	372	
40/4 and SixE Transp	orter for writing tablets			
Writing tablet dolly, up to 18 pc Dolly with 3 boxes, length: 16", cheight: 55".  Writing tablet dolly, up to 36 pc Double dolly with 6 boxes, leng height: 55".	depth: 24", s.		Per Transporter \$	
18 Pcs 3 b	oxes	404WTDLY01	1001	
36 pcs 6 b	oxes	404WTDLY02	2002	*



#### 40/4 Linking

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking  Width between seats: 2.6". Linking side chair to side chair; allows to link chairs in a straight line.	No.	Per Piece	
40/4 linking device LD1H in chrome	404ACCLD1H	\$ 57	/
Width between seats: 4.9" Linking: side chair to side chair; side chair to armchair; allows to link chairs in a straight line.	100000000000000000000000000000000000000	37	
40/4 linking device LD2H in chrome	404ACCLD2H	72	<i>I</i> .
Width between seats: 7.3" Linking: side chair to side chair; side chair to armchair; armchair to armchair; allows to link chairs in a straight line.			
40/4 linking device LD3H in chrome	404ACCLD3H	79	-
Width between seats: 3.2" Linking side chair to side chair; allows to form the arc of chairs; the radius is adjuastable, 0-12 degrees.			
40/4 radius linking device LD2RL in chrome	404ACCLD2R L	86	
Width between seats: 7.9" Linking armchairs with writing tablets to armchairs with writing tablets; allows to link chairs in a straight line.			
40/4 linking device LD4S in chrome	404ACCLD4S	100	
Width between seats: 2.75" Linking side chair to side chair; allows to link chairs in a straight line. Recommended for public spaces where EN 14703 is a requirement.			
40/4 safety linking device LD5S in chrome	404ACCLD5S	86	4
Price List 2024 - USD excl. sales tax - Version 1.0			



#### 40/4 Dolly and Glides

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



All accessories recommended for chrome frames only. Dollies sulf side chairs and arm chairs in polyamide, veneer, or ful uphotstery. For dollies to other versions of the 40/4 chair - please ask HOWE  Hook/eye, fin linking or without linking  DLYSSAASFI0  B75  Extra glides with felt  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides with felt with screws  02328WS  7  Transparent mole glides with felt with screws  7  Transparent regular glides with felt for both chrome and painted frames  Extra glides with felt for both chrome and painted frames  Extra glides with felt for both chrome and painted frames  Extra glides with felt for both chrome and painted frames  Extra glides with felt for both chrome and painted frames  Extra glides with felt for both chrome and painted frames  For hook/eye and fin-linking chairs on chrome frames  For hook/eye and fin-linking chairs on chrome frames  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS  6  Transparent female glides without felt with screws  02326WS  6  Transparent regular glides without felt with screws  02326WS  6  Transparent regular glides without felt with screws  02326WS  6  Transparent regular glides without felt with screws  02326WS  6	D"	-		
Hook/eye, fin linking or without linking  DLYSSAASF10  B75  Extra glides with felt  Per Piece  \$  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides with felt with screws  02328WS  7  Transparent male glides with felt with screws  02329WS  7  Transparent regular glides with felt obth chrome and painted frames  Transparent a glides with felt for both chrome and painted frames  Extra glides without felt  Per Piece  \$  For hook/eye and fin-linking chairs on chrome frames  Transparent bar glides with felt for both chrome and painted frames  Extra glides without felt  Per Piece  \$  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02326WS  6  Transparent male glides without felt with screws  02326WS  6  Transparent regular glides without felt with screws  02329WS  6  Transparent female glides without felt with screws  02326WS  6  Transparent regular glides without felt with screws  02329WS  6	·	- No.	Per Piece	
Extra glides with felt  Per Piece  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides with felt with screws  02328WS  7  Transparent male glides with felt with screws  02329WS  7  Transparent regular glides with felt with screws  02330  7  For non-linking chairs: for linking armchairs and for brace-linking side chairs  Transparent regular glides with felt for both chrome and pointed  02330  7  For non-linking chairs: for linking armchairs and for brace-linking side chairs  Transparent regular glides with felt for both chrome and pointed  frames  Extra glides without felt  Per Piece  \$  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS  6  Transparent male glides without felt with screws  02326WS  6  Transparent regular glides without felt with screws  02339  6		DI YSSAASE10		
For hook/eye and fin-linking chairs on chrome frames  Transparent female glides with felt with screws  02329WS  7  Transparent male glides with felt with screws  02339WS  7  Transparent regular glides with felt with screws  02330  7  For non-linking chairs; for linking armchairs and for brace-linking side chairs  Transparent regular glides with felt for both chrome and painted frames  Transparent par glides with felt for both chrome and painted frames  Extra glides without felt  Per Piece  \$  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS  6  Transparent male glides without felt with screws  02326WS  6  Transparent regular glides without felt with screws  02339  6	<u> </u>			- 6
For hook/eye and fin-linking chairs on chrome frames  Transparent female glides with felt with screws  02328WS  7  Transparent male glides with felt with screws  02329WS  7  Transparent regular glides with felt  02330  7  For non-linking chairs; for linking armchairs and for brace-linking side chairs  Transparent regular glides with felt for both chrome and painted  02330  7  Transparent pair glides with felt for both chrome and painted  17330  7  Extra glides without felt  Per Piece  \$  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS  6  Transparent nale glides without felt with screws  02326WS  6  Transparent regular glides without felt  02339  6	Extra glides with felt		Per Piece	
Transparent female glides with felt with screws  02328WS  7  Transparent male glides with felt with screws  02329WS  7  Transparent regular glides with felt  02330  7  For non-linking chairs; for linking armchairs and for brace-linking side chairs  Transparent regular glides with felt for both chrome and painted frames  Transparent bar glides with felt for both chrome and painted frames  Extra glides without felt  Per Piece  \$  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS  6  Transparent male glides without felt with screws  02326WS  6  Transparent regular glides without felt with screws  02339  6			\$	
Transparent male glides with felt with screws  02329WS  7  Transparent regular glides with felt  02330  7  For non-linking chairs; for linking armchairs and for brace-linking side chairs  Transparent regular glides with felt for both chrome and painted frames  Transparent bar glides with felt for both chrome and painted frames  Extra glides without felt  Per Piece  \$  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS  6  Transparent male glides without felt with screws  02326WS  6  Transparent regular glides without felt  02339  6	For hook/eye and fin-linking chairs on chrom	e frames		
Transparent regular glides with felt  For non-linking chairs; for linking armchairs and for brace-linking side chairs  Transparent regular glides with felt for both chrome and painted frames  Transparent bar glides with felt for both chrome and painted frames  Extra glides without felt  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS  Transparent male glides without felt with screws  02326WS  6  Transparent regular glides without felt  02339  6	Transparent female glides with felt with screws	02328WS	7	
For non-linking chairs; for linking armchairs and for brace-linking side chairs  Transparent regular glides with felt for both chrome and painted frames  Transparent bar glides with felt for both chrome and painted frames  Extra glides without felt  Per Piece  \$  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS  6  Transparent male glides without felt with screws  02326WS  6  Transparent regular glides without felt  02339  6	Transparent male glides with felt with screws	02329WS	7	
Transparent regular glides with felt for both chrome and painted frames  Transparent bar glides with felt for both chrome and painted frames  Extra glides without felt  Per Piece  \$  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS  6  Transparent male glides without felt with screws  02326WS  6  Transparent regular glides without felt  02339  6	Transparent regular glides with felt	02330	7	
frames  Transparent bar glides with felt for both chrome and painted frames  Extra glides without felt  Per Piece  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS 6  Transparent male glides without felt with screws  02326WS 6  Transparent regular glides without felt  02339 6	For non-linking chairs; for linking armchairs and for brac	e-linking side ch	nairs	
Extra glides without felt  For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS 6  Transparent male glides without felt with screws 02326WS 6  Transparent regular glides without felt 02339 6	Transparent regular glides with felt for both chrome and painted frames	02330	7	
For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS 6  Transparent male glides without felt with screws  02326WS 6  Transparent regular glides without felt  02339 6	Transparent bar glides with felt for both chrome and painted frames	17330	7	
For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS 6  Transparent male glides without felt with screws  02326WS 6  Transparent regular glides without felt  02339 6	Extra glides without felt		Per Piece	
For hook/eye and fin-linking chairs on chrome frames  Transparent female glides without felt with screws  02325WS 6  Transparent male glides without felt with screws  02326WS 6  Transparent regular glides without felt  02339 6			•	119 A //
Transparent male glides without felt with screws  02326WS 6  Transparent regular glides without felt  02339 6	For hook/eye and fin-linking chairs on chrom	e frames	Ψ	
Transparent regular glides without felt 02339 6	Transparent female glides without felt with screws	02325WS	6	
	Transparent male glides without felt with screws	02326WS	6	
·	Transparent regular glides without felt	02339	6	
For non-linking chairs; for linking armchairs and for brace-linking side chairs	For non-linking chairs; for linking armchairs and for brac	e-linking side ch	nairs	
Transparent regular glides without felt for chrome frames 02339 6	Transparent regular glides without felt for chrome frames	02339	6	
Transparent regular glides without felt for painted frames 2327 6	Transparent regular glides without felt for painted frames	2327	6	
Transparent bar glides with felt for both chrome and painted frames 17327 6	Transparent bar glides with felt for both chrome and painted frames	17327	6	



#### 40/4 Linking items and book holders

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking continued	No.	Per Piece	
Width between seats: 2.75" Linking side chair to side chair; allows to link chairs in a straight line. Recommended for public spaces where EN 14703 is a requirement.	NO.	rei riece	
40/4 safety linking device LD5S	404ACCLD5S		
Cup holder for 40/4 safety linking device LD5S	404ACCLD5S CUP	11	
Numbering for 40/4 safety linking device LD5S	404ACCLD5S NUM	11	
Linking tool			
40/4 Linking tool In chrome. An aid to the linking/unlinking operation of side chairs with integrated linking.			
Linking tool (for side chairs with integrated linking)	404ACC0300 101	72	(A: 10)
Row spacer bar  In HOWE grey powdercoating with rubber lock, allows a 13.78" aisle between rows.			
Row spacer bar for armchairs, 13.78" distance between the rows	404ACC027A 350	93	
Row spacer bar for side chairs, 13.78" distance between the rows	04ACC027\$35	93	
Bookholders			
40/4 book rack in chrome			
Book rack (for side chairs and armchairs)	404ACC0290 101	172	
Hymn book holder			
In chrome, 4.72" high and 6.89" long; 6.1" wide (distance between front legs of chairs) with integrated linking. Note! Hymn book holder does not work with the writing tablet.			
Hymn book holder (for side chairs and armchairs, non-linking)	404ACC0280 101	100	,



#### 40/4 Numbering tag

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

chrome frames only.			
Numbering tags for row and seat	No.	Per Piece	
The price of one numbering tag. The start-up fee is 450 \$	NO.	rei riece	
40/4 Row/seat numbering tag	404SN1120	57	

#### SixE Writing tablet and Dolly

No matter how you look at SixE, it presents itself as a perfectly bold move – bending the rules of how comfortable a simple polypropylene shell chair can be.

All accessories are recommended for chrome frames only.

Writing tablet without or with cupholder  No Writing tablet without cupholder SixE writing tablet, chrome frame, 0.4" compact laminate Left and right version is available	o.	Per Piece	
·		\$	
No Cupholder Black EAV	WS	343	
No Cupholder White EAV	ws	343	
Cupholder Black EAW:	S_Y	386	
Cupholder White EAW:	S_Y	386	
40/4 and SixE Transporter for writing tablets  Writing tablet dolly, up to 18 pcs.  Dolly with 3 boxes, length: 16", depth: 24", height: 55"  Writing tablet dolly, up to 36 pcs.  Double dolly with 6 boxes, length: 32", depth: 24", height: 55"		Per Transporter	
18 Pcs 3 boxes 404WII	DLY01	1001	
36 pcs 6 boxes 404WTE	DLY02	2002	
Dolly for SixE 4-leg and sled  Single HOWE grey dolly with multidirectional castors  Accomodates up to 25 chairs.		Per Dolly	
25 chairs 22920	0010	1373	



#### MN1 Dolly

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.



Price List 2024 - USD excl. sales tax - Version 1.0

Dolly

### Notes for chairs

Price list 2024 - USD excl. V.A.T. - Version 1.0

#### General

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details.

In case of large quantities and/or customized products delivery time is usually longer than for standard products.

For chairs with upholstery, the lead time starts being counted once fabric reaches the production line.

We recommend linking only for chrome frames.

Frame colours from RAL K5 or K7 colour card are available. For quantities < 200 chairs the colour fee is 520 USD per RAL colour. For quantities  $\ge$  200 chairs there is no fee. Visual impressions of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Stained veneer is possible with RAL colours from RAL K5 or K7 colour card. For quantities < 200 chairs the colour fee is 520 USD per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

We recommend only stacking chairs with chrome frame.

Veneer is a natural material - differences in structure and colour may occur.

Upholstered armrests are as standard in the same fabric/leather type and colour as the seat and the back.

Soft castors are recommended for hard floors, hard castors for soft floors.

#### 40/4

Table surface protection protects the table surface when the chairs are hung up; it may be used only for non-linking chairs.

Please be aware that extra glides are not available for wooden frames.

40/4 can be stacked on a single, double, triple or quarto dolly. Double, triple and quarto can only be used with hook/eye linking.

As standard chair top frame and its swivel base are of the same colour but be aware that they are always matched by the chrome gas lift.

Glides for linking side chairs; the whole set for one linking side chair comprises of one male glide and one female glide at the front part of the frame (reinforcing the linking in the front part of the chair frame) plus two regular glides at the rear part of the frame; whether these are glides with or without felt depends only on customer's needs.

Regular glides are suitable for non-linking side chairs, for all types of armchairs and for lounge chairs; the whole set comprises of four clear regular glides per chair.

Glides for barstool with both chrome and painted frames; the whole set comprises of four regular glides per chair.

#### MN1

Fixed seating height - there is no possibility to install both height adjustable and return mechanism together.

Gas lift is black for black base and chrome for polished aluminium base.

#### SixE

Bag hook is recommended only for polypropylene backs.

### Fabric suitability

Standard collection of the carefully selected fabrics suitable for the HOWE products. They were all thoroughly tested, therefore we can guarantee these textiles meet our highest standards. Please check here which fabrics are dedicated to each of our product. If you're looking for a solution that reaches beyond standard options, please contact HOWE Customer Service.



Gabriel	Cura	<b>Subu</b> link	Subalien's	ON ON ON	, www.	, Sign	45/00	Price of U.S.
Gabriel	Event	link	√	✓	✓	✓	1	1
Gabriel	Fighter	link	√	✓			1	
Camira	Oceanic	link	✓	✓	✓	Х	1	Ī
Camira	Quest	link	✓	✓	✓	Х	1	
Camira	Rivet	link	✓	✓	✓	Х	1	
Gabriel	Step	link	✓	✓	✓	Х	1	
Gabriel	Step Melange	link	✓	✓	✓	✓	1	
Spradling	Tannery	link	✓	✓	✓	✓	1	
Camira	Main Line Flax	link	✓	✓	✓	✓	2	
Maharam	Metaphor	link	✓	✓	✓	Х	2	
Spradling	Valencia B1	link	✓	✓	Х	Х	2	
Gabriel	Crisp	link	✓	✓	✓	✓	3	
Gabriel	Fame	link	✓	✓	✓	✓	3	
Kvadrat	Remix 3	link	✓	✓	✓	✓	3	
Ultrafabrics	Ultraleather Original	link				Х	3	
Kvadrat	Canvas 2	link	✓	✓	Х	✓	4	[
Sørensen Leather	Ultra (Tango) black (LUBL)	link	✓	✓	Х	✓	4	
Sørensen Leather	Basic (Knight) black (LBBL)	link			Х		5	
Kvadrat	Hallingdal 65	link	✓	✓	✓	✓	5	
Kvadrat	Steelcut Trio 3	link	<b>√</b>	✓	✓	✓	5	
Dani Leather	Panama (LPCL)	link	<b>√</b>	✓	Х	<b>√</b>	LPCL	
Sørensen Leather	Savanne (LSL)	link	<b>√</b>	✓	Х	✓	LSL	
Sørensen Leather	Ultra (Tango) coloured (LUCL)	link	✓	✓	Х	✓	LUCL	

<sup>✓ -</sup> fabric suitable for the product



X - fabric not suitable for the product blank window - fabric requires testing

# Fabric suitability

Additional info about the standard fabrics

Subplie	Fabric's name	Composition	Martindale	D C C C C C C C C C C C C C C C C C C C	Add Add 117	sed flame retardant	riammability M	Washable	Seanable	Ecolabel	Oeko.Tex
Gabriel	Cura	98% post-consumer recycled polyester, 2% polyester	100000	YES	NO	NO	60-74°C	YES	✓	✓	
Gabriel	Event	100% polyester	100000	YES	NO	NO	60°C	YES	✓	✓	
Gabriel	Fighter	100% recyclable polyester	130 000	YES	NO	NO	YES	only dry	NO	✓	
Camira	Oceanic	100% post-consumer recycled polyester	≥100,000	YES	NO	NO	60°C	YES	✓	✓	
Camira	Quest	100% post-consumer recycled polyester	≥100,000	YES	NO	NO	60°C	YES	<b>√</b>	<b>/</b>	
Camira	Rivet	100% post-consumer recycled polyester	≥80,000	YES	NO	NO	60°C	YES	<b>√</b>	NO	
Gabriel	Step	100% Trevira cs	100 000	YES	YES	M1	60-74°C	YES	<b>√</b>	✓	
Gabriel	Step Melange	100% Trevira cs	100 000	YES	YES	M1	60-74°C	YES	<b>√</b>	✓	
Spradling	Tannery	Top: PVC; Backing: Poliester	>100.000	YES	YES	M2	NO	YES	NO	NO	
Camira	Main Line Flax	70% Virgin Wool, 30% Flax	≥50,000	YES	NO	NO	NO	YES	✓	NO	
Maharam	Metaphor	100% Polyester	100,000 double rubs Wyzenbeek	YES	NO	NO	NO	YES	NO	NO	
Spradling	Valencia B1	Top: PVC; Backing: Cotton	>300.000	YES	YES	M1	NO	YES	NO	NO	
Gabriel	Crisp	93% wool, 7% polyamide	200 000	YES	NO	M1	NO	YES	<b>√</b>	✓	
Gabriel	Fame	95% wool, 5% polyamide	200 000	YES	NO	NO	NO	only dry	✓	✓	
Kvadrat	Remix 3	90% New wool, 10% Nylon	100 000	YES	NO	NO	NO	only dry	<b>√</b>	NO	
Ultrafabrics	Ultraleather Original										
Kvadrat	Canvas 2	90% New wool, 10% Nylon	100 000	YES	NO	NO	NO	only dry	<b>√</b>	NO	
Sørensen Leather	Ultra (Tango) black (LUBL)	Protected		YES	NO			, ,			
Sørensen Leather	Basic (Knight) black (LBBL)	Protected		YES	NO					<b>√</b>	
Kvadrat	Hallingdal 65	70% New wool, 30% Viscose	100 000	YES	NO	NO	NO	only dry	<b>√</b>	NO	
Kvadrat	Steelcut Trio 3	90% New wool, 10% Nylon	100 000	YES	NO	NO	NO	only dry	√	NO	
Dani Leather	Panama (LPCL)	Protected						,			
Sørensen Leather	Savanne (LSL)	Semi-aniline								<b>√</b>	
Sørensen Leather	Ultra (Tango) coloured (LUCL)	Protected									



### Moveo Training

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- C-leg style
- Flip top table system



	Laminate (MBB)	Veneer (MBC)	Stained veneer (MBC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood edge.	LU45 LU31 LU35 LU300	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	
Table top thickness is 1"	LU400 LU200			Linking
B6 B51 B52				
Standard frame* with castors with breaks *Other frame colours - see the notes	\$	\$	\$	
1200 mm		960 mm	740 mm	
*48"		37.8"	450 mm 17.7"	
Rectangular 48"x24" (321L)	2590	3237	3741	
Rectangular 60"x24" (342D)	2731	3414	3918	304
Rectangular 60"x30" (4410)	2795	3493	3997	304
Rectangular 72"x24" (362E)	2809	3511	4015	
	960 mm 37.8"	450 mm 17.7"	83.11	
V-shape 48"x24" (222F)	2701	3376	3880	304
V-shape 60"x30" (442C)	2809	3511	4015	304

Price List 2024 - USD excl. sales tax - Version 1.0

#### Moveo Training - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops  $\bf Rectangle$ : length 28"-100" | width 18"-36"



### Moveo Meeting

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Inverted T-leg styleFlip top table system



	Laminate (MTB)	Veneer (MTC)	Stained veneer (MTC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood edge.	LU45 LU31 LU35 LU300	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	
Table top thickness is 1"	LU400 LU200			Linking
B6 B51 B52 Standard frame* with castors with breaks *Other frame colours - see the notes	\$	\$	\$	\$\$
1500 mm *60"		1260 mm 49.6"	570 mm	
Rectangular 60"x30" (2410)	2798	3498	4002	304
Rectangular 72"x36" (461R)	3012	3765	4269	
	1250 mm 49.5°	570 mm, 22.5°	i	
Half-round 60"x30" (121E)	2897	3621	4125	152
	1260 mm 49.6°	570 mm 22.5	29.1"	
V-Shape 60"x30" (342C)	2811	3514	4018	N/A

Price List 2024 - USD excl. sales tax - Version 1.0

#### Moveo Meeting - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: length 28"-100" | width 24"-36"



### Moveo Conference modular

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Flip top table system



	Laminate (MVB)	Veneer (MVC)	Stained veneer (MVC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood edge.	LU45 LU31 LU35 LU300	VU1 VU3 VU5 VU15	LW17	
Table top thickness is 1"	LU400			Linking
B6 B51 B52				
Standard frame* with castors with breaks *Other trame colours - see the notes	\$	\$	\$	\$
2200 mm	Maria (1997)	1960 mm	, 850 mm	
Rectangular 88"x40" (485M)	5734	7168	8176	204
Rectangular 88"x48" (485N)	6697	8372	9380	304
	1960 mm	850 mm	740mm	
Half-Boat 96"x42" (786A)	6627	8284	9292	152
Half-Boat 96"x48" (786B)	7353	9192	10200	132

Price List 2024 - USD excl. sales tax - Version 1.0

#### Moveo Conference, Modular - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: length 28"-86" | width 36"-48"



### Moveo Conference stand alone

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Inverted T-leg style
- Flip top table system



		Laminate (MRB)	Veneer (MRC)	Stained veneer (MRC)	
Veneer is with matching hardwood edge.		LU45 LU31 LU35	VU1	LW17	
Table top thickness	is 1"	LU300 LU400 LU200	VU15		Linking
B6 B51 B52					
Standard frame* w *Other frame color	ith castors with breaks urs - see the notes	\$	\$	\$	\$
1	2400 mm		1760 mm	, 850 mm	
Rectangular	96"x42" (472V)	5983	7479	8487	00.4
Rectangular	96"x48" (47IW)	6954	8692	9700	304
				740 mm	
		1760 mm	850 mm		
Boat-shape	96"x42" (474M)	1760 mm 6879	850 mm 8600	9608	304

Price List 2024 - USD excl. sales tax - Version 1.0

#### Moveo Conference, Stand alone - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Rectangle:** length 48"-100" | width 36"-48"



# Moveo modesty panel

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

• 10 year warranty



		Laminate	Veneer
мо	DESTY PANEL	LU45 LU31 LU35	VU1 VU3 VU5
Moveo modesty panel high, mounted on hook		LU300	VU15 LW17 LW25 LW30
Beam length	975 mm (4C4C)	484	684
Beam length	1275 mm (4E4E)	532	752
Beam length	1575 mm (4H4H)	532	752

# Simpla

### By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off top
- Unique flat folding frame
- Up to 8 stacked tables on a transporter
- 5 year warranty



			Laminate	Veneer	
			(SGB)	(SGC)	
Veneer is standard  Table top thickness	th glides - optional to get glides	LU31 LU35 LU45 LU200 LU300 LU400		VU1 VU3 VU5 VU15 LW17 LW25 LW30	Linking
B1 B7 B9 B10	B30)		\$	\$	\$
Rectangular	48"x24" (1L1L)		2326	2909	
Rectangular	60"x30" (1010)		2512	3141	31
Rectangular	72"x36" (1R1R)		2775	3469	
			36°°°		730 mm 28.7"
l l	, 180	0 mm 72"		1720 mm 820 mm 32.3"	4
Square	30"x30" (1Z1Z)		2245	2807	31
			750 mm -30"	670 mm 26.4"	
Half-round	60"x30" (1E1E)		2690	3363	31

Price List 2024 - USD excl. sales tax - Version 1.0

2 glides and 2 castors 20 \$

<u>Simpla - custom size ranges</u> Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: width 12"-40" | length 24"-80"

**Square:** 24"x24" – 48"x48" **Round:** Ø34" – Ø48" Half-round: 48"x24" – 80"x40" Bar height is NOT available.

Reinforcement applied when the length is 64" or more



# Simpla

## By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off topUnique flat folding frame
- 5 year warranty



		Laminate	Veneer	
	100	(SGB)	(SGC)	
Laminate is with a matchir Veneer is standard with m Table top thickness is 3/4" Standard frame with glide and castors. Linking is incl.	atching hardwood edge. s - optional to get glides	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15 LW17 LW25 LW30	Linking
B1 B7 B9 B10 B30		\$	\$	\$
Trapezoid 60	"x30" (1M2A)	2550	3187	31
	1600 mm 62° mm 62° mm 1800 mm 31.° mm 31.° mm 1800 mm		610 mm	
V-Shaped 60	"x30" (1E2C)	2755	3445	31
	,1	500 mm *60"		
	, 750 nnm	750 mm 1420 mm	870 mm	
Round Ø	42" (1Z1J)	2670	3340	
Round Ø	48" (2B1K)	2868	3587	31

2 glides and 2 castors

Price List 2024 - USD excl. sales tax - Version 1.0

<u>Simpla - custom size ranges</u> Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Round:** Ø34" – Ø48"

Bar height is NOT available.



20

# Simpla modesty panel

By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.



	Modesty panel	
Simpla modesty pa 9.8" high, with integ hooks to hang it on Simpla modesty pa	Steel (SPS)	
9.8" high, made of g	greenish acrylic plastic, oks.	\$
For 48" tops	(3C3CGHY/DEDEY)	443
For 60" tops	(3D3DGHY/DHDHY)	517
For 72" tops	(3F3FGHY/DKDKY)	517

# Tempest flip top

## By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- Nesting depth of 5.1"
- 6 tables can be stacked on table transporterElegant elliptical leg-design



<ul> <li>Elegant elliptica</li> <li>GreenTag<sup>CertTM</sup></li> </ul>					
• Quick ship - LIN	K	Laminate (TPB)	Veneer (TPC)	Stained veneer (TPC)	
Veneer is with ma	natching ABS edge tching hardwood edge. available - ASK HOWE  B10 B30 ss is 1 1/8"	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30 •	Linking
Standard frame w	vith glides and castors	\$	\$	\$	\$
	TT	1105/1305 mm 43.5/51.4"	705/900 mm 27.8/35.4* 750 mm	550 mm	
Rectangular	48" x 24" (021B)	2661	3327	3831	
Rectangular	48" x 30" (021M)	2755	3444	3948	
Rectangular	60" x 30" (021O)	2880	3601	4105	204
Rectangular	72" x 30" (031Q)	3006	3758	4262	304
Rectangular	72" x 36" (031R)	3146	3933	4437	
Rectangular	78" x 40" (031V)	3412	4266	4770	
	TI	705/900 mr 27.8/35.4*	1750 mm	550 mm 21.7"	
V-Shape	60" x 30" (022C)	3287	4109	4613	N/A

Price List 2024 - USD excl. sales tax - Version 1.0

### Tempest flip T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 32"-80" | width 22"-42"

Bar height NOT available.



# Tempest flip top

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- Nesting depth of 5.1"



Price List 2024 - USD excl. sales tax - Version 1.0

60" x 30" (021E)

Half-round

2942

3679

152

4183

# Tempest fold

## By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
  Legs: concealed wheel + adjustable glides
- 5 tables can be stacked on table transporter



	The state of the s		A STATE OF THE PARTY OF THE PAR	The same of the sa
	Laminate (TDB)	Veneer (TDC)	Stained veneer (TDC)	
Laminate is with matching ABS edge  Veneer is with matching hardwood edge.  Other RAL colours available - ASK HOWE  (1) 6 6 87 89 810 830  Table top thickness is 1 1/8"	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame with glides and castors	\$	\$	\$	\$
.005. mm 0092.		115 mm		
*1600 mm *72"			1210 mm 47.6"	
Rectangular 48" x 24" (041L)	3207	4009	4559	
Rectangular 48" x 30" (041M)	3303	4129	4679	
Rectangular 60" x 30" (0510)	3435	4294	4844	304
Rectangular 72" x 30" (051Q)	3568	4460	5010	
Rectangular 72" x 36" (051R)	3713	4642	5192	
*2000 mm *84"	(Sommary of the state of the st	#2-19 ct - 1-36	1 mm 85 8 800 mm 35.4"	
Conference				
Rectangular 84" x 42" (051S)	4608	5760	5760	304
Rectangular 96" x 48" (051W)	5094	6368	6368	

Price List 2024 - USD excl. sales tax - Version 1.0

### Tempest fold T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 40"-96" | width 22"-48"

Bar height NOT available.



# Tempest fold

## By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
  Inverted elliptical T-leg style
  Legs: concealed wheel + adjustable glides
  5 tables can be stacked on table transporter



	Laminate (TDB)	Veneer (TDC)	Stained veneer (TDC)	
Laminate is with matching ABS edge	LU31 LU35	VU1 VU3	LW17	
Veneer is with matching hardwood edge. Other RAL colours available - ASK HOWE	LU45 <b>•</b> LU200 <b>•</b>	VU5 <b>•</b> VU15 <b>•</b>	LW30	
	LU300	76.5		Linking
B1 B6 B7 B9 B10 B30	LU400			
Table top thickness is 1 1/8"				
Standard frame with glides and castors	\$	\$	\$	\$
		1210 m 47.6"		
Crescent 48" x 30" (041C)	4301	5377	5927	304
Crescent 60" x 30" (051D)	4659	5824	6374	304
	`			
		E 1210 mm 47.6"		

# Tempest fold

## By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warrantyInverted elliptical T-leg styleLegs: concealed wheel + adjustable glides
- 5 tables can be stacked on table transporter



	Laminate (TD2)	Veneer (TD3)	Stained veneer (TD3)	
Veneer is with matching ABS edge  Veneer is with matching hardwood edge. Other RAL colours available - ASK HOWE  (1)	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 LW25 LW30	Linking
Table top thickness is 1 1/8" Standard frame with glides and castors	\$	\$	\$	\$
		1210 mm 47.6°	1	
V-Shape 60" x 30" (052C)	3862	4827	5377	N/A
		E <sub>15</sub> , 1210 m 47.6"	m	
Half-round 60" x 30" (051E)	3501	4377	4927	152

# Tempest fix

## By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
   Legs: concealed wheel + adjustable glides
   GreenTag<sup>CertTM</sup>



		A CONTRACTOR OF THE PARTY OF TH			
		Laminate (TI2)	Veneer (TI3)	Stained veneer (TI3)	
Other RAL colours of	thing ABS edge thing hardwood edge. Ivailable - ASK HOWE  BIO B30	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17	Linking
Table top thickness	is 1 1/8"				
Standard frame wit	h glides and castors	\$	\$	\$	\$
		*800 mm	550 mm 21 7		
Rectangular	48" x 24" (061L)	2378	2971	3464	
Rectangular	48" x 30" (061M)	2464	3079	3572	
Rectangular	60" x 30" (061O)	2578	3221	3714	304
Rectangular	72" x 30" (061Q)	2686	3356	3849	
Rectangular	72" x 36" (061R)	2814	3516	4009	
			550 mm 21.7"		
Half-round	60" x 30" (061E)	2631	3288	3781	152

Price List 2024 - USD excl. sales tax - Version 1.0

### Tempest fix T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 32"-96" | width 22"-55"

Bar height NOT available.



# Tempest fix

## By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
  Inverted elliptical T-leg style
  Legs: concealed wheel + adjustable glides
  GreenTag<sup>CertTM</sup>



Laminate is with matching ABS edge  Veneer is with matching hardwood edge.  Other RAL colours available - ASK HOWE	Lu31	Veneer (TI3)	Stained veneer (TI3)	
Veneer is with matching hardwood edge.	LU35		I W17	
B1 B6 B7 B9 B10 B30  Table top thickness is 1 1/8"	LU200 LU300 LU400	VU3 VU5 VU15	LW25	Linking
Standard frame with glides and castors	\$	\$	\$	\$
		550 mm 21.7"		
Crescent 48" x 30" (061C)	3317	4144	4637	304
Crescent 60" x 30" (061D)	3617	4520	5013	304
		550 mm 21.7"		
Trapezoid 60" x 30" (062A)	2659	3323	3816	N/A
T		550 mm 21.7"		
V-Shape 60" x 30" (062C)	2935	3668	4161	N/A

Tempest café flip top

## By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
  GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



		Laminate (TLB)	Veneer (TLC)	Stained veneer (TLC)	
Veneer is with n Other RAL color	n matching ABS edge natching hardwood edge. urs available - ASK HOWE	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Table top thickr	ness is 1 1/8"				
Standard frame	e with 4 glides	\$	\$	\$	\$
		80° mum 008.	31.5."		
Square	30" x 30" (121Z)	2427	2928	3307	304
		*1200 mm 48"	380 mm 31.5."		
Round	Ø30" (111H)	2517	3040	3419	
Round	Ø36" (2211)	2800	3363	3742	N/A
Round	Ø42" (321J)	3119	3762	4141	N/A
Round	Ø48" (331K)	3219	3886	4265	

Price List 2024 - USD excl. sales tax - Version 1.0

#### Tempest flip cafe - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" – 40"x40" . Round: Ø24– Ø48"




Tempest café and lounge fix

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

• 10 year warranty



Price List 2024 - USD excl. sales tax - Version 1.0

24" x 24" (121Y)

#### Tempest fix cafe - custom size ranges

 $\hbox{Rough, refere} \overline{\hbox{nce information - please verify custom sizes with CS, especially for non-rectangular tabletops}$ 

**Square:** 18"x18" – 40"x40" **Round:** Ø24– Ø48"

Lounge - height



\*600 mm

1837

2324

2702

N/A

Tempest bar flip top

## By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
   GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



Table base is 100% recyclable				
	Laminate (TLB)	Veneer (TLC)	Stained veneer (TLC)	
Laminate is with matching ABS edge  Veneer is with matching hardwood edge. Other RAL colours available - ASK HOWE  B1 B6 B7 B30  Table top thickness is 1 1/8"	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame with 4 glides	\$	\$	\$	\$
	*800 mm \$200 Z	450 mm 17.7 "		
Square 30" x 30" (121Z)	2467	2969	3348	20.4
Square 36" x 36" (232L)	2731	3255	3634	304
7	750 mm 4	80 mm 80 mm 80 kg, 14		
Round Ø30" (111H)	2557	3081	3460	
Round Ø36" (2211)	2880	3444	3823	N/A

Price List 2024 - USD excl. sales tax - Version 1.0

<u>Tempest flip bar - custom size ranges</u>
Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" – 40"x40" **Round:** Ø24" – Ø40"



# Tempest bar fix

## By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Fixed base
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
  GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



		Laminate (TNB)	Veneer (TNC)	Stained veneer (TNC)	
	matching ABS edge atching hardwood edge.	LU31 LU35 LU45	VU1 VU3 VU5	LW17	
	rs available - ASK HOWE	LU200 LU300 LU400	VU15	LW30	Linking
B1 B6 B7 B3					
Table top thickn					
Standard frame		\$	\$	\$	\$
		*800 mm	1080 mm		
Square	30" x 30" (121Z)	*30"	450 mm 177 "	2943	
Square	36" x 36" (232L)	2206	2730	3108	304
		750 mm   45	1080mm 41.33		
Round	Ø30" (111H)	2154	2677	3055	N1/A
Round	Ø36" (2211)	2356	2919	3297	N/A

Price List 2024 - USD excl. sales tax - Version 1.0

### Tempest fix bar - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops


**Square:** 18"x18" - 40"x40" Round: Ø24" – Ø40"



# Tempest drop-in top

By KOMPLOT Design

flips, rolls and unfolds possibilities like no






# Tempest modesty panel

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no



<sup>\*</sup>Color fee of USD 135 per color per order


Price List 2024 - USD excl. sales tax - Version 1.0

Retractable mechanism flip or fix 320 \$



# Tutor

## By John Bollen



Price List 2024 - USD excl. sales tax - Version 1.0

Net price: RAL K7 colours for frame - see notes

### **HOWE table size ranges**

Tutor US custom-size tabletops are not possible.

## By HOWE in-house design team

Usu is a study of simplicity in both form and function. The intuitive folding mechanism and transporter, with room for ten rectangular and square tables, make Usu easy to move.

- 5 year warranty
- Up to 10 rectangular and square tables stacked on a transporter
- Stylish round 4-leg design
- Design for disassembly



		Laminate
Laminate is with matc Table top thickness is 3 Standard frame with 2 Linking is incl. 2 bracket	3/4" ! glides and 2 castors.	(UFB) LU300 LU400 LU200
B1** B7*	*Due to the technological process, the black may slightly differ in terms of its gloss.	\$
	1400 mm 555.1"	590 mm 23.3" 72 mm 1 2.8"
Rectangular	47.2"x23.6" (7V7V)	1563
Rectangular	55.1"x27.6" (7W7W)	1722
Rectangular	63"x31.5" (2H2H)	1780
Rectangular	70.9" x 31.5" (2\$2\$)	1824
Rectangular	70.9" x 35.4" (2T2T)	1997
Square	31.5"x31.5" (5E5E)	1563
Round	Ø47.2" (7X7X)	2018

Price List 2024 - USD excl. sales tax - Version 1.0

** Chrome base	118	□\$
----------------	-----	-----

**HOWE table size ranges**Usu US custom-size tabletops are not possible.

# **AS400**

### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Café height tables
- Unbelievably easy to maneuver
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord firmly joins concave tables\*



18

<ul><li>Rubber bumper prot</li><li>An infinite number of together</li></ul>		atches	Laminate (ABB)	Linoleum (ABD)	Veneer (ABC)
Table tops have an ex transparent lacquer.	posed plywood edç	ge with	LU31 LU200 LU300 LU400	FL200	VU1 VU3
Other RAL colors availed Standard base colors:					
B6 B7 B31 B51			\$	\$	\$
		640 mm 25.2"	745 mm 29.3"	160 mm	
Square (*tiny pre-drills in the top; p	25.2" x 25.2" possibility to order linking	g later)	1314	1794	1949
Square with link	25.2" x 25.2"		1395	1875	2030
		830 mm 32.7"	745 mm 29.3"	160 mm 6.3°	
Round	Ø32.7"		1314	1794	1949
Concave with link	Ø32.7"		1422	1911	2074

oft castors for hard floors

## **HOWE table size ranges**

Price List 2024 - USD excl. sales tax - Version 1.0

AS400 Custom-size tabletops are not possible.

### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Bar height tables
- Unbelievably easy to maneuver
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord may join square tables together\*
   Rubber bumper protects tables from scratches



<ul> <li>Rubber bumper protects tables from scratc</li> <li>An infinite number of tables can then be ne together</li> </ul>		Linoleum (ADD)	Veneer (ADC)			
Table tops have an exposed plywood edge transparent lacquer.	LU31 LU200 LU300 LU400	FL200	VU1 0 VU3 0			
Other RAL colors available - ASK HOWE						
Standard base colors:						
••••						
B6 B7 B31 B51	\$	\$	\$			
	600 mm 745 mm 160 mm 6.3					
Square 23.6" x 23.6" (*tiny pre-drills in the top; possibility to order linking la	ter) 1408	1901	2064			
Square with link 23.6" x 23.6"	1489	1982	2145			
niorm 833						

700 mm 27.6"

745 mm 29.3"

1408

Price List 2024 - USD excl. sales tax - Version 1.0

Soft castors for hard floors 18

1901

2064

### **HOWE table size ranges**


Round

AS500 Custom-size tabletops are not possible.

Ø27.6"

### Tables' transporters

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Price List 2024 - USD excl. sales tax - Version 1.0

**Tempest** 

L-kit



UNTLS000310

2317

## Tables' transporters cont.

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Simpla  Capacity up to 8 tables. Colour B10 Howe grey. Dimensions: height 74.5", depth 33", adjustable width Suitable for rectangular tables: length 40"-72" and width up to 36". For other shapes and sizes, please ask HOWE.  Transporter Simpla	No. STRA1000000 010	Per Piece	
Tutor single size  Capacity up to 30 tables. Suitable for single size Tutor tables. Color B10 Howe grey.  Transporter Tutor	OLYS0600SF1 0	Per Piece	
Tutor double size  Capacity up to 30 tables. Suitable for double size Tutor tables. Colour B10 Howe grey.  Transporter Tutor	OLYS1200SS1 0	Per Piece	

## Linking

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Linking for Usu tables  Usu linking bracket, black, 1 pcs*  Linking Usu	No.	Per Piece	
Linking for Simpla tables	70013001	11	
Simpla linking U-bracket, B1 Chrome, 1 pcs*		Per Piece	
Linking Simpla	SAU01	31	
Linking for Tutor tables  Tutor linking bracket, B7 Black		Per Piece	
Linking Tutor	TUA1480	36	
Linking for Tutor tables			
Tutor file tray* linking, B30 White		Per Piece	
Linking Tutor	TUA1490	286	<i>V</i>

## Grommets

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

Round  SAPOP; white plastic Ø2 3/4"; suitable top thickness ≥ 3/4".	No.	Per Piece	
		\$	
	SAPOP	49	
Round  SAPOA; nature andolized aluminium with black brush, Ø3.5"; suitable top thickness ≥ 3/4".	SAPOA	Per Piece	
	3711 071	130	
Rectangular  SAPRA'; rectangular cable outlet comprised of two lids in nature anodized aluminium with black brushes; 12" x 4.25"; suitable top thickness ≥ 3/4".		Per Piece	
	A41*		
	M1*	N/A	



### Electrification

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

All electrification solutions must be consulted with HOWEs Customer Service Team.



Quickpack carry  Quickpack carry black - OE animate battery and high power USB charging module in a neat, portable	No.	Туре	Prices from*	
nousing	OE4387596 OE4387602	Black White	\$ 3013 3013	
Quick dock				
Quick dock black by OE - dedicated container for QIKPAC CARRY portable battery; it locates and ecures in/under surfaces			Prices from	
	OE438765744 31572		\$ 265	
	OE438766444 31572	White	265	
Charger				
Charger by OE - charging station for up to 3 QIKPAC batteries	OE4226680	charger black	2460	
	OE4226697	charger white	2460	
	OE2516204	starter cable - black, 2 m	43	
Wireless charge				
A wireless charger by AH Byrne called Qi Charging Puck. The sleek grommet design can be quickly installed in any worksurface, and once in place, provides cord-free, tangle-free power for any Qienabled device. Forget packing your own charger, imply place your smartphone or tablet on our puck's			Prices from	
surface and it's powering up – all from a single outlet. Vireless, Effortless.			\$	



<sup>\*</sup> OE deliveries within North America may have shipping tee. Ihis depends on the order value and is shown separately in the offer. Please contact Customer Service for defails.

## Cable trays, channels & fittings

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

All electrification solutions must be consulted with HOWEs Customer Service Team.

Cable tray  L-shaped cable tray in black coated steel; mounted with screws; for table top thickness ≥ 3/4"; height of cable tray is 4"; works as a low modesty panel.  \$ 15.75" CTLS040007 72 25" CTLL084007 107 33" CTLL084007 143 41" CTLL1084007 172  Clickable cable channel Tempest  Cable channel for Tempest, in chrome powder coated aluminium as standard¹  Tempest CH1053051 72  Clickable cable channel Moveo  Cable channel for Moveo, in anodised aluminium as standard¹  Per Piece	
mounted with screws; for table top thickness ≥ 3/4"; height of cable tray is 4"; works as a low modesty panel.  15.75" CTLS040007 72  25" CTLL04007 107  33" CTLL084007 143  41" CTLL104007 172  Clickable cable channel Tempest  Cable channel for Tempest, in chrome powder coated aluminium as standard¹  Tempest CHT053051 72  Clickable cable channel Moveo  Cable channel for Moveo, in anodised aluminium as standard¹  Per Piece	No. Per Piece
25" CTLL084007 107  33" CTLL084007 143  41" CTLL104007 172  Clickable cable channel Tempest Cable channel for Tempest, in chrome powder coated aluminium as standard  Tempest CHT053051 72  Clickable cable channel Moveo  Cable channel for Moveo, in anodised aluminium as standard  Per Piece  Per Piece	
33" CTILL084007 143  41" CTILL104007 172  Clickable cable channel Tempest Cable channel for Tempest, in chrome powder coafed aluminium as standard¹ Per Piece  \$ Tempest Clickable cable channel Moveo  Cable channel for Moveo, in anodised aluminium as standard¹ Per Piece	CTLS040007 72
Clickable cable channel Tempest  Cable channel for Tempest, in chrome powder coated aluminium as standard'  Tempest  ChtTos3051  72  Clickable cable channel Moveo  Cable channel for Moveo, in anodised aluminium as standard'  Per Piece  Per Piece	CTLL064007 107
Clickable cable channel Tempest  Cable channel for Tempest, in chrome powder coated aluminium as standard¹  Tempest  CHTOS3051  72  Clickable cable channel Moveo  Cable channel for Moveo, in anodised aluminium as standard¹  Per Piece  Per Piece	CTLL084007 143
Cable channel for Tempest, in chrome powder coated aluminium as standard¹  Per Piece  \$ Tempest CHT053051 72  Clickable cable channel Moveo  Cable channel for Moveo, in anodised aluminium as standard¹  Per Piece  Per Piece	CTLL104007 172
Tempest CHT053051 72  Clickable cable channel Moveo  Cable channel for Moveo, in anodised aluminium as standard¹  Per Piece	Per Piece
Cable channel for Moveo, in anodised aluminium as standard¹  Per Piece	
as standard <sup>1</sup> Per Piece	
	Per Piece
Moveo CHM42052 33	\$ CHM42052 33
Cable holder	5
Grey plastic cable holder to guide cables underneath the tabletop; 1pc double holder	
All tables 082011 N/A	

I



## AS tables privacy screens

Aesthetically pleasing, the innovative felt privacy screen creates enclosure to spaces during work, education, and meeting areas.

It gives flexibility to produce boundaries, as well as visual privacy.



Privacy screen	No.	Per Piece	
Privacy screen for AS round and round concave tables. 46.75"wide x13.75" high; 0.5 thick; light grey felt		\$	
Screen	66091001	572	

# Notes for tables

Price list 2024 - USD excl. V.A.T. - Version 1.0

#### General

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details

In case of large quantities and/or customized products delivery time is usually longer than for standard products.

In case of using any electrification, accessories, or making configurations, the lead time starts being counted once technical drawings are approved by the customer.

Linking is recommended to ensure strong connection and levelling. Please use for both temporary and lasting tables' arrangements.

Crescent shape – the inside curve of top may be exchanged for straight edge, especially if Modesty panels are needed – ask Customer Service for details.

Table ranges are estimates, mostly for rectangular tops. For non-rectangular tables or questions for sizes outside of the ranges, please contact your local Customer Service (CS) representative. If chamfered edges are requested, minimum size increases - check with CS.

#### Moveo

Moveo linking for rectangular and V-shaped tables includes 4 brackets and 4 fittings. Moveo linking for half-round and half-boat tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Here you also get 4 brackets and 4 fittings for rectangular and V-shape tables and 2 brackets and 2 fitting for half-round and half-boat tables.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 20 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

### Simpla

Please note that Simpla linking does not need any pre-drills and may be ordered at any time as a separate accessory. There are 2 pcs of linking recommended per a set of two tables.

Please note that Modesty panels for Simpla are just hanged on the frame and may be ordered at any time as a separate accessory.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 50 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

### **Tempest**

Tempest linking for rectangular, crescent, and square tables includes 4 brackets and 4 fittings. Tempest linking for half-round tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Please contact HOWE for options.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 20 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

### Usu

Please note that Usu linking may be ordered at any time as a separate accessory.

### Tutor

All RAL colours from RAL K5 or K7 colour card available. For quantities < 50 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.



MN1 Backs Natural wood veneers / stains







V3 - oak

LW17 - black stain LW25 - walnut stain

40/4 SIXE Frames Steel





B6 - satin black



B7 - black



B9 - alu grey

All RAL colours available based upon customer sample

B10 - Howe grey

B30 - white

Any RAL

SIXE SWIVEL SIXE LEARN

Base Polyamide



PA100 - Howe grey

SIXE SWIVEL SIXE LEARN\*

Swing arm\* Gas lift



B10 - Howe grey

MN1 Bases







B7 - black

B51 - polished alu

AS100 Bases / seat frames








B7 - black

B51 - polished alu









# TABLES NORTH AMERICA



# COLOUR REFERENCE ONLY Variations in colours and structures may occur.

Subject to ongoing changes and adjustments.

NOVEMBER 2023

howe.com

# General conditions of sales

Price list 2024 - USD excl. V.A.T. - Version 1.0

#### General

These general conditions of sale and terms of delivery shall apply to all agreements concluded between HOWE US Inc. (hereinafter HOWE) and its customers (hereinafter the Buyer), unless otherwise specifically agreed in writing between the Parties

#### Conclusion of agreements, etc.

An agreement has not been concluded until HOWE has accepted an offer made by the Buyer by issuing an order acknowledgement, an invoice or other such written agreement based on the terms and conditions specified in this document. All prices stated in price lists and catalogues include packaging, such as pallets and transport containers, and exclude taxes and/or any other charges. HOWE reserves the right to adjust the prices stated without prior warning in case of an increase in the price of raw materials, production costs, transport costs, packaging, or other sudden changes in the cost level. All agreements are thus concluded on the basis of the prices in force at the time when the order is received.

The agreement basis is thus the information, including information relating to price, materials, qualities, etc., that is stated in the order acknowledgement, invoice, or other such agreement, since other information shall be deemed to be for guidance only and may be corrected up until but not later than the time when the agreement is concluded. Unless otherwise explicitly agreed in writing, the goods have been sold for normal, standard use for the intended purpose.

An Order shall constitute an offer for the sale of goods and does not constitute an acceptance by Buyer of any offer to sell, any quotation, or any proposal. No Order shall become a binding contract for the sale of goods unless and until such Order has been received and accepted by HOWE us Inc. in the state of Michigan.

#### Payment, etc.

Payment terms are subject to credit insurance at Coface. In case a customer cannot be insured a prepayment, or a bank guarantee will be required. If credit payment terms can be granted, payment shall be made in accordance with the terms of payment stated on the invoice, which basically means that payment shall be made in cash not later than 30 days after the date of invoice ("net 30 days"), unless otherwise explicitly agreed. The Buyer shall not be entitled to withhold any part of its' payments due and may under no circumstances offset. If payment is delayed, HOWE shall be entitled to charge interest at a rate of 0.75 % per month or part thereof from the due date. Also, HOWE shall at its' discretion be entitled to fully or partially withhold subsequent deliveries, to demand special terms of payment, or cancel agreements with the Buyer.

HOWE shall be entitled to charge the following fees:

- A fee of thirteen (\$13) for each reminder on late payment
- o All invoices sent by paper will be added an invoice fee of five (\$5)

#### **Property reservation**

HOWE shall retain property in all the goods stated in the order acknowledgement or other such written agreement until the full purchase sum has been paid. The Buyer shall keep the goods fully insured until such time as the purchase sum has been paid and during this period the Buyer shall be responsible towards HOWE for any all and any damage suffered by the goods. HOWE has the right to inspect the goods at any time.

#### Delivery

'Unless otherwise agreed, delivery in Zone 1 in the US shall be made to the Buyer's warehouse situated on the ground floor at a price of two and a half  $(2\frac{1}{2})$  % of the list price. Delivery in Zone 2 in the US shall be made to the Buyer's warehouse situated on the ground floor at a price of four and a half  $(4\frac{1}{2})$  % of the list price. Outside Zone 1 and 2 the added price for delivery is determined on a case-to-case basis by HOWE. International shipments: Tongue chairs are always delivered ex works DENMARK (International shipments).

Standard delivery time within North America: usually 4-7 weeks. In case of large quantities, the delivery time will be determined on a case-to-case basis.

Regardless of whether the Buyer is present at the time of delivery, all risks in relation to the goods shall pass to the Buyer upon delivery to the agreed location. The Buyer shall ensure that the place of delivery is accessible and appropriately laid out for unloading the goods and storing them in their standard packages.

Any deviation from the terms of delivery shall be deemed to constitute one joint deviation from the above, in which case the Buyer shall take over the risk in relation to the goods at the earlier time when the goods were collected or could have been collected in accordance with the agreement made.

If the Buyer requests a postponement of delivery the following charges shall apply:

- o If the Buyer requests postponement no later than five workdays prior to the planned and confirmed time of dispatch, a supplementary charge of ten (\$10) per pallet shall be made per month or part thereof. Minimum charge, forty (\$40) per month or part thereof.
- If the Buyer changes its' delivery address no later than five workdays prior to dispatch, an administrative charge of one hundred (\$100) shall be added.
- o If the sales price is below net five hundred (\$500) a freight charge of one hundred (\$100) will be added.
- o If the Buyer wishes a fixed delivery, a fee of five hundred (\$500) will be added.

#### Fee and MOQ for non-standard choices

For any non-standard product there is a \$500 fee. In most cases there is also a minimum order quantity (MOQ).

#### Buyers' cancellation of contract

Provided the manufacture/dispatch/delivery of the goods has not yet commenced the Buyer shall be entitled to cancel the contract up until forty-eight (48) hours after the order confirmation has been issued. A cancellation fee of 5% of the purchase sum and any extra loss incurred by HOWE as a consequence of the cancellation will apply. In the event more than five (5) workdays have passed since the order confirmation was issued, the contract may be cancelled only up until 4 (four) weeks before confirmed shipment time. A cancellation fee of fifty (50) % of the purchase sum plus transport and administration costs, and any extra loss incurred by HOWE as a consequence of the cancellation will apply. Following four (4) weeks before confirmed shipment time the contract cannot be cancelled.

### Delays

The confirmed time of delivery is only an estimated deadline since HOWE shall be entitled to make changes to or temporarily postpone deliveries in order to be able to organize its goods deliveries and administration appropriately. HOWE cannot be held liable for any loss suffered by the Buyer as a result of a changed or postponed time of delivery. Furthermore, HOWE does not automatically offer loan furniture in these situations.

### Deficiencies, etc.

HOWE shall only be liable for deficiencies in the goods sold if such deficiencies are the result of matters relating to the materials used or the craftsmanship applied. In particular, HOWE shall not be liable for matters resulting from wrong or abnormal use or storage, including in relation to climate and temperature conditions, or any other aspects related to HOWE's instructions.

When the risks in relation to the goods have passed to the Buyer, HOWE can only be held liable for faults and deficiencies to the extent specified in this provision.

The Buyer shall be obliged to carry out a detailed examination of the consignment immediately upon receipt. Complaints regarding deficiencies and/or visible transport damage which are – or should have been – discovered in this examination shall be written on the bill of landing (BOL), which must be given to carrier upon receipt of goods and HOWE CS notified. Any complaints regarding "non-visible" transport damage must reach HOWE not later than seven (7) days after the date of delivery and any complaints regarding any deficiencies ascertained must in each case be forwarded not later than seven (7) days after they were – or should have been – discovered. If the complaint is not made within these deadlines, the Buyer's access to advance claims in relation to any such deficiencies shall be forfeited.

A complaint shall be in writing and shall contain a specific description of the deficiencies with accompanying photo documentation or, alternatively, the deficient component/product shall be forwarded with the complaint.

Unless the deficiency ascertained is the result of gross negligence or intent on the part of HOWE, the Buyer shall in no instance not be entitled to any other rights than to have the goods replaced at no cost to the Buyer. Thus, the Buyer shall not be entitled to cancel the transaction or any rebate, damages, other compensation, or repayment. Further, HOWE shall under no circumstances whatsoever be liable for operating loss, loss of profit, time loss, other indirect loss or damages suffered by the Buyer as a consequence of deficiencies in the goods delivered.

The deficient goods belong to HOWE and shall be returned to HOWE upon request. Basically, the Buyer shall bear the costs and risk of such transport. Unless HOWE has explicitly undertaken to guarantee for the object sold for a longer period, HOWE shall under no circumstances be held liable for faults or deficiencies for which no written complaint has been sent within two years of the hand-over to the Buyer.

#### **Product liability**

The Buyer shall indemnify, defend, and hold harmless HOWE for any and all claims made by third parties for damage or injury for which HOWE is not liable towards the Buyer. HOWE's liability for product liability claims shall not exceed ten thousand (\$10,000), and HOWE shall under no circumstances be held liable to the Buyer for operating loss, loss of profit, time loss, other indirect loss or damages or punitive damages. The Buyer shall immediately inform HOWE of any lawsuit or type of claim for damage or injury caused by products manufactured by HOWE.

#### **Design alterations**

HOWE reserves the right at all times to make such changes to product design, etc., as HOWE deems to be necessary. In such case, information about significant alterations shall be forwarded to the Buyer prior to delivery.

### Use and maintenance guides

The Buyer shall not change the content of Use- and Maintenance guides provided by HOWE. Further, the Buyer shall at all times provide its customers with copies of such guides and specifically draw the customers' attention to the warnings contained in the guides.

#### No waiver

If HOWE fails to exercise or claim its' rights under these Sales conditions, such failure shall not constitute a waiver of such right on the part of HOWE. Also, such failure shall not prevent the right to be invoked or claimed by HOWE at a later point in time.

#### **Venue and Service of Process**

If a dispute of any kind whatsoever arises between the Parties in connection with these Sales Conditions and other aspects in relation to the sales transaction, the Parties shall attempt to settle such dispute amicably.

Provided the Parties are not able to agree upon an amicable settlement within a reasonable time and not later than thirty (30) calendar days after initiation of settlement discussions, any controversy or claim arising (whether contractually or in tort) and including disputes regarding the validity of this provision shall be settled by the American Arbitration Association (AAA). The place of Arbitration shall be Grand Rapids, Michigan. Provided the dispute in question amounts to \$100,000.00 or less, the Arbitration Panel shall consist of one (1) arbitrator. Provided the dispute in question exceeds \$100,000.00 the Arbitration Panel shall consist of three (3) arbitrators. The right to discovery shall be limited to the widest extent permitted by the AAA procedural rules.

The result of the Arbitration shall be final and binding upon the Parties, and the arbitrator(s) shall in their discretion have to power to award reasonable costs and attorney's fees to the prevailing Party.

Despite the arbitration procedure agreed upon above, the Parties shall not be precluded from carrying out interim measures via the appropriate judicial authority.

These Sales Conditions shall be governed by Michigan State law and applicable US Federal law.

Be advised that HOWE reserves the right to correct any printing errors, inaccuracies, or omissions.

# Shipping zone rates

Price list 2024 - USD excl. V.A.T. - Version 1.0

### Shipping zone rates

- o For deliveries in zone 1 please add 2.5% to the list pricing. The minimum freight charge is \$200.
- o For deliveries in zone 2 please add 4.5% to the list pricing. The minimum freight charge is \$200.
- o For deliveries out of Zone 1 and 2, please ask HOWE.

The Tongue is delivered prepaid and add from Denmark. The Tongue freight is quoted per project.



# Warranties

Price list 2024- USD excl. V.A.T. - Version 1.0

#### General

At HOWE US we recognize the value of products that can stand up to continuous use, and we know by experience that good material combined with true craftsmanship and thorough design provides sturdy and durable furniture.

Our high and uniform quality policy secures that our products are always tested to the highest level of international standards and legislations. We constantly strive to optimize our products and services to maintain the high level of quality and durability that is expected of a HOWE product.

HOWE US warrants its products against defects in materials and workmanship as follows:

#### Limited warranty

HOWE warrants its' products against defects in materials and workmanship as described in the following. All warranties are expressly limited to the types of warranties offered. Thus, no other implied or express warranties shall apply.

#### 10 year warranty

HOWE offers on all chairs of its David Rowland 40/4 chair collection a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Only exception is the 40/4 wood frame, which has a 5 (five) year guarantee.

The 40/4 chair is compliant with the following tests in the ANSI/BIFMA X5.1-2011 Chair Test Standard:

- Back Strength
- o Drop-Dynamic
- Seating Durability
- Backrest Durability-Non-Tilt
- Leg Strength

HOWE offers on Moveo and Tempest table systems, SixE, MN1 and AS chairs a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Excluded are: gas lifts, turn / tilt mechanism, castors, folding adaptors, where 5 (five) year guarantee applies.

### 5 year warranty

HOWE offers on all other furniture products a 5 (five) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

#### 2 year warranty

On all power and data solutions we refer to our sub supplier. Their warranty period is 2 (two) years. The HOWE guarantee period runs from the date of shipment.

As of July 1st, 2022, HOWE offers on AS privacy screens a 2 (two) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

### **Exclusions**

This warranty does not apply to product failure resulting from:

- Normal wear and tear
- o Abuse, misuse, accidents, or repeated knocks
- Improper handling/usage or improper cleaning/maintenance
- o Alteration or modification of the product

In addition, HOWE does not warrant:

- Changes in surface finishes due to aging, scratches, markings, stains, or other damage due to normal wear and tear, or due to contact with sharp or hard objects
- o Changes in surface finishes due to exposure to light
- Oxidizing of outdoor treated frames
- Natural variations in wood grain or the presence of character marks. This includes matching of grains, colors, or textures of natural materials
- Customers own fabrics and leather (COL & COM)
- o All service parts (meaning all moving and mechanical parts)
- Customized solutions
- o Marks in fabric/leather after stacking of chairs
- For leather: Marks as scars, insect bites, fat creases and neck wrinkles. This is beauty marks that reflect the normal life
  of an animal.

HOWE recommends chromium plated steel frames on all 40/4 chairs where repeated handling is intended. Please, be aware that constant impacts from handling of painted linking chairs are likely to cause scratches and flaking over time. This is considered normal wear and tear and therefore not covered by the HOWE Warranty.

#### Original spare parts delivery guarantee

Furniture programs from HOWE US are designed with focus on durability and timeless design. In case a product should be discontinued all original spare parts are available for 5 (five) years from the date the discontinuation has been carried through. If a component to a discontinued product for some reason is not available, a corresponding product is offered instead.

In case David Rowlands 40/4 chair should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through. In case the Tempest and Moveo table systems or the SixE chair family should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through.

The guarantee does not apply to product and component modifications and enhancements.