# PRICE LIST 2025



FLEXIBILITY
DELIVERED



### Table of Content

### Chairs

Chairs	
40/4	4
Side chair	4
Side chair - upholstered	5
Side chair Xtra	6
Arm chair	7
Arm chair - upholstered	8
Swivel	9
Swivel - upholstered	10
Bar and Lounge	11
Metal and Wood	12
SixE	13
4-leg	13
4-leg on castors	14
Sled	15
Barstool	16
Swivel	17
Learn	18
MN1	19
Cantilever	19
X-base	20
5-star	21
A\$100	22
Accessories for chairs	23
Notes for chairs	30



31



### Table of Content

#### **Tables** 36 Moveo 36 Training 37 Meeting 38 Conference, modular 39 Conference, stand alone 40 Modesty panel 41 Simpla 41 Tables 43 Modesty panel 44 Tempest 44 Flip top 46 Fold 47 Fix 49 Flip top café 50 Fix café and lounge 51 Flip top bar 52 Fix bar 53 Drop-in top 54 Modesty panel 55 Tutor 56 AS table series 56 A\$400 57 58 Folding Surfaces 59 Other accessories for tables 67





## 40/4 side chair - polyamide and veneer

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyStacks 40 chairs on a dolly
- EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag<sup>CertTM</sup>

- Quick ship LINKFSC wood certified



		AMIDE PA)			
STANDARD FRAME COLOURS	PA200 • PA300 •	PA110	V2 <b>®</b> V3 <b>®</b>	V1	LW17 • LW30
		PA260	V13 🧶	V15 V12	
B1 B6 B7 B9 B10 B30		PA320 PA360			
RAL K7 colours available at customer request	\$	PA380	\$	\$	\$
Non linking (RA)	S				
W 52 1 1 530 mm 19.3" 1530 mm 20.9"	489	528	711	759	823
Brace linking (BA) 14.6 lb	S				
## 19.3"   530 mm   530 mm   20.9"	556	595	780	828	892
Side chair outdoor (DOARA) 14.3 lb.	S				
## 19.3 mm 19.	731	770	N/A	N/A	N/A

Felt glides	20	\$
per RAL K7 colour for frames one colour if below 200 pcs)	+520	\$
per RAL K7 colour for veneer one colour if below 200 pcs)	+520	\$



## 40/4 side chair upholstered

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 25 chairs on a dolly
   EN 16139 / Ansi/Bifma X5.1
   GreenTag<sup>CertTM</sup>
   FSC wood certified

				SEAT UPHOLSTERED						
					AMIDE (SA)		VENEER (DTA)		na) a	
B1 B6 B7 B9	● ○ B10 B30	omer request	GROUP	PA200 PA300		V2 V3 V13	V1 V5 V15 V12	LW17 LW30	FULLY UPHOLSTERED (DUA)	
				\$	\$	\$	\$	\$	\$	
Non linking (RA)		13.9 lbs	COM	627	651	848	878	922	711	
			1	666	690	887	917	961	767	
		77 T	2	718	742	939	969	1013	841	
		(/ g	3	768	792	989	1019	1063	914	
	18.1"	30.5"	4	845	869	1066	1096	1140	1023	
	8 8		5	871	895	1092	1122	1166	1059	
		530 mm	COL	785	809	1006	1036	1080	938	
7	490 mm 19.3"	530 mm 20.9"	LUBL	845	869	1066	1096	1140	1023	
		DAMPAGE	LUCL	947	971	1168	1198	1242	1169	
			LSL	1109	1133	1330	1360	1404	1399	
Brace linking (BA)		14.3 lbs	COM	694	718	915	945	989	780	
			1	733	757	954	984	1028	836	
		0 1	2	785	809	1006	1036	1080	910	
		// E	3	835	859	1056	1086	1130	983	
	EI.	30.5"	4	912	936	1133	1163	1207	1092	
	18.1"	1   150	5	938	962	1159	1189	1233	1128	
			COL	852	876	1073	1103	1147	1007	
	490 mm	530 mm 20.9"	LUBL	912	936	1133	1163	1207	1092	
	17.5	20.1	LUCL	1014	1038	1235	1265	1309	1238	
			LSL	1176	1200	1397	1427	1471	1468	

	Felt glides	20	\$
	Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Г	Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$




### 40/4 side chair Xtra

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 40 chairs on a dolly
   EN 16139 / Ansi/Bifma X5.1
   GreenTag CenTIM

- 1.6" wider and 0.2" higher than the standard 40/4
  FSC wood certified



						(DIQ)		
STANDARD FRAME COLOURS	V2 <b>®</b> V3	V1 (5)	LW17 • LW30			V1	LW17 • LW30	FULLY UPHOLSTERED
		_	LWSU	GROUP			LVV3U	l ISI l
	V13 🥮	V15 <b>®</b> V12			V13	V15 • V12		오
			1 1					
B1 B6 B7 B9 B10 B30								
								12
RAL K7 colours available at customer request								-
	\$	\$	\$		\$	\$	\$	\$
Non linking (RA) 13.9 lk	os			COM	977	1007	1051	818
				1	1016	1046	1090	874
				2	1068	1098	1142	948
				3	1118	1148	1192	1021
7.75 mm 390.3°	818	866	930	4	1195	1225	1269	1130
455 mm 77.5 m 30.5 m	010	000	/00	5	1221	1251	1295	1166
				COL	1135	1165	1209	1045
530 mm 530 mm 20.9"				LUBL	1195	1225	1209	1130
100000 VOORCIV				LUCL	1297	1327	1209	1276
				LSL	1459	#N/D	1209	1506
Brace linking (BA) 14.1 lk	os			COM	1044	1074	1118	887
- , ,				1	1083	1113	1157	943
				2	1135	1165	1209	1017
				3	1185	1215	1259	1090
779-1 775-mm 30.5-m	887	935	999	4	1262	1292	1336	1199
775 m 305 m	007	/33	'''	5	1288	1318	1362	1235
				COL	1202	1232	1276	1114
530 mm 20.9" 20.9"			1	LUBL	1262	1292	1276	1199
				LUCL	1364	1394	1276	1345
				LSL	1526	1556	1276	1575

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer	+520	\$



# 40/4 armchair - polyamide and veneer

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 40 chairs on a dolly
   EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag CertTM
- FSC wood certified



		amide PB)		VENEER (DVB)	
STANDARD FRAME COLOURS	PA200 • PA300	PA260	V3 🧓	V1 V5 V15 V12	LW17 • LW30
B1 B6 B7 B9 B10 B30  RAL K7 colours available at customer request	•	PA320 PA360 PA380 PA370	œ.	· ·	•
Non linking (RA) 17 lbs	\$	\$	\$	\$	\$
888 28. 28. 28. 28. 28. 28. 28. 28. 28.	677	716	897	945	1009
Armlinking (J) 17.2 lbs	5				
23.8" SSD mmm 23.8" SSD mmm 20.9"	787	826	1007	1055	1119
Armchair outdoor (DOBRA) 17 lbs					
883 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	919	958	N/A	N/A	N/A

Felt glides	20	\$
Table surface protection	+23	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer	+520	\$



# 40/4 armchair upholstered

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
   Stacks 25 chairs on a dolly
   EN 15373 / ANSI/BIFMA X5.1 M7.1
   GreenTag<sup>CertTM</sup>
   FSC wood certified

				FULL	Y UPHOLS	STERED			
				(AMIDE DSB)		VENEER (DTB)		(DUB)	
STANDARD FRAME  B1 B6 B7 B9		GROU	PA200 PA300	PA100 PA110 PA250 PA260 PA320 PA360 PA380 PA370	V2 V3 V13	V1   LW17 (	BLACK POLYAMIDE ARMREST	BLACK STAINED VENEER ARMREST	UPH. ARMRESTS
KAL K/ COIOOI3 GVC	diable at costottier request		\$	\$	\$		\$	\$	\$
Non linking (RA)	16.8	lbs COM		839	1036	1066 1110	898	972	972
Trom mining (10 y		1	854	878	1075	1105 1149	954	1028	1053
	2200-2201	2	906	930	1127	1157 1201	1028	1102	1143
_	T 1 7/2	3	956	980	1177	1207 1251	1101	1175	1229
	26.2" 26.2" 60 mm 18.1" 77.5 mm 30.5"	4	1033	1057	1254	1284 1328	1210	1284	1350
	665 mm 26.2° 460 mm 18.1" 775 m	5	1059	1083	1280	1310 1354	1246	1320	1408
	J 41 1 1 ( ) J	COL	973	997	1194	1224 1268	1125	1199	1242
	605 mm 23.8" 1530 mm 20.9"	LUBL	1033	1057	1254	1284 1328	1210	1284	1350
	(7187a - 717a)	LUCL	1135	1159	1356	1386 1430	1356	1430	1557
		LSL	1297	1321	1518	1548 1592	1586	1660	1805
Armlinking (J)	17	OS COM		949	1146	1176 1220	1008	1082	1082
		1	964	988	1185	1215 1259	1064	1138	1163
		2	1016	1040	1237	1267 1311	1138	1212	1253
		3	1066	1090	1287	1317 1361	1211	1285	1339
	26.2" 26.2" 18.1" 18.1" 1775 mm	4	1143	1167	1364	1394 1438	1320	1394	1460
	26.2" 460mm 18.1"		1169	1193	1390	1420 1464	1356	1430	1518
1 41	605 mm , 530 mm	COL	1083	1107	1304	1334 1378	1235	1309	1352
	23.8" 20.9"	LUBL	1143	1167	1364	1394 1438	1320	1394	1460
		LUCL	1245	1269	1466	1496 1540	1466	1540	1667
		LSL	1407	1431	1628	1658 1702	1696	1770	1915

Felt glides	20	\$
Table surface protection	+23	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



# 40/4 swivel - polyamide and veneer

#### By David Rowland

- 10 year warranty

By David Rowland						
Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.						
<ul> <li>10 year warranty</li> <li>Castors or glides available</li> <li>Height adjustable</li> <li>Soft castors as an option</li> <li>GreenTag CertTM</li> </ul>						
FSC wood certified		AMIDE DP)		VENEER (DV)		
STANDARD FRAME COLOURS  ( )	_	PA110	V2 V3 V13	V1 V5 V15 V12	LW17 • LW30	
RAL K7 colours available at customer request	\$	PA370 \$	\$	\$	\$	
Side chair (DPESS) 25.6 lb.	911	950	1 125	1 173	1 237	
Armchair (DPFSA) 27.3 lb.	1 101	1 140	1 311	1 359	1 423	

Soft lane castors	20	\$
e per RAL K7 colour for frames one colour if below 200 pcs)	+520	\$
per RAL K7 colour for veneer one colour if below 200 pcs)	+520	\$



### 40/4 swivel upholstered

#### By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyCastors or glides available
- Height adjustable
- Soft lane castor as an option
   GreenTag<sup>CertTM</sup>

FSC wood certified			SEAT	UPHOLST	ERED			FULLY	
			amide (S)		VENEER (DT)		UPHO	LSTEREI	D (DU)
STANDARD FRAME COLOURS	GROUP	PA200 PA300	PA110 🧓	V2 V3 V13	-	LW17 • LW30	AMIDE	INED	. ARM
B1 B6 B7 B9 B10 B30			PA260 PA320 PA360 PA360		V12		3LACK POLYAMIDE ARMREST	BLACK STAINED VENEER ARMREST	W-W/O UPH. ARM
RAL K7 colours available at customer request		\$	PA380 PA370 S	\$	\$	\$	BLA(	BL S VEN	^-M \$
Side chair (DUESS) 25.1 lb	сом	1049	1073	1272	1302	1346	N/A	N/A	1135
(= ====)	1	1088	1112	1311	1341	1385	N/A	N/A	1191
// ETE	2	1140	1164	1363	1393	1437	N/A	N/A	1265
3.5°23.4" 3.5°23.4" 3.5°33.4"	3	1190	1214	1413	1443	1487	N/A	N/A	1338
\$18 <b>T</b> 85	4	1267	1291	1490	1520	1564	N/A	N/A	1447
170-595 mm 18.5"-23.4"	5	1293	1317	1516	1546	1590	N/A	N/A	1483
\$ =	COL	1207	1231	1430	1460	1504	N/A	N/A	1362
660 mm	LUBL	1267	1291	1490	1520	1564	N/A	N/A	1447
	LUCL	1369	1393	1592	1622	1666	N/A	N/A	1593
	LSL	1531	1555	1754	1784	1828	N/A	N/A	1823
Armchair (DUFSA) 26.9 lb	COM	1237	1261	1460	1490	1534	1322	1396	1396
	1	1276	1300	1499	1529	1573	1378	1452	1477
_ s	2	1328	1352	1551	1581	1625	1452	1526	1567
75 - 800 mm 826" - 31.5" 57 - 23.4" 30.5" - 33.4"	3	1378	1402	1601	1631	1675	1525	1599	1653
818 2 318	4	1455	1479	1678	1708	1752	1634	1708	1774
26.5°-31.5° 470-595.mm 18.5°-23.4° 2775-900.mm	5	1481	1505	1704	1734	1778	1670	1744	1832
	COL	1395	1419	1618	1648	1692	1549	1623	1666
660 mm	LUBL	1455	1479	1678	1708	1752	1634	1708	1774
	LUCL	1557	1581	1780	1810	1854	1780	1854	1981
	LSL	1719	1743	1942	1972	2016	2010	2084	2229

Soft lane castors	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



### 40/4 barstool and lounge chair

#### By David Rowland

Most people see the 40/4 as a pioneering



22.9 lbs


1075 mm 42.3"

1 144

1 183

Price List 2024 - USD excl. sales tax - Version 1.1

Barstool outdoor (DOCCA)



N/A

N/A

N/A




LUBL

LUCL LSL

1435 1581

1811

### 40/4 wood frame and 40/4 metal



Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



### SixE 4-leg

### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
   SixE stacks up to 25 chairs on a dolly
   GreenTag CertTM
- Quick ship LINK



	POLYPR	OPYLENE	UPHOLSTERY				
	(EPAMA	/EPBMA)					
Standard frame colours:	PP200 •	PP100 🌑		SEAT	UPH.	FULLY UPH.	
B1 B6 B7 B9 B10 B30  Choose matching frame and shell colour without additional costs:		PP300 PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)
	RECYCLED PP200	RECYCLED PP100 • PP300 OPP120 •					
RAL K7 colours available at customer request	\$	\$		\$	\$	\$	\$
Sidechair (EPAMA)	os		COM	599	647	1014	N/A
			1	630	678	1110	N/A
			2	664	712	1208	N/A
E			3	689	737	1285	N/A
17.7.T 7.85 mm 30.9"	370	418	4	731	779	1413	N/A
8 2			5	774	822	1536	N/A
520 mm 535 mm			COL	710 731	758 779	N/A	N/A
20.5" 21.1"			LUBL	833	881	N/A N/A	N/A N/A
			LSL	943	991	N/A	N/A
Sidechair with Quicklinking (EPAMA-R) 11 lb	\c_		COM	676	724	1091	N/A
Sidechair with Quicklinking (EPAMA-R) 11 lk	)5		1	707	755	1187	N/A
,530 mm			2	741	789	1285	N/A
			3	766	814	1362	N/A
	4.47	405	4	808	856	1490	N/A
	447	495	5	851	899	1613	N/A
1 W 1			COL	787	835	N/A	N/A
0.5-			LUBL	808	856	N/A	N/A
1050 mm 41.3"			LUCL	910	958	N/A	N/A
			LSL	1020	1068	N/A	N/A
Armchair (EPBMA) 12.61	bs		COM	733	781	N/A	1137
,			1	764	812	N/A	1233
			2	798	846	N/A	1331
E			3	823	871	N/A	1408
895 mm 30.9"	495	543	4	865	913	N/A	1536
695 m 27.47 17.77 30.3	170	010	5	908	956	N/A	1659
565 mm 535 mm			COL	844	892	N/A	N/A
22.2" 21.1"			LUBL	865	913	N/A	N/A
			LUCL	967	1015	N/A	N/A
A 1 1 111 P 11 (FDD) (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			LSL	1077	1125	N/A	N/A
Armchair with armlinking (EPBMA-Y) 12.61	bs		сом	754	802	N/A	1158
570 mm			1 2	785	833	N/A	1254
			3	819 844	867 892	N/A N/A	1352 1429
			4	886	934	N/A N/A	1557
	516	564	5	929	977	N/A N/A	1680
1 11 1 52 mm			COL	865	913	N/A	N/A
\$2 mm 2"			LUBL	886	934	N/A	N/A
1090 mm 42.9"			LUCL	988	1036	N/A	N/A
			LSL	1098	1146	N/A	N/A
			LUL	1070	1170	14//1	14/71

Felt glides	21	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$



## SixE 4-leg on castors

### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
   SixE stacks up to 15 chairs on a dolly
   GreenTag<sup>CertTM</sup>



	POLYPR	OPYLENE	UPHOLSTERY				
	(EPASC	C/EPBSE)					
Standard frame colours:	PP200 •	PP100		SEAT	UPH.	FULLY	UPH.
B1 B6 B7 B9 B10 B30		PP300 O PP310 PP270 PP120 PP		BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)
Choose matching frame and shell colour without additional costs:		PP340 PP350	GROUP	21 0)	210)		
	RECYCLED PP200	RECYCLED PP100 • PP300 OPP120 •					
RAL K7 colours available at customer request	\$	\$		\$	\$	\$	\$
Sidechair (EPA) 17.42 II			COM	854	902	1246	N/A
			1	885	933	1342	N/A
<u> </u>			2	919	967	1440	N/A
785 mm 30.9"			3	944 986	992	1517 1645	N/A
785 m 30.9	604	702	4 5	1029	1034 1077	1768	N/A N/A
			COL	965	1077	N/A	N/A N/A
530 mm, 535 mm, 20.5" 21.1"			LUBL	986	1013	N/A	N/A
20.5" 21.1"			LUCL	1088	1136	N/A	N/A
			LSL	1198	N/A	N/A	N/A
Armchair (EPB) 20.3 lb			COM	988	1036	N/A	1371
Afficial (EFB)	<u>'</u>		1	1019	1067	N/A	1467
			2	1053	1101	N/A	1565
			3	1078	1126	N/A	1642
27.4" 27.4" 27.4" 27.4" 27.4" 27.5" 27.4" 27.5"			4	1120	1168	N/A	1770
695 mi 27.4" 17.7" 785 m	727	775	5	1163	1211	N/A	1893
			COL	1099	1147	N/A	N/A
565 mm, 535 mm, 21.1"			LUBL	1120	1168	N/A	N/A
22.2" 21.1"			LUCL	1222	1270	N/A	N/A
			LSL	1332	N/A	N/A	N/A
			101	1002	14//	11//1	14//3

Price List 2024 - USD excl. sales tax - Version 1.1

Soft lane castors 21

Fee per RAL K7 colour for frames +520 \$ (for one colour if below 200 pcs)



### SixE sled

### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
  SixE stacks up to 25 chairs on a dolly
  GreenTag<sup>CertTM</sup>



	POLYPRO	OPOYLENE	UPHOLSTERY					
	(EPA	/EPB)						
Standard frame colours:	PP200	PP100 •		SEAT UPH. FULLY UPH				
		PP300 O		02/ 11	0		0	
		PP310 PP270		BLACK	COLOUR	NO ARM	BLACK	
B1 B6 B7 B9 B10 B30		PP120		(EFA/	(EFA/	(EUA)	ARM (EUB)	
Choose matching frame and shell colour		PP340		EFB)	EFB)	( - ,	( ' '	
without additional costs:		PP350	GROUP					
• 0 • • • •								
	RECYCLED	RECYCLED						
	PP200 •	PP100						
		PP300 O						
RAL K7 colours available at customer request	\$	\$		\$	\$	\$	\$	
Sidechair (EPARB) 13.2 lb	1		сом	701	749	1104	N/A	
			1	732	780	1200	N/A	
			2	766	814	1298	N/A	
77.7."   77.8.8 mm			3	791	839	1375	N/A	
17.77 17.77 30.9	460	508	4	833	881	1503	N/A	
24   1			5 COL	876 812	924 860	1626 N/A	N/A N/A	
500 mm 545 mm			LUBL	833	881	N/A	N/A	
19.7" 21.5"			LUCL	935	983	N/A	N/A	
			LSL	1045	1093	N/A	N/A	
Sidechair with bracelinking (EPABB) 13.7 lb	S		СОМ	783	831	1183	N/A	
\$15 mm 20.3"			1	814	862	1279	N/A	
20.3"		587	2	848	896	1377	N/A	
			3	873	921	1454	N/A	
	539		4 5	915 958	963 1006	1582 1705	N/A N/A	
J U 1			COL	894	942	N/A	N/A	
0.5			LUBL	915	963	N/A	N/A	
1045 mm			LUCL	1017	1065	N/A	N/A	
			LSL	1127	1175	N/A	N/A	
Armchair (EPBRB) 16.1 lb	s		COM	835	883	N/A	1227	
			1	866	914	N/A	1323	
- I Tr T.			2	900	948	N/A	1421	
27.4" mmm 7.7" mmm 30.5" mm 30.9".			3	925	973 1015	N/A	1498	
685 mm 27.4" 17.7" 17.7" 17.7" 30.9"	585	633	5	967 1010	1013	N/A N/A	1626 1749	
1 41 1 1			COL	946	994	N/A	N/A	
565 mm 22.2" 545 mm 21.5"			LUBL	967	1015	N/A	N/A	
22.2 21.0			LUCL	1069	1117	N/A	N/A	
			LSL	1179	1227	N/A	N/A	
Armchair with armlinking (EPBRB-Y) 16.1 lb	s		COM	856	904	N/A	1248	
570 mm + 22.4" +			1	887	935	N/A	1344	
24			3	921	969 994	N/A	1442 1519	
			4	946 988	1036	N/A N/A	1647	
AA AA	606	654	5	1031	1036	N/A	1770	
70 mm			COL	967	1015	N/A	N/A	
28			LUBL	988	1036	N/A	N/A	
1075 mm 42.3°			LUCL	1090	1138	N/A	N/A	
			LSL	1200	1248	N/A	N/A	

Felt glides	21	_]\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$



### SixE barstool

### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
  SixE stacks up to 10 chairs on a dolly
  GreenTag<sup>CertTM</sup>



	POLYPE	POLYPROPYLENE UPHOLSTERY				
	(F	EPC)				
Standard frame colours:	PP200 •	PP100 PP300		SEAT	UPH.	FULLY
		PP310				UPH.
B1 B6 B7 B9 B10 B30		PP270 •		BLACK	COLOUR	(EUC)
ELL GEOLES EN ELECTOR		PP120		(EFC)	(EFC)	` /
Choose matching frame and shell colour without additional costs:		PP340 PP350	GROUP			
	RECYCLED	RECYCLED				
	PP200 <b>•</b>	PP100 •				
		PP300 O				
RAL K7 colours available at customer reques	st \$	PP120 🌘		\$	\$	\$
	5.1 lbs	4	сом	968	1016	1352
Daisiooi 4 Eeg (Ei C/(O)	). 1 lb3		1	999	1047	1448
			2	1033	1081	1546
I THE			3	1058	1106	1623
770mm 30.3° 1105.mm 43.5°	712	760	4	1100	1148	1751
	/ 12	/00	5	1143	1191	1874
	l		COL	1079	1127	N/A
550 mm 21.7" 535 mm 21.1"			LUBL	1100	1148	N/A
			LUCL	1202	1250	N/A
Described Allers are sometime to significant (FDCAD)	7 11		LSL	1312 968	N/A 1016	N/A 1352
Barstool 4 Leg, counter height (EPCAP)	.7 lbs		1 1	999	1016	1448
	ī I		2	1033	1047	1546
, E			3	1058	1106	1623
E	× 712	7.0	4	1100	1148	1751
630 mm 24.8"	712	760	5	1143	1191	1874
	1		COL	1079	1127	N/A
540 mm 21.3" 535 mm 21.1"			LUBL	1100	1148	N/A
			LUCL	1202	1250	N/A
			LSL	1312	N/A	N/A
Barstool Sled frame (EPCAM) 20	).9 lbs		COM	1070	1118	1444
	8		1	1101	1149	1540
			2	1135	1183	1638
Omm No.33"	3.5"		3	1160 1202	1208 1250	1715 1843
30.3°	802	850	5	1202	1250	1843
			COL	1181	1293	N/A
530 mm 20.9" 560 mm 22"			LUBL	1202	1250	N/A
20.9" 22"			LUCL	1304	1352	N/A
			LSL	1414	1462	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

Felt glides 21 Fee per RAL K7 colour for frames (for one colour if below 200 pcs) +520 \$



### SixE swivel

### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move. - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10\* year warranty
   Design for Disassembly
   GreenTag<sup>CertTM</sup>



			POLYPR	OPYLENE	UPHOLSTERY			
			(EPEES	(EPEES/EPFES)				
Standard frame	colours:		PP200 •	PP100 PP300		SEAT	UPH.	FULLY
B10				PP310 PP270 PP120		BLACK (EPO/	COLOUR (EPO/	UPH. (EFSES/
BAIN - HOWE Gre	Э			PP340 PP350	GROUP	EPP)	EPP)	EFTES)
			RECYCLED PP200	RECYCLED PP100 • PP300 O PP120 •				
			\$	\$		\$	\$	\$
Sidechair		15.9 lbs			СОМ	889 920	937 968	1286 1382
		// EĪ:			1 2	920 954	1002	1480
	E. E.	765 - 885 mm 30.1" - 34.8"			3	979	1002	1557
	395-515 mm 15.6"-20.3"	88	,,,	/ / /	4	1021	1069	1685
	15-151	\$300	645	693	5	1064	1112	1808
	873 pe 1 20 p	100 0 VIO			COL	1000	1048	N/A
	590 mm				LUBL	1021	1069	N/A
	23.2				LUCL	1123	1171	N/A
					LSL	1233	1281	N/A
Armchair		18.3 lbs			COW	1023	1071	1411
					1	1054	1102	1507
		a -1.			2	1088	1136	1605
	ET- E. 7	一			3	1113	1161	1682
	2 E E E E E E E E E E E E E E E E E E E	885 mm	768	816	4	1155	1203	1810
	24.4"-29.1" 395-515.mm 15.6"-20.3"				5	1198	1246	1933
	8 2 5 8 00 000 0	8 8			COL	1134	1182	N/A
	რ 590 mm _				LUBL	1155	1203	N/A
_	23.2"				LUCL	1257	1305	N/A
					LSL	1367	1415	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

Soft lane castors 21 \$



### SixE Learn

### By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10\* year warranty
   Design for Disassembly
- Chair for active learning environments, classrooms and higher education
  GreenTag<sup>CertTM</sup>



			POLYPR	OPYLE	NE		UPHO	LSTERY		
			(EPC	(EPO/EPP)						
Standard frame colours:			PP200 •	PP100 PP300	•		SEAT	FULLY		
BAIN - HOWE Grey				PP310 PP270 PP120 PP340 PP350		GROUP	BLACK (EFO/ EFP)	COLOUR (EFO/ EFP)	UPH. (EFQ/ EFR)	
			RECYCLED PP200	RECYCL PP100 PP300 PP120	.ED		\$	¢	<b>4</b>	
Learn side chair		25.8 lbs	\$	\$		сом	<del></del> 1421	1461	\$ 1770	
Learn side chair 23	25.0 103				1	1452	1492	1866		
_	CT		1107			2	1486	1526	1964	
	26" - 30.7" 26" - 30.7" 75 - 515 mm 5.6" - 20.3"					3	1511	1551	2041	
	660 - 780 mi 26" - 30.7" 395 - 515 mm 15.6" - 20.3"			1107   1177	1107	4	1553	1593	2169	
	19:19	ñ	1127	116	/	5	1596	1636	2292	
	312 513	<b>செய்</b> மே				COL	1532	1572	N/A	
	8	1 220 111111				LUBL	1553	1593	N/A	
_	28.3"	28.3"			LUCL	LUCL	1655	1695	N/A	
						LSL	1765	1805	N/A	
Learn armchair		28 lbs				СОМ	1555	1603	1893	
						1	1586	1634	1989	
	-	-				2	1620	1668	2087	
	m / r :					3	1645	1693	2164	
	8 8 5	125	1050	120	$\sim$	4	1687	1735	2292	
	26" - 30.7" 5- 515 mm 6" - 20.3"	ň	1252   1300	υ	5	1730	1778	2415		
	26 26 26 5.6.	0 m u 0 0				COL	1666	1714	N/A	
	39	720 mm				LUBL	1687	1735	N/A	
		28.3"				LUCL	1789	1837	N/A	
						LSL	1899	1947	N/A	

Soft lane castors	21	\$
Bag hook	52	\$
Cupholder	46	\$



### MN1 cantilever

#### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantyStacks 5 chairsFSC certifiedDesign for Disassembly



		MESH		FULLY UPH.			Armrest   chrome	oad with or black
		IKFICC	/KELCD)	(KYLCC	/KYLCD)	Black base	bo	ise
Standard base finish is chrome		V3	LW25		LW25	w. or w/o		
Black base and armrests as an option	GROUP		LW17		LW17	black		
Standard armrests is polished aluminium		Back frame	Back frame	Back frame	Back frame	armrests	Uph.	Veneer
			Black or		Black or		armrests	armrests
() ●		Oak	walnut	Oak	walnut			
81 87			stained		stained			
		\$	\$	\$	\$	\$	\$	\$
Side chair, normal back (A) 19.8 lbs	COM	1379	1467	1548	1636			
, , , , , , , , , , , , , , , , , , , ,	1	1406	1494	1631	1719			
	2	1437	1525	1715	1803			
	3	1467	1555	1815	1903			
[ E	4	1531	1619	2001	2089	+46	+N/A	+N/A
33. Jan	5	1552	1640	2064	2152	1.0	,,,	,,,
480 mm 18.9° m	COL	1508	1596	1934	2022			
480 mm 575 mm	LUBL	1531	1619	2001	2089			
18.9"   37.511111	LUCL	1684	1772	2460	2548			
W459X 1505955	LSL	1867	1955	N/A	3099			
Side chair, high back (B) 20.7 lbs		1515	1603	1682	1770			
	1	1542	1630	1765	1853			
P	2	1573	1661	1849	1937			
/ E	3	1603	1691	1949	2037			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4	1667	1755	2135	2223	+46	+N/A	+N/A
18.9° mm 18.	5	1688	1776	2198	2286			
8 8 8	COL	1644	1732	2068	2156			
480 mm 620 mm	LUBL	1667	1755	2135	2223			
18.9" 24.4"	LUCL	1820	1908	2594	2682			
4 1 2 200 11-	LSL	N/A 1510	2091 1598	3145 1548	3233 1767			
Armchair, normal back (A) 20.9 lbs	1 COM	1510	1625	1762	1850			
	2	1568	1625	1846	1934			
PI	3	1598	1686	1946	2034			
T n n cons	4	1662	1750	2132	2220			
38 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	5	1683	1771	2195	2283	+90	+303	+204
880 mm 18.9" 18.9" 35.8" 35."	COL	1639	1727	2065	2153			
	LUBL	1662	1750	2132	2220			
570 mm . 575 mm .	LUCL	1815	1903	2591	2679			
22.4" 22.6"	LSL	1998	2086	3142	3230			
Armchair, high back (B) 21.8 lbs		1646	1734	1813	1901			
2110 100	1	1673	1761	1896	1984			
	2	1704	1792	1980	2068			
	3	1734	1822	2080	2168			
	4	1798	1886	2266	2354	+90	+303	+204
	5	1819	1907	2329	2417	+90	+303	+204
880 mm (880 mm 18.9° mm) 18.9° mm (18.9° mm) 18.9° mm) 18.9° mm (18.9° mm) 18.9° mm (18.9° mm) 18.9° mm) 18.9° mm) 18.9° mm) 18.9° mm (18.9° mm) 18.9° mm] 18.9° mm) 18.9° mm] 18.9° mm) 18.9° mm] 18.9° mm] 18.9° mm] 18.9° mm] 1	COL	1775	1863	2199	2287			
1 % -	LUBL	1798	1886	2266	2354			
570 mm 620 mm	LUCL	1951	2039	2725	2813			
22.4" 24.4"	LSL	2134	2222	3276	3364			

Price list 2024 - USD excl. V.A.T. - Version 1.1

Felt glides 42



### MN1 X-base

### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantySimple and elegant aestheticsDesign for DisassemblyHeight adjustableFSC certified



			MESH		FULLY UPH.			Armrest pad with chrome or black	
			(KE	- (	(K)	(M)	Black base	bo	ise
Black base and armrests as an option			V3		V3 🐞	LW25	w. or w/o		
black base and anniests as an option		GROUP	V5	LW17	¥5	LW17	black		
Standard base and armrests is polished		OKOUI	Back frame	Back frame	Back frame	_	armrests	Uph.	Veneer
aluminium			back frame	Black or	back frame	Black or	Girriiosis	armrests	armrests
diominion			Oak	walnut	Oak	walnut		G.11.11.0515	G
			l Gan	stained	l can	stained			
B51 87			\$	\$	\$	\$	\$	\$	\$
Side chair, normal back (A)	23.1 lbs	COM	1642	1730	1803	1891	Ť		,
Side chair, Herriar Back (71)		1	1669	1757	1886	1974			
	A 7	2	1700	1788	1970	2058			
	EL	3	1730	1818	2070	2158	,		
E :	37.3	4	1792	1880	2256	2344			
EIN TO	2 3	5	1815	1903	2319	2407	+46	+N/A	+N/A
177"-21.3"	855 - 945 mm 33.7" - 37.2"	COL	1773	1861	2189	2277			
812 -	⇒ mI.	LUBL	1792	1880	2256	2344			
485 mm 570 r	nm ,	LUCL	1947	2035	2715	2803			
19.1" 22.	4"	LSL	2130	2218	3266	3354			
Side chair, high back (B)	24 lbs	сом	1778	1866	1937	2025			
Jido cridii, riigir back (b)	2.1.00	1	1805	1893	2020	2108			
	e 7	2	1836	1924	2104	2192			
	/ E .	3	1866	1954	2204	2292		1 1	
	15 m	4	1928	2016	2390	2478			
480-540 mm	1055 - 1145 mm 41.5" - 45.1"	5	1951	2039	2453	2541	+46	+N/A	+N/A
927	41.4	COL	1909	1997	2323	2411			
27.7	615 mm	LUBL	1928	2016	2390	2478			
485 mm 615		mm .	LUCL	2083	2171	2849	2937		
19.1" 24	.2"	LSL	2266	2354	3400	3488			
Armchair, normal back (A)	24.3 lbs	сом	1725	1813	1849	1937			
7 timeriali, normai baek (7 t)		1	1752	1840	1932	2020			
72-00-1007	1127	2	1783	1871	2016	2104			
5	mm 7.2	3	1813	1901	2116	2204			
25.4"- 28.9" 25.4"- 28.9" 7.7"- 21.3"	45 mr	4	1875	1963	2302	2390		. 202	
S 2 2 3	33.00	5	1898	1986	2365	2453	+90	+303	+204
25.47-28.97 25.47-28.97 17.77-21.37	33.7	COL	1856	1944	2235	2323			
50 -	1	LUBL	1875	1963	2302	2390			
370 Hirth 370 H	mm	LUCL	2030	2118	2761	2849			
22.4" 22.	4"	LSL	2213	2301	3312	3400	L		
Armchair, high back (B)	25.1 lbs	сом	1861	1949	1983	2071			
,g (-,		1	1888	1976	2066	2154			
	PT	2	1919	2007	2150	2238			
	/ 8.	3	1949	2037	2250	2338			
ETE - N n	1055 - 1145 mm 41.5" - 45.1"	4	2011	2099	2436	2524	+90	+303	+204
25.47.28 mm 25.47.28.97 1777.21.37	= = =	5	2034	2122	2499	2587	+90	+303	+204
2 4 5 4 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	41.	COL	1992	2080	2369	2457			
3/8 8/2	^_	LUBL	2011	2099	2436	2524			
570 mm 615	mm _	LUCL	2166	2254	2895	2983			
22.4" 24	.2"	LSL	2349	2437	3446	3534	L		

Price list 2024 - USD excl. V.A.T. - Version 1.1

Fixed with return swivel	61	[\$
Felt glides	42	[\$



### MN1 5-star

### By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantySimple and elegant aestheticsDesign for DisassemblyHeight adjustableFSC certified



		ME	ESH	FULLY	UPH.		chrome	or black
		(KENLA	/KENLB)	(KENLA	/KENLB)	Black base	bo	ise
Standard base is polished aluminium		V3 🚳	LW25	V3 🐞	LW25	w. or w/o		
with black castors.	GROUP		LW17		LW17	black		
Black base and armrests as an option		Back frAHe	Back frAHe	Back frAHe	Back frAHe	armrests	Uph.	Veneer
Standard armrest is polished aluminium			Black or		Black or		armrests	armrests
		Oak	walnut	Oak	walnut			
			stained		stained			
B51 B7		\$	\$	\$	\$	\$	\$	\$
Side chair, normal back (A) 23.6 lbs	COM	1824	1912	1978	2066			
, , , , , , , , , , , , , , , , , , , ,	1	1851	1939	2061	2149			
	2	1882	1970	2147	2235			
Ein	3	1912	2000	2245	2333			
	4	1976	2064	2433	2521	+46	+N/A	+N/A
22 23	5	1997	2085	2494	2582	'40	.14/\	111//
837-226" 883-226"	COL	1953	2041	2364	2452			
	LUBL	1976	2064	2433	2521			
640 mm 640 mm	LUCL	2129	2217	2890	2978			
25.2" 25.2"	LSL	2312	2400	3443	3531			
Side chair, high back (B) 24.5 lbs	COM	1960	2048	2114	2202			
, ,	1	1987	2075	2197	2285			
PI	2	2018	2106	2283	2371			
E	3	2048	2136	2381	2469			
ESS 7	4	2112	2200	2569	2657	+46	+N/A	+N/A
45-55 mm 1837-226 005-1165 mm	5	2133	2221	2630	2718	1 .40	114/71	114//
58 7 7 884	COL	2089	2177	2500	2588			
200 500 500 5	LUBL	2112	2200	2569	2657			
640 mm 640 mm	LUCL	2265	2353	3026	3114			
25.2" 25.2"	LSL	2448	2536	3579	3667			
Armchair, normal back (A) 24.7 lbs	COM	1907	1995	2032	2120			
· ·	1	1934	2022	2115	2203			
( ) P T	2	1965	2053	2201	2289			
ET. 0 0 E 80	3	1995	2083	2299	2387			
E 5 E 5 E 8	4	2059	2147	2487	2575	+90	+303	+204
0-880 mm 03" -34.6" 3" -22.6" 875 -985 mm 34.5" - 38.8"	5	2080	2168	2548	2636			
	COL	2036	2124	2418	2506			
71 312 000 00 0 00 1	LUBL	2059	2147	2487	2575			
640 mm 25.2" 25.2"	LUCL	2212	2300	2944	3032			
protestion and a second	LSL	2395	2483	3497	3585			
Armchair, high back (B) 25.6 lbs		2043	2131	2168	2256			
	1	2070	2158	2251	2339			
PI	2	2101	2189	2337	2425			
2.80 mm 5.73.34.67 5.72.67 8.7.22.67 1055 - 1165 mm	3	2131	2219	2435	2523			
Elia E 1 1 2 3 3	4	2195	2283	2623	2711	+90	+303	+204
2.2.5. 34. 1.2.5. 1.4. 1.5. 1.5	5	2216	2304	2684	2772			
770-880 mm 333-34.6" 8-37-32.6" 8-37-32.6" 1055-1165	COL	2172	2260	2554	2642			
KIM 3/2000 00 0 00 0	LUBL	2195	2283	2623	2711			
640 mm 640 mm 25.2" 25.2"	LUCL	2348	2436	3080	3168			
25.2 25.2	LSL	2531	2619	3633	3721			

Price list 2024 - USD excl. V.A.T. - Version 1.1

Soft lane castors 42 \$



### AS100

#### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warrantyLightweight and space-saving
- Easy to link multiple chairs for relocation
- Castors are weight activated brake castors
- Stacks horizontally as many chairs as wanted
   Return swivel mechanism with 4 positions



		\$
Side chair (CCS) 22 lbs	COW	1537
, ,	1	1607
	2	1677
	3	1760
880 mm	4	1887
	5	1967
	COL	1835
\$ 3	LUBL	1887
700 mm 700 mm 27.6"	LUCL	2239
	LSL	2666
Armchair (CCA) 24 lbs	сом	1666
	1	1736
	2	1806
	3	1889 2016
	5	2016
880mm 847mm	COL	1964
1 1 1 1 1 1 1 1 1	LUBL	2016
700 mm 700 mm	LUCL	2368
700 mm 700 mm 77 X"	LSL	2795

Price List 2025 - USD excl. sales tax - Version 1.0

Soft castors for hard floors



### 40/4 Writing tablet

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

Writing tabl	et without or with cupholder	No.	Per Piece	
Writing tablet without 40/4 writing tablet, ch Left and right version i	rome frame, 0.4" compact laminate	NO.	\$	
No Cupholder	Black	DAZS	329	
No Cupholder	White	DAZS	329	
Cupholder	Black	DAZS_Y	372	
Cupholder	White	DAZS_Y	372	
40/4 and SixI	Transporter for writing tablets			
Writing tablet dolly, up Dolly with 3 boxes, ler height: 55".  Writing tablet dolly, up Double dolly with 6 both height: 55".	ngth: 16", depth: 24",		Per Transporter	
			\$	
18 Pcs	3 boxes	404WTDLY01	1001	
36 pcs	6 boxes	404WTDLY02	2002	



### 40/4 Linking

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking  Width between seats: 2.6". Linking side chair to side chair; allows to link chairs in a straight line.	No.	Per Piece	
40/4 linking device LD1H in chrome	404ACCLD1H	\$ 57	/
Width between seats: 4.9" Linking: side chair to side chair; side chair to armchair; allows to link chairs in a straight line.	404/CCLD111	37	
40/4 linking device LD2H in chrome	404ACCLD2H	72	<i>I</i> ,
Width between seats: 7.3" Linking: side chair to side chair; side chair to armchair; armchair to armchair; allows to link chairs in a straight line.			
40/4 linking device LD3H in chrome	404ACCLD3H	79	,
Width between seats: 3.2" Linking side chair to side chair; allows to form the arc of chairs; the radius is adjuastable, 0-12 degrees.			
40/4 radius linking device LD2RL in chrome	404ACCLD2R L	86	
Width between seats: 7.9" Linking armchairs with writing tablets to armchairs with writing tablets; allows to link chairs in a straight line.			
40/4 linking device LD4S in chrome	404ACCLD4S	100	
Width between seats: 2.75" Linking side chair to side chair; allows to link chairs in a straight line. Recommended for public spaces where EN 14703 is a requirement.			
40/4 safety linking device LD5S in chrome	404ACCLD5S	86	
Price List 2024 - USD excl. sales tax - Version 1.1			



### 40/4 Dolly and Glides

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



All accessories recommended for chrome frames only.  Dollies suit side chairs and arm chairs in polyamide, veneer, or full upholstery.  For dollies to other versions of the 40/4 chair - please ask HOWE	- No.	Per Piece	
Hook/eye, fin linking or without linking	DLYSSAASF10	875	2
Brace linking	DLYSSBCSF10	875	
Extra glides with felt		Per Piece	
For hook/eye and fin-linking chairs on chrom	ne frames	\$	[III \ /
Transparent female glides with felt with screws	02328WS	7	
Transparent male glides with felt with screws	02329WS	7	
Transparent regular glides with felt with pin	02352	7	
For non-linking chairs; for linking armchairs and for brac	e-linking side cl	hairs	
Transparent regular glides with felt with pin	02352	7	
For bar chairs			
Transparent bar glides with felt for both chrome and painted frames	17330	7	
Extra glides without felt		Per Piece	101 A //
For hook/eye and fin-linking chairs on chrom	ne frames	\$	
Transparent female glides without felt with screws	02325WS	6	
Transparent male glides without felt with screws	02326WS	6	
Transparent regular glides without felt with pin	02351	6	
For non-linking chairs; for linking armchairs and for brac	e-linking side cl		
Transparent regular glides without felt with pin	02351	6	
For bar chairs	-		
Transparent bar glides with felt for both chrome and painted frames	17327	6	
Price List 2024 - USD excl. sales tax - Version 1.1			



### 40/4 Linking items and book holders

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking continued	No.	Per Piece	
Width between seats: 2.75" Linking side chair to side chair; allows to link chairs in a straight line. Recommended for public spaces where EN 14703 is a requirement.	NO.	rei riece	
40/4 safety linking device LD5S	404ACCLD5S		
Cup holder for 40/4 safety linking device LD5S	404ACCLD5S CUP	11	
Numbering for 40/4 safety linking device LD5S	404ACCLD5S NUM	11	
Linking tool			
40/4 Linking tool In chrome. An aid to the linking/unlinking operation of side chairs with integrated linking.			
Linking tool (for side chairs with integrated linking)	404ACC0300 101	72	(A: 10)
Row spacer bar In HOWE grey powdercoating with rubber lock, allows a 13.78" aisle between rows.			
Row spacer bar for armchairs, 13.78" distance between the rows	404ACC027A 350	93	
Row spacer bar for side chairs, 13.78" distance between the rows	04ACC027\$35	93	
Bookholders			
40/4 book rack in chrome			
Book rack (for side chairs and armchairs)	404ACC0290 101	172	
Hymn book holder			
In chrome, 4.72" high and 6.89" long; 6.1" wide (distance between front legs of chairs) with integrated linking. Note! Hymn book holder does not work with the writing tablet.			
Hymn book holder (for side chairs and armchairs, non-linking)	404ACC0280 101	100	,



### 40/4 Numbering tag

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

,			
Numbering tags for row and seat  The price of one numbering tag. The start-up fee is 450 \$	- No.	Per Piece	
		\$	
40/4 Row/seat numbering tag	404SN1120	57	

### SixE Writing tablet and Dolly

No matter how you look at SixE, it presents itself as a perfectly bold move – bending the rules of how comfortable a simple polypropylene shell chair can be.

All accessories are recommended for chrome frames only.

,				
Writing tablet without c	me frame, 0.4" compact laminate	No.	Per Piece	
No Cupholder	Black	EAZS	343	
No Cupholder	White	EAZS	343	
Cupholder	Black	EAZS_Y	386	
Cupholder	White	EAZS_Y	386	
Writing tablet dolly, up Double dolly with 6 box	gth: 16", depth: 24", height: 55" to 36 pcs. xes, length: 32", depth: 24", height: 55"		Per Transporter	
18 Pcs	3 boxes	404WTDLY01	1001	
36 pcs	6 boxes	404WTDLY02	2002	
Dolly for SixE 4-leg and sled  Single HOWE grey dolly with multidirectional castors Accomodates up to 25 chairs.			Per Dolly	
25 chairs		22920010	1373	9 70
20 0110113		22,20010	10/0	



### MN1 Dolly

Whenever comfort, classic lines, and functionality are vital,



Price List 2024 - USD excl. sales tax - Version 1.1

Dolly

### Notes for chairs

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details

In case of large quantities and/or customized products delivery time is usually longer than for standard products.

For chairs with upholstery, the lead time starts being counted once fabric reaches the production line.

We recommend linking only for chrome frames.

Frame colours from RAL K5 or K7 colour card are available. For quantities < 200 chairs the colour fee is 520 USD per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impressions of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Stained veneer is possible with RAL colours from RAL K5 or K7 colour card. For quantities < 200 chairs the colour fee is 520 USD per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

We recommend only stacking chairs with chrome frame.

Veneer is a natural material - differences in structure and colour may occur.

Upholstered armrests are as standard in the same fabric/leather type and colour as the seat and the back.

Soft castors are recommended for hard floors, hard castors for soft floors.

#### 40/4

Table surface protection protects the table surface when the chairs are hung up; it may be used only for non-linking chairs.

Please be aware that extra glides are not available for wooden frames.

40/4 can be stacked on a single, double, triple or quarto dolly. Double, triple and quarto can only be used with hook/eye linking.

As standard chair top frame and its swivel base are of the same colour but be aware that they are always matched by the chrome gas lift.

Glides for linking side chairs; the whole set for one linking side chair comprises of one male glide and one female glide at the front part of the frame (reinforcing the linking in the front part of the chair frame) plus two regular glides at the rear part of the frame; whether these are glides with or without felt depends only on customer's needs.

Regular glides are suitable for non-linking side chairs, for all types of armchairs and for lounge chairs; the whole set comprises of four clear regular glides per chair.

Glides for barstool with both chrome and painted frames; the whole set comprises of four regular glides per chair.

#### MN1

Fixed seating height - there is no possibility to install both height adjustable and return mechanism together.

Gas lift is black for black base and chrome for polished aluminium base.

#### SixE

Bag hook is recommended only for polypropylene backs.



### **FABRICS**

Enhance your designs with consciously chosen fabrics of top-notch performance and sustainable profiles. If you're seeking a solution that goes beyond standard options, please contact HOWE Customer Service.

40/4 MN1 SixE AS100



CURA by Gabriel		EMEA + US/CAN price gr	EMEA + US/CAN price group 1		
Composition  Martindale: Washable: Cleanable:	: 98% post-consumer recycled polyester, 2% polyester 100.000 60-74°C YES	Flammability CAL 117: Added flame retardan Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES t: NO NO NO YES YES		
		VIEW FULL COLOR RANGE			

40/4 MN1 SixE AS100



EVENT by Gabriel	EMEA + US/CAN price gro	up 1
Martindale: 100.000 Washable: 60°C Cleanable: YES	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES NO NO NO YES YES
	VIEW FULL COLOR RANGE	

40/4 MN1





FIGHTER by Gabriel		EMEA + US/CAN price gro	EMEA + US/CAN price group 1		
Composition	: 100% recyclable polyester	Flammability CAL 117: Added flame retardant:	YES		
Martindale: Washable:	130.000 YES	Flammability M: Orib 5:	NO NO		
Cleanable:	Only dry	Ecolabel: Oeko-Tex:	NO YES		
		VIEW FULL COLOR RANGE			

40/4 MN1 SixE AS100



MAIN LINE PLUS by Camira		EMEA + US/CAN price group 1		
Composition  Martindale: Washable: Cleanable:	n: 67% wool, 20% flame retardant viscose, 13% viscose ≥50,000 YES YES	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES YES NO YES NO YES	
		VIEW FULL COLOR RANGE		

40/4 MN1 SixE



OCEANIC by Camira		EMEA + US/CAN price grou	EMEA + US/CAN price group 1		
Composition  Martindale:  Washable:  Cleanable:	: 100% post-consumer recycled polyester ≥100,000 60°C YES	Added flame retardant:   Flammability M: Crib 5: Ecolabel:	YES NO NO NO YES YES		
VIEW FULL COLOR RANGE		VIEW FULL COLOR RANGE			



40/4 MN1 SixE	



QUEST by Camira

EMEA + US/CAN price group 1

Composition: 100% post-consumer Flammability CAL 117:

recycled polyester

Martindale: ≥100,000 Washable: 60°C Cleanable: YES

Added flame retardant: NO Flammability M: NO Crib 5: NO Ecolabel: YES

VIEW FULL COLOR RANGE

YES

YES

NO

Oeko-Tex:

Oeko-Tex:

Oeko-Tex:

40/4 MN1 SixE AS100



**REPLAY** by Camira

Martindale:

Washable:

Cleanable:

EMEA + US/CAN price group 1

Composition: 100% post-consumer recycled flame

retardant polyester

≥100,000 60°C YES

Flammability CAL 117: Added flame retardant: YES Flammability M: Crib 5: NO Ecolabel: YES

VIEW FULL COLOR RANGE

EMEA + US/CAN price group 1

40/4 MN1 SixE



Resin - EGL04

**RIVET** by Camira

Composition: 100% post-consumer recycled polyester

Martindale: >80 000 Washable: 60°C Cleanable: YES

Flammability CAL 117: Added flame retardant: NO Flammability M: NO Crib 5: NO Ecolabel: YES

VIEW FULL COLOR RANGE

EMEA + US/CAN price group 1

40/4 MN1 SixE



66763

STEP by Gabriel

Composition: 100% Trevira CS Martindale: 100.000 Washable: 60-74°C Cleanable: YES

Flammability CAL 117: Added flame retardant: YES Flammability M: M1 Crib 5: YES Ecolabel: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE

EMEA + US/CAN price group 1

40/4 MN1 SixE AS100



STEP MELANGE by Gabriel

Composition: 100% Trevira CS

Martindale: 100.000 Washable: 60-74°C Cleanable: YES

Flammability CAL 117: YES Added flame retardant: YES Flammability M: MΊ Crib 5: YES Ecolabel: YES YES Oeko-Tex:

VIEW FULL COLOR RANGE

EMEA + US/CAN price group 1

Added flame retardant: YES

M2

NO

NO

NO

40/4 MN1 SixE AS100



TANNERY by Spradling

Composition: Vinyl topcoat,

cotton backing Martindale: >100.000 Washable: NO Cleanable: YES

> Oeko-Tex: VIEW FULL COLOR RANGE

Flammability CAL 117:

Flammability M:

Crib 5:

Ecolabel:

32



40/4	
MN1	
SixE	



#### XTREME by Camira

EMEA + US/CAN price group 1

Composition: 100% post-consumer Flammability CAL 117:
recycled flame Added flame retardant:

recycled flame Added flame retardant: YES retardant polyester Flammability M: NO

 Martindale:
 ≥100,000
 Crib 5:
 YES

 Washable:
 60°C
 Ecolabel:
 YES

 Cleanable:
 YES
 Oeko-Tex:
 YES

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



Tooting - MLF17

#### MAIN LINE FLAX by Camira EM

EMEA + US/CAN price group 2

Composition: 70% virgin wool, 30% flax Flammability CAL 117: YES Martindale: ≥50,000 Added flame retardant: NO Washable: NO Flammability M: NO Cleanable: Crib 5: YES YES Ecolabel: YES Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1 SixE



Warrior - 466553-045

#### METAPHOR by Maharam

EMEA + US/CAN price group 2

Composition: 100% polyester Flammability CAL 117: YES Martindale: 100,000 double rubs Added flame retardant: NO

Wyzenbeek Flammability M: NO
Washable: NO Crib 5: NO
Cleanable: YES Ecolabel: NO
Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1



Skylight

#### VALENCIA B1 by Spradling

EMEA + US/CAN price group 2

Composition: Vinyl topcoat, Flammability CAL 117: YES cotton backing Added flame retardant: YES Flammability M: Martindale: >300.000 M1 Washable: NO Crib 5: YES Cleanable: YES NO Ecolabel: Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



#### CRISP by Gabriel

EMEA + US/CAN price group 3

Composition: 93% wool, 7% polyamide Flammability CAL 117: YES Martindale: 200 000 Added flame retardant: NO Flammability M: Washable: NO Cleanable: YES Crib 5: NO Ecolabel: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



#### FAME by Gabriel

EMEA + US/CAN price group 3

Composition: 95% wool, 5% polyamide Flammability CAL 117: Martindale: 200 000 Added flame retardant: NO Washable: NO Flammability M: NO Cleanable: Only dry Crib 5: YES Ecolabel: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE



40/4 MNI SixE ASI00	0682
40/4 MN1 AS100	0926
40/4 MN1 AS100	Black - 41599

REMIX 3	by Kvadrat	EMEA + US/CAN price gro	ир 3
Composition Martindale: Washable: Cleanable:	: 90% new wool, 10% nylon 100,000 NO Only dry	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES NO NO NO YES
		VIEW FULL COLOR RANGE	

CANVAS 2 by Kvadrat EMEA + US/CAN price group 4 Composition: 90% new wool, 10% nylon Flammability CAL 117: YES Martindale: 100,000 Added flame retardant: NO Washable: NO Flammability M: NO Cleanable: Only dry Crib 5: NO Ecolabel: YES Oeko-Tex: NO VIEW FULL COLOR RANGE

ULTRA by Sørensen Leather EMEA + US/CAN price group 4 (TANGO), BLACK Flammability CAL 117: Added flame retardant: NO Composition: Protected Flammability M: Martindale: -Crib 5: Washable: Ecolabel: Cleanable: Oeko-Tex: BLACK ONLY

AS100

40/4 MN1 Needs testing



BASIC by Sørensen Leather EMEA + US/CAN price group 5 Flammability CAL 117: (KNIGHT), BLACK Added flame retardant: NO Flammability M: Composition: Protected Martindale: -Crib 5: Washable: Ecolabel: Cleanable: Oeko-Tex: YES BLACK ONLY

40/4 MN1 SixE AS100



HALLINGDAL 65 by Kvadrat EMEA + US/CAN price group 5 Composition: 70% new wool, Flammability CAL 117: 30% viscose Added flame retardant: NO Martindale: 100.000 Flammability M: NO Washable: Crib 5: YES Cleanable: Only dry Ecolabel: YES Oeko-Tex: NO VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



STEELCUT TRIO 3 by Kvadrat		EMEA + US/CAN price gro	oup 5
Martindale: Washable:	: 90% new wool, 10% nylon 100.000 NO	Flammability CAL 117: Added flame retardant: Flammability M:	YES NO NO
Cleanable: Only dry		Crib 5: Ecolabel: Oeko-Tex:	NO YES NO
VIEW FULL COLOR RANG		VIEW FULL COLOR RANGE	



40/4 MN1 AS100



SAVANNE by Sørensen Leather EMEA + US/CAN price group LSL

Composition:Semi-anilineFlammability CAL 117:-Martindale:-Added flame retardant:-Washable:-Flammability M:-Cleanable:-Crib 5:-Ecolabel:-Oeko-Tex:YES

VIEW FULL COLOR RANGE

40/4 MN1 AS100



ULTRA by Sørensen Leather

EMEA + US/CAN price group LUCL

 (TANGO), COLOURED
 Flammability CAL 117: - Added flame retardant: - Added flame retardant: - Flammability M: - Crib 5: - Crib 5: - Colabel: - Colab

VIEW FULL COLOR RANGE



### Moveo Training

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- C-leg style
- Flip top table system



	Laminate (MBB)	Veneer (MBC)	Stained veneer (MBC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood edge.	LU45 LU31 LU35 LU300	VU1 VU3 VU5 VU15	LW17	
Table top thickness is 1"	LU400 LU200			Linking
B6 B51 B52				
Standard frame* with castors with breaks *Other frame colours - see the notes	\$	\$	\$	
000 mm 00			Z40 mm	
1200 mm		960 mm 37.8"	450 mm 17.7"	
Rectangular 48"x24" (321L)	2590	3237	3741	
Rectangular 60"x24" (342D)	2731	3414	3918	304
Rectangular 60"x30" (4410)	2795	3493	3997	304
Rectangular 72"x24" (362E)	2809	3511	4015	
	960 mm 37.8"	450 mm 17.7	8-11-18-18-18-18-18-18-18-18-18-18-18-18	
V-shape 48"x24" (222F)	2701	3376	3880	304
V-shape 60"x30" (442C)	2809	3511	4015	304

Price List 2024 - USD excl. sales tax - Version 1.1

#### Moveo Training - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops  $\bf Rectangle$ : length 28"-100" | width 18"-36"



### Moveo Meeting

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Inverted T-leg styleFlip top table system



		Laminate (MTB)	Veneer (MTC)	Stained veneer (MTC)	
Laminate is with mod Veneer is with mate	atching ABS edge. ching hardwood edge.	LU45 LU31 LU35 LU300	VU1	LW17	
Table top thickness	is 1"	LU400 LU200			Linking
B6 B51 B52 Standard frame* w	ith castors with breaks				
*Other frame colou	urs - see the notes	\$	\$	\$	\$
	1500 mm *60"		1250 mm 49.6"	570 mm 22.5"	
Rectangular	60"x30" (241O)	2798	3498	4002	
Rectangular	72"x36" (461R)	3012	3765	4269	304
	T	1250 mm 49.6"	570 mm 22.5"		
Half-round	60"x30" (121E)	2897	3621	4125	152
		1260 mm 49.6"	570 mm 22.5"	28.1"	
V-Shape	60"x30" (342C)	2811	3514	4018	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

#### Moveo Meeting - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: length 28"-100" | width 24"-36"



### Moveo Conference modular

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Flip top table system



		Laminate (MVB)	Veneer (MVC)	Stained veneer (MVC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood ed	dge.	LU45 LU31 LU35 LU300	VU1 VU3 VU5 VU15	LW17	
Table top thickness is 1"		LU400 LU200	Vois		Linking
B6 B51 B52					
Standard frame* with castors with bree *Other frame colours - see the notes	aks	\$	\$	\$	\$
1, 1,	2200 mm	mm 880	1960mm	, 850 mm	
Rectangular 88"x40" (485)	<b>M</b> )	5734	7168	8176	204
Rectangular 88"x48" (485)	1)	6697	8372	9380	304
				740 mm	
		1960 mm	850 mm	<u> </u>	
Half-Boat 96"x42" (786)	4)	6627	8284	9292	152
Half-Boat 96"x48" (786E	3)	7353	9192	10200	152

Price List 2024 - USD excl. sales tax - Version 1.1

#### Moveo Conference, Modular - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: length 28"-86" | width 36"-48"



## Moveo Conference stand alone

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag<sup>CertTM</sup>
- Inverted T-leg style
- Flip top table system



		Laminate (MRB)	Veneer (MRC)	Stained veneer (MRC)	
Laminate is with mate	atching ABS edge. ching hardwood edge.	LU31	VU3	LW17 • LW25 • LW30	
Table top thickness	is 1"	LU300	VU15		Linking
B6 B51 B52					
Standard frame* w *Other frame color	ith castors with breaks urs - see the notes	\$	\$	\$	\$
1	2400 mm	May 2012	1750 mm	850 mm	
Rectangular	96"x42" (472V)	5983	7479	8487	
Rectangular	96"x48" (47IW)				
ŭ	70 % 10 (1711)	6954	8692	9700	304
		6954	8692	9700 9700	304
		6954	8692		304
Boat-shape	96"x42" (474M)				304

Price List 2024 - USD excl. sales tax - Version 1.1

#### Moveo Conference, Stand alone - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Rectangle:** length 48"-100" | width 36"-48"



## Moveo modesty panel

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

• 10 year warranty



		Lamino	ate Veneer
M	ODESTY PANEL	LU45 LU31 LU35	VU1
Moveo modesty pan high, mounted on ho		LU300 LU400 LU200	VU15 LW17 LW25 LW30
Beam length	975 mm (4C4C)	484	1 684
Beam length	1275 mm (4E4E)	532	752
Beam length	1575 mm (4H4H)	532	752



### Simpla

#### By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off top
- Unique flat folding frame
- Up to 8 stacked tables on a transporter
- 5 year warranty



	Laminate	Veneer	
	(SGB)	(SGC)	
Laminate is with a matching ABS edge Veneer is standard with matching hardwood edge.  Table top thickness is 3/4" Standard frame with glides - optional to get glides and castors. Linking is incl. 2 brackets	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15 LW17 LW25 LW30	Linking
B1 B7 B9 B10 B30)	\$	\$	\$
Rectangular 48"x24" (1L1L)	2326	2909	
Rectangular 60"x30" (1010)	2512	3141	31
Rectangular 72"x36" (1R1R)	2775	3469	
	30° mm		730 mm 28.7"
, 18	800 mm 1.	720 mm 67.7" 820 mm	
Square 30"x30" (1Z1Z)	2245	2807	31
	750 mm +30"	670 mm 26.4"	
Half-round 60"x30" (1E1E)	2690	3363	31

Price List 2024 - USD excl. sales tax - Version 1.1

2 glides and 2 castors	20 \$
------------------------	-------

<u>Simpla - custom size ranges</u> Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** width 12"-40" | length 24"-80"

**Square:** 24"x24" – 48"x48" **Round:** Ø34" – Ø48" Half-round: 48"x24" – 80"x40" Bar height is NOT available.

Reinforcement applied when the length is 64" or more



### Simpla

#### By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off topUnique flat folding frame
- 5 year warranty



		11 11 11 11		
		Laminate	Veneer	
		(SGB)	(SGC)	
Veneer is standar  Table top thickne Standard frame v and castors. Linki	with glides - optional to get glides ing is incl. 2 brackets	LU31 LU35 LU45 LU200 LU300 LU400	VUI VU3 VU5 VU15 LW17 LW25 LW30	Linking
B1 B7 B9 B1	0 B30	\$	\$	\$
Trapezoid	60"x30" (1M2A)	2550	3187	31
	1600 mm 62"	58"	610 mm	
V-Shaped	60"x30" (1E2C)	2755	3445	31
		1500 mm *60"		
			7.00 mm 86.7-1	
	*30"	*30" 55.9"	670 mm 26.4"	
Round	Ø42" (1Z1J)	2670	3340	31
Round	Ø48" (2B1K)	2868	3587	ا ا

2 glides and 2 castors

Price List 2024 - USD excl. sales tax - Version 1.1

<u>Simpla - custom size ranges</u> Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Round:** Ø34" – Ø48"

Bar height is NOT available.



20

# Simpla modesty panel

By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.



	Modesty panel				
Simpla modesty po 9.8" high, with integ hooks to hang it or	Steel (SPS)				
	anel in acrylic, 0.16" thick and greenish acrylic plastic,	\$			
moorned on me no	JOKS.	Ψ			
For 48" tops	(3C3CGHY/DEDEY)	443			
For 60" tops	(3D3DGHY/DHDHY)	517			
For 72" tops	(3F3FGHY/DKDKY)	517			



### Tempest flip top

#### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- Nesting depth of 5.1"
- 6 tables can be stacked on table transporter
- Elegant elliptical leg-design
- Quick ship LINK



			No. of the last of		
		Laminate (TPB)	Veneer (TPC)	Stained veneer (TPC)	
Other RAL colours of	ching hardwood edge. evailable - ASK HOWE  BIO B30	LU31 LU35 LU45 LU200 LU300 LU300	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Standard frame with	h glides and castors	\$	\$	\$	\$
		/1305 mm	00 mm	550 mm	
Rectangular	48" x 24" (021B)	2021	3327	3831	
Rectangular	48" x 30" (021M)	2078	3444	3948	
Rectangular	60" x 30" (021O)	2155	3601	4105	
Rectangular	72" x 30" (031Q)	2248	3758	4262	304
Rectangular	72" x 36" (031R)	2480	3933	4437	
Rectangular	78" x 40" (031V)	2802	4266	4770	
		705/900 mm 27.8/35.4*	*750 mm	50 mm 21.7"	
V-Shape	60" x 30" (022C)	2647	4109	4613	N/A
Price List 2024 - USD ex	cl. sales tax - Version 1.1				

#### Tempest flip T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 32"-80" | width 22"-42"

Bar height NOT available.



### Tempest flip top

#### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- Nesting depth of 5.1"
- 6 tables can be stacked on table transporter
- Elegant elliptical leg-design
   GreenTag<sup>CertTM</sup>



Laminate is with matching ABS edge	Laminate (TPB)	Veneer (TPC)	Stained veneer (TPC)	
Laminato is with matching APS adag				
Veneer is with matching hardwood edge. Other RAL colours available - ASK HOWE  (1) 6 6 87 89 810 830	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17	Linking
Table top thickness is 1 1/8"  Standard frame with glides and castors	\$	\$	\$	\$
	705/900 mm 27.8/35.4"	*750 mm 55%	0.mm	
Crescent 48" x 30" (021C)	3071	4640	5144	
Crescent 60" x 30" (021D)	3411	5064	5568	304
	705/900 mm 27.8/35.4"	*750 mm 550 mm 21.7"	æ n⊣	
Trapezoid 60" x 30" (012A)	2334	3718	4222	N/A
	705/900 mm 27.8/35.4"	*750 mm 550 mm 21.7"	<b>⇒</b>	
Half-round 60" x 30" (021E)	2302	3679	4183	152

### Tempest fold

#### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
- Legs: concealed wheel + adjustable glides
- 5 tables can be stacked on table transporter



	Laminate (TDB)	Veneer (TDC)	Stained veneer (TDC)	
Laminate is with matching ABS edge  Veneer is with matching hardwood edge.  Other RAL colours available - ASK HOWE  (1) (2) (3) (3) (4) (5) (5) (6) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17	Linking
Standard frame with glides and castors	\$	\$	\$	\$
*2000 mm ** *54**	(CO00mm	85 19 a - 36	35.4"	
Conference				
Rectangular 84" x 42" (051\$)	4608	5760	5760	304
Rectangular 96" x 48" (051W)	5094	6368	6368	

Price List 2024 - USD excl. sales tax - Version 1.1

#### Tempest fold T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Rectangle:** length 40"-96" | width 22"-48"

Bar height NOT available.



### Tempest fix

#### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
- Legs: concealed wheel + adjustable glides
   GreenTag<sup>CertTM</sup>



		Laminate (TI2)	Veneer (TI3)	Stained veneer (TI3)	
Other RAL colours of	atching ABS edge ching hardwood edge. available - ASK HOWE  B10 B30	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17	Linking
Table top thickness	s is 1 1/8"				
Standard frame wit	th glides and castors	\$	\$	\$	\$
	T	*800 mm	550 mm 21.7"		
Rectangular	48" x 24" (061L)	2378	2971	3464	
Rectangular	48" x 30" (061M)	2464	3079	3572	
Rectangular	60" x 30" (0610)	2578	3221	3714	304
Rectangular	72" x 30" (061Q)	2686	3356	3849	
Rectangular	72" x 36" (061R)	2814	3516	4009	
			550 mm 21 7"		
Half-round	60" x 30" (061E)	2631	3288	3781	152

Price List 2024 - USD excl. sales tax - Version 1.1

 $\frac{\text{Tempest fix T/TT legs - custom size ranges}}{\text{Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops}$ 

**Rectangle:** length 32"-96" | width 22"-55"

Bar height NOT available.



## Tempest fix

### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
- Legs: concealed wheel + adjustable glides
   GreenTag<sup>CertTM</sup>



		Laminate (TI2)	Veneer (TI3)	Stained veneer (TI3)	
Veneer is with ma		LU31 LU35 LU45 LU200 LU300 LU400	VU1 5 VU3 6 VU5 VU15 6	LW17	Linking
	ith glides and castors	\$	\$	\$	\$
			550 mm 21.7"		
Crescent	48" x 30" (061C)	3317	4144	4637	304
Crescent	60" x 30" (061D)	3617	4520	5013	304
			550 mm		
Trapezoid	60" x 30" (062A)	2659	3323	3816	N/A
			550 mm 21.7"		
V-Shape	60" x 30" (062C)	2935	3668	4161	N/A

Tempest café flip top

#### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
   GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



	•				
		Laminate (TLB)	Veneer (TLC)	Stained veneer (TLC)	
Veneer is with m	n matching ABS edge natching hardwood edge. urs available - ASK HOWE	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17	Linking
Table top thickr	ness is 1 1/8"				
Standard frame	with 4 glides	\$	\$	\$	\$
		*30° mm	282 1.288 2.188 2.		
Square	30" x 30" (121Z)	2048	2928	3307	304
		*1200 mm 48"	W 282 282 283 283 283 283 283 283 283 283		
Round	Ø30" (111H)	1935	3040	3419	
Round	Ø36" (221I)	2058	3363	3742	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Round	Ø42" (321J)	2328	3762	4141	N/A
Round	Ø48" (331K)	2382	3886	4265	

Price List 2024 - USD excl. sales tax - Version 1.1

#### Tempest flip cafe - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" - 40"x40" Round: Ø24– Ø48"



Tempest café and lounge fix

#### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

• 10 year warranty





2694

3361

3739

2702

Price List 2024 - USD excl. sales tax - Version 1.1

Ø48" (331K)

#### Tempest fix cafe - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" – 40"x40" **Round:** Ø24– Ø48"

Round



N/A

Tempest bar flip top

#### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
   GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



	Laminate (TLB)	Veneer (TLC)	Stained veneer (TLC)	
Laminate is with matching ABS edge  Veneer is with matching hardwood edge.  Other RAL colours available - ASK HOWE  ( )	LU31 LU35 LU45 LU200 LU300 LU400	VU1	LW17	Linking
Table top thickness is 1 1/8"				
Standard frame with 4 glides	\$	\$	\$	\$
	\$20 mm	450 mm 450 mm 17.7 "		
Square 30" x 30" (121Z)	2074	2969	3348	
Square 36" x 36" (232L)	2317	3255	3634	304
	750 mm 4	60 mm 60 177 "		
Round Ø30" (111H)	1962	3081	3460	N1/A
Round Ø36" (2211)	2084	3444	3823	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

#### Tempest flip bar - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" - 40"x40" . Round: Ø24" – Ø40"



### Tempest bar fix

#### By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Fixed base
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
   GreenTag<sup>CertTM</sup>
- Table base is 100% recyclable



		Laminate (TNB)	Veneer (TNC)	Stained veneer (TNC)	
Veneer is with m Other RAL colou (1) 6 87 830	)	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17	Linking
Table top thickness Standard frame		\$	\$	\$	\$
		20 mm 008.	450 mm 177 "		
Square	30" x 30" (121Z)	2064	2565	2943	304
Square	36" x 36" (232L)	2206	2730	3108	304
		750 mm	80 80 80 87 87 88 87		
Round	Ø30" (111H)	2154	2677	3055	N/A
Round	Ø36" (221I)	2356	2919	3297	IN/A

Price List 2024 - USD excl. sales tax - Version 1.1

#### Tempest fix bar - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

**Square:** 18"x18" – 40"x40" **Round:** Ø24" – Ø40"



# Tempest drop-in top

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

• 10 year warranty



1116

1465

	Laminate (TTB)		Veneer (TTC)		Stained Veneer (TTC	
aminate is with matching ABS edge	LU31 LU35	0	VU1 VU3	0	LW17 LW25	
/eneer is with matching hardwood edge.	LU45 LU200	•	VU5 VU15		LW30	0
op thickness is 1 1/8"	LU300 LU400	0				
they can be placed only in straight line between two other tables with straight edges: Linking is included. They cannot be equipped with any accessories.						
	\$		\$		\$	

949

Price List 2024 - USD excl. sales tax - Version 1.1

Square

30" x 30" (1Z1Z)

## Tempest modesty panel

By KOMPLOT Design


Detail is everything. flips, rolls and unfolc other table system i				
• 10 year warranty				
		Laminate	Veneer	Stained veneer
MODESTY PANEL		LU31 LU35 LU45 LU200	VU1 VU3 VU5 VU15	● LW17 ● LW25 ○ LW30
Rectangular modes panel height 9,8". Suitabe for rectangu *standard colour, sc	ular flip-top, fold or fixed tables.	U300 LU400		
		\$	\$	\$
Rectangular	30" long tops (3A3A)	444	644	821 *
Rectangular	48" long tops (3C3C)	471	679	856 *
Rectangular	60" long tops (3D3D)	524	732	909 *
Rectangular	72" long tops (3F3F)	548	756	933 *
Rectangular modes panel height 9,8". Suitabe for rectangu *standard colour, sc	ular flip-top or fixed tables.	Laminate	Veneer	Stained Veneer
Rectangular	30" long tops (3A3A)	467	667	844 *
Rectangular	48" long tops (3C3C)	496	705	882 *
Rectangular	60" long tops (3D3D)	549	758	935 *
Rectangular	72" long tops (3F3F)	573	781	958 *
MODESTY PANEL  Rectangular modes panel height 9,8".  Suitabe for rectangu *standard colour, so	ity panel, on hooks, ular fold tables.	Laminate	Veneer	Stained Veneer
Rectangular	30" long tops (3A3A)	787	987	1164 *
Rectangular	48" long tops (3C3C)	816	1025	1202 *
Rectangular	60" long tops (3D3D)	869	1078	1255 *

<sup>\*</sup>Color fee of USD 135 per color per order Price List 2024 - USD excl. sales tax - Version 1.1



### Tutor

### By John Bollen



Price List 2024 - USD excl. sales tax - Version 1.1

Net price: RAL K7 colours for frame - see notes

**HOWE table size ranges** 

Tutor US custom-size tabletops are not possible.

### **AS400**

#### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Café height tables
- Unbelievably easy to maneuver
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord firmly joins concave tables\*



<ul> <li>Rubber bumper protects tables from scratches</li> <li>An infinite number of tables can then be nested together</li> </ul>		Laminate (ABB)	Linoleum (ABD)	Veneer (ABC)	
Table tops have an ex transparent lacquer.	posed plywood ec	lge with	LU31 LU200 LU300 LU400	FL200	VU1 VU3
Other RAL colors availd Standard base colors:	able - ASK HOWE				
● ● ○ ● 86 B7 B31 B51			\$	\$	\$
		640 mm 25.2"	745 mm 29.3	160 mm	
Square (*tiny pre-drills in the top; p	25.2" x 25.2" possibility to order linkir	ng later)	1314	1794	1949
Square with link	25.2" x 25.2"		1395	1875	2030
		830 mm 32.7"	745 mm	160 mm 63°	
Round	Ø32.7"		1314	1794	1949
Concave with link	Ø32.7"		1422	1911	2074

Price List 2024 - USD excl. sales tax - Version 1.1

oft castors for hard floors 18

#### **HOWE table size ranges**

AS400 Custom-size tabletops are not possible.

### AS500

#### By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Bar height tables
- Unbelievably easy to maneuver
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord may join square tables together\*
- Rubber bumper protects tables from scratches



		1
LU31 LU200 LU300 LU400	FL200	VU1 VU3
\$	\$	\$
745 mm 150 mm		
1408	1901	2064
1489	1982	2145
	LU300 LU400 \$ \$ 745 mm 29:3	\$ \$ 1408 1901

Price List 2024 - USD excl. sales tax - Version 1.1

Soft castors for hard floors 18

1901

2064

1408

#### **HOWE table size ranges**

Round

AS500 Custom-size tabletops are not possible.

Ø27.6"

### Folding surfaces

### By Jones & Partners

With Folding Surfaces, users gain the ability to adjust their office space as necessary. This innovative product concept allows users to unfold a surface wherever needed, thereby redefining workspace dynamics.

- Cleverly integrated power solutions
- One of the largest mobile double-folding benches on the market
- Fold and tuck away the tables when not in use



Fold and tuck away the tables when not in use     Modern, aesthetic look		c rel	1) 11 11
Intuitive and effortless handling	Melamine*	Laminate	Veneer*
Surface levelling feature	FS1	FS2	FS3
Melamine and laminate are standard with	M310*	LU200	V3 *
matching ABS edge.  Veneer is with matching hardwood edge.		LU300	
Table top thickness is 25 mm - melamine; 27 mm laminate and veneer			
Standard B6 satin black frame, 4 castors.			
B6			
	\$	\$	\$
168 mm 7.55 mm		1600 mm	
1 130 mm 1320 mm 44.5" 52"		1500 mm*60"	
Square 60"x 60" (1010)			
without electrification	3,140	4,200	4,580
Electrification cover top (CUT-OUTS ONLY) - incl. cover top,			
metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip	3,968	6,121	6,501
(excl. battery and pip)			
Electrification cover top (incl. pip, excl battery) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip, interconnecting cables, pip, battery docking (excl. battery)	5,283	7,436	7,816
2400 mm 1320 mm 52"		2400 mm	"09"
Rectangular 96" x 60" (6C6C	)		
without electrification	3,660	5,200	5580
Electrification cover top (CUT-OUTS ONLY) - incl. cover top,			
metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip	4,860	7,628	8,008
(excl. battery and pip)			
Electrification cover top (incl. pip, excl battery) - incl. cover top,			
metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip, interconnecting cables, pip, battery docking (excl. battery)	6,175	8,943	9,323
Battery**			
Battery and high power USB charging module in a portable housing (all black)		1,461	
Price list 2024 - USD excl. V.A.T Version 1.1			

Price list 2024 - USD excl. V.A.T. - Version 1.1



<sup>\*</sup> longer lead time

<sup>\*\*</sup>Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer.

Please contact Customer Service for details.

#### Folding Surfaces Mobile Power Unit

As a natural extension for the family, Folding Surfaces come with mobile power units that provide extra power on demand.



Per Piece

0.	1 100	
	\$	

Folding Surfaces Mobile Power Unit  White melamine  Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT-OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Black laminate  Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xQikdoc for battery, 2xCUT OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat, pattable busing		<u> </u>	
Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT-OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Black laminate  Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xQikdoc for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,	Folding Surfaces Mobile Power Uni	t	
Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT-OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Black laminate  Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT-OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,	White melamine		
for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT- OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT- OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HF)  Black laminate  Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT- OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT- OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,	Single, Rectangular 30"		
OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Black laminate  Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT-OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,		1576	
Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Black laminate  Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT-OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xQIT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,	OUT for battery, 2x CUT OUTS for pip TUF-R A+C	1128	TT
for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT- OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Black laminate  Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT- OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xQikdoc for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,	Double, Rectangular 60"		17 27
OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Black laminate  Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT-OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,		2423	
Single, Rectangular 30"  Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT-OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat, 1461	OUT for battery, 4x CUT OUTS for pip TUF-R A+C	1536	7
Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT-OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat, 1461	Black laminate		11
for battery, 2xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 1xCUT- OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT- OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,  1461	Single, Rectangular 30"		
OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)  Double, Rectangular 60"  Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,		2182	
Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat, 1461	OUT for battery, 2x CUT OUTS for pip TUF-R A+C	1734	
for battery, 4xPIP TUF-R A+C (HP)  Cut-outs only - preparation for battery, 2xCUT-OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,	Double, Rectangular 60"		
OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)  Battery*  Quickpack carry black - OE animate battery and high power USB charging module in a neat,  1461	The state of the s	3706	
Quickpack carry black - OE animate battery and high power USB charging module in a neat,	OUT for battery, 4x CUT OUTS for pip TUF-R A+C	2819	
	Battery*		\$
periodic results		1461	

Price list 2024 - EUR excl. V.A.T. - Version 1.1



<sup>\*</sup>Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer.

Please contact Customer Service for details.

### Tables' transporters

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Tempest Flip-top  Capacity up to 5 tables standing up (flipped position).  Dimensions: 38" high, 79" long and 36" wide.  MDF platform, metal powdercoated in B10 Howe grey.	No.	Per Piece	
Transporter Tempest	TFTS0110	3718	
Tempest Fold  Capacity: up to 10 pcs Stacks on table edge, secured with straps. Top against top - base against base. Colour B10 Howe grey. Dimensions: 44.5"high x 79" long x 22" wide. Suitable for length 48"-72" and width 24"-36".		Per Piece	
A-kit big Tempest	UNTAS000110		<del>-</del> 0
Tempest Fold  Capacity w/rectangular tables: up to 5 pcs Capacity w/ all other shapes: up to 5 pcs Stacks on table edge, secured with straps. Top against top - base against base. Colour B 10 Howe grey. Dimensions: 49.5" high x 79" long x 30.5" wide. Suitable for length 84"-96" and width 42"-48" (when rectangular).  L-kit Tempest	UNTLS000310	Per Piece	
Tomposi	UNILS000310	2317	<b>*</b>

#### Tables' transporters cont.

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Simpla  Capacity up to 8 tables. Colour B10 Howe grey. Dimensions: height 74.5", depth 33", adjustable width Suitable for rectangular tables: length 40"-72" and width up to 36". For other shapes and sizes, please ask HOWE.  Transporter Simpla	No. STRA1000000 010	Per Piece	
Tutor single size  Capacity up to 30 tables. Suitable for single size Tutor tables. Color B 10 Howe grey.  Transporter Tutor	OLYS0600SF1 0	Per Piece	
Tutor double size  Capacity up to 30 tables. Suitable for double size Tutor tables. Colour B10 Howe grey.  Transporter Tutor	OLYS1200SS1	Per Piece	

### Linking

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



	No.	Per Piece			
		\$			
Linking for Simpla tables					
Simpla linking U-bracket, B1 Chrome, 1 pcs*		Per Piece			
Linking Simpla		\$			
Linking Simple	SAU01	31			
Linking for Tutor tables					
Tutor linking bracket, B7 Black		Per Piece			
		\$			
Linking Tutor	TUA1480	36	V		
Linking for Tutor tables					
Tutor file tray* linking, B30 White		Per Piece			
		\$			
Linking Tutor	TUA1490	286			

#### Grommets

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

Round  SAPOP; white plastic Ø2 3/4"; suitable top thickness ≥ 3/4".	No.	Per Piece		
		\$		
	SAPOP	49		
Round  SAPOA; nature andolized aluminium with black brush, Ø3.5"; suitable top thickness ≥ 3/4".	SAPOA	Per Piece \$ 136		
Rectangular				
SAPRA¹; rectangular cable outlet comprised of two lids in nature anodized aluminium with black brushes; 12" x 4.25"; suitable top thickness ≥ 3/4".		Per Piece		
		\$		
	M1*	172		



#### Electrification

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

All electrification solutions must be consulted with HOWEs Customer Service Team.



				<b>a</b> h
Quickpack carry*	No.	Туре	Prices from*	
Quickpack carry black - OE animate battery and high power USB charging module in a neat, portable housing				
	OE4387596	Black	1461	
	OE4387602	White	1461	
Quick dock			1 101	
Quick dock black by OE - dedicated container for QIKPAC CARRY portable battery; it locates and secures in/under surfaces			Prices from	
	OE438765744 31572	Black	265	
	OE438766444 31572	White	265	
Charger				_A _A ad
Charger by OE - charging station for up to 3 QIKPAC batteries	OE6002275	charger black	1429	
	OE6002268	charger white	1429	
Wireless charge				
A wireless charger by AH Byrne called Qi Charging Puck. The sleek grommet design can be quickly installed in any worksurface, and once in place, provides cord-free, tangle-free power for any Qienabled device. Forget packing your own charger, simply place your smartphone or tablet on our puck's surface and it's powering up – all from a single outlet.			Prices from	
Wireless. Effortless.	BE07643	wireless charger	119	



<sup>\*</sup>Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer. Please contact Customer Service for details.

#### Cable trays, channels & fittings

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

with howes customer service ream.		3	_
Cable tray  L-shaped cable tray in black coated steel; mounted with screws; for table top thickness ≥ 3/4"; height of cable tray is 4"; works as a low modesty panel.	No.	Per Piece	
15.75"	CTLS040007	72	
25"	CTLL064007	107	/
33"	CTLL084007	143	
41"	CTLL104007	172	
Clickable cable channel Tempest  Cable channel for Tempest, in chrome powder coated aluminium as standard <sup>1</sup>		Per Piece	
Tempest	CHT053051	72	
Clickable cable channel Moveo  Cable channel for Moveo, in anodised aluminium as standard <sup>1</sup>		Per Piece	
Moveo	CHM42052	33	of the second se
Cable holder  Grey plastic cable holder to guide cables underneath the tabletop; 1pc double holder		Per Piece	
All tables	082011	N/A	11

I



#### AS tables privacy screens

Aesthetically pleasing, the innovative felt privacy screen creates enclosure to spaces during work, education, and meeting areas.

It gives flexibility to produce boundaries, as well as visual privacy.



Privacy screen	No.	Per Piece	To the second
Privacy screen for AS round and round concave tables. 46.75"wide x13.75" high; 0.5 thick; light grey felt		\$	
Screen	66091001	572	-

### Notes for tables

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details

In case of large quantities and/or customized products delivery time is usually longer than for standard products.

In case of using any electrification, accessories, or making configurations, the lead time starts being counted once technical drawings are approved by the customer.

Linking is recommended to ensure strong connection and levelling. Please use for both temporary and lasting tables' arrangements.

Crescent shape – the inside curve of top may be exchanged for straight edge, especially if Modesty panels are needed – ask Customer Service for details.

Table ranges are estimates, mostly for rectangular tops. For non-rectangular tables or questions for sizes outside of the ranges, please contact your local Customer Service (CS) representative. If chamfered edges are requested, minimum size increases - check with CS.

#### Moveo

Moveo linking for rectangular and V-shaped tables includes 4 brackets and 4 fittings. Moveo linking for half-round and half-boat tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Here you also get 4 brackets and 4 fittings for rectangular and V-shape tables and 2 brackets and 2 fitting for half-round and half-boat tables.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 20 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

#### Simpla

Please note that Simpla linking does not need any pre-drills and may be ordered at any time as a separate accessory. There are 2 pcs of linking recommended per a set of two tables.

Please note that Modesty panels for Simpla are just hanged on the frame and may be ordered at any time as a separate accessory.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 50 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

#### **Tempest**

Tempest linking for rectangular, crescent, and square tables includes 4 brackets and 4 fittings. Tempest linking for half-round tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Please contact HOWE for options.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 20 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

#### Tutor

All RAL colours from RAL K5 or K7 colour card available. For quantities < 50 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

40/4 Seats / backs Natural wood veneers



V2 - beech









V5 - cherry

V12 - ash EMEA ONLY

EMEA ONLY

40/4 Seats / backs Stains





LW30 - white



All RAL colours available based upon customer sample

40/4 Seats / backs Polyamide





PA100 - Howe grey







PA360 - olive green



PA320 - mandarin

PA250 - blue eyes PA370 - mint turquoise PA380 - aubergine

40/4 Seats / backs Metal









All RAL colours available based upon customer sample

40/4 WOOD FRAME Seats / backs

Natural wood veneers / stains









SixE Shells Polypropolyne



PP200 - black

VIRGIN OR

100% RECYCLED

PP270 - ocean VIRGIN



100% RECYCLED




PP300 - chalk

VIRGIN OR

50% RECYCLED

2









PP110 - Ayers Rock red PP360 - olive green VIRGIN

VIRGIN



MN1 Backs Natural wood veneers / stains





**CHAIRS** NORTH AMERICA

40/4 SIXE Frames Steel





B6 - satin black







B30 - white

All RAL colours available based upon customer sample

SIXE ONLY











SIXE SWIVEL SIXE LEARN

Base Polyamide



PA100 - Howe grey

SIXE SWIVEL SIXE LEARN\*

Swing arm\* Gas lift



B10 - Howe grey

MN1 Bases



- Cantilever only



B7 - black

B51 - polished alu

AS100 Bases / seat frames



B7 - black



B51 - polished alu





AS TABLES MOVEO SIMPLA **TEMPEST** 

Tops Natural wood veneers / stains



VU1 - maple



VU3 - oak

LW17 - black stain LW25 - walnut stain LW30 - white stain



VU5 - cherry



VU15 - walnut



Any RAL

AS tables standard: VU1 maple, VU3 oak ONLY

All RAL colors available based upon customer sample

#### FOLDING SURFACES

Natural wood veneers / stains



AS TABLES MOVEO SIMPLA **TEMPEST** 

Tops Wood grain laminates



LU31 - maple




LU35 - cherry



LU45 - walnut

AS tables standard: LU31 maple ONLY



Tops Coloured laminates



LU300 - white



LU400 - grey



LU200 - black



Any FORMICA / WILSONART colored laminates

Folding Surfaces standard: LU300 white, LU200 black ONLY

\*Any FORMICA / WILSONART colored laminates does not apply to Folding Surfaces

TUTOR

Tops Bendable compact laminates



F300 - white



F200 - black



Any bendable compact laminate

12




Tops Linoleums





FL200 - black







M310 - white



71



SIMPLA TUTOR Bases Steel



B7 - black



B9 - alu grey





B10 - Howe grey B30 - white

**TEMPEST** Bases

Steel







B9 - alu grey





MOVEO Bases Aluminum







B6 - satin black

- feet only

B51 - polished alu B52 - anodized alu - columns only

AS TABLES

Bases









B6 - satin black

B7 - black

B31 satin white - columns only

B51 - polished alu - bases only

#### FOLDING SURFACES

Bases



B6 - satin black







COLOUR REFERENCE ONLY
Variations in colours and structures may occur
Subject to ongoing changes and adjustments



### General conditions of sales

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

These general conditions of sale and terms of delivery shall apply to all agreements concluded between HOWE US Inc. (hereinafter HOWE) and its customers (hereinafter the Buyer), unless otherwise specifically agreed in writing between the Parties

#### Conclusion of agreements, etc.

An agreement has not been concluded until HOWE has accepted an offer made by the Buyer by issuing an order acknowledgement, an invoice or other such written agreement based on the terms and conditions specified in this document. All prices stated in price lists and catalogues include packaging, such as pallets and transport containers, and exclude taxes and/or any other charges. HOWE reserves the right to adjust the prices stated without prior warning in case of an increase in the price of raw materials, production costs, transport costs, packaging, or other sudden changes in the cost level. All agreements are thus concluded on the basis of the prices in force at the time when the order is received.

The agreement basis is thus the information, including information relating to price, materials, qualities, etc., that is stated in the order acknowledgement, invoice, or other such agreement, since other information shall be deemed to be for guidance only and may be corrected up until but not later than the time when the agreement is concluded. Unless otherwise explicitly agreed in writing, the goods have been sold for normal, standard use for the intended purpose.

An Order shall constitute an offer for the sale of goods and does not constitute an acceptance by Buyer of any offer to sell, any quotation, or any proposal. No Order shall become a binding contract for the sale of goods unless and until such Order has been received and accepted by HOWE us Inc. in the state of Michigan.

#### Payment, etc.

Payment terms are subject to credit insurance at Coface. In case a customer cannot be insured a prepayment, or a bank guarantee will be required. If credit payment terms can be granted, payment shall be made in accordance with the terms of payment stated on the invoice, which basically means that payment shall be made in cash not later than 30 days after the date of invoice ("net 30 days"), unless otherwise explicitly agreed. The Buyer shall not be entitled to withhold any part of its' payments due and may under no circumstances offset. If payment is delayed, HOWE shall be entitled to charge interest at a rate of 0.75% per month or part thereof from the due date. Also, HOWE shall at its' discretion be entitled to fully or partially withhold subsequent deliveries, to demand special terms of payment, or cancel agreements with the Buyer.

HOWE shall be entitled to charge the following fees:

- o A fee of thirteen (\$13) for each reminder on late payment
- o All invoices sent by paper will be added an invoice fee of five (\$5)

#### **Property reservation**

HOWE shall retain property in all the goods stated in the order acknowledgement or other such written agreement until the full purchase sum has been paid. The Buyer shall keep the goods fully insured until such time as the purchase sum has been paid and during this period the Buyer shall be responsible towards HOWE for any all and any damage suffered by the goods. HOWE has the right to inspect the goods at any time.

#### Delivery

'Unless otherwise agreed, delivery in Zone 1 in the US shall be made to the Buyer's warehouse situated on the ground floor at a price of two and a half  $(2\frac{1}{2})$  % of the list price. Delivery in Zone 2 in the US shall be made to the Buyer's warehouse situated on the ground floor at a price of four and a half  $(4\frac{1}{2})$  % of the list price. Outside Zone 1 and 2 the added price for delivery is determined on a case-to-case basis by HOWE.

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details.

Regardless of whether the Buyer is present at the time of delivery, all risks in relation to the goods shall pass to the Buyer upon delivery to the agreed location. The Buyer shall ensure that the place of delivery is accessible and appropriately laid out for unloading the goods and storing them in their standard packages.

Any deviation from the terms of delivery shall be deemed to constitute one joint deviation from the above, in which case the Buyer shall take over the risk in relation to the goods at the earlier time when the goods were collected or could have been collected in accordance with the agreement made.

If the Buyer requests a postponement of delivery the following charges shall apply:

- o If the Buyer requests postponement no later than five workdays prior to the planned and confirmed time of dispatch, a supplementary charge of ten (\$10) per pallet shall be made per month or part thereof. Minimum charge, forty (\$40) per month or part thereof.
- o If the Buyer changes its' delivery address no later than five workdays prior to dispatch, an administrative charge of one hundred (\$100) shall be added.
- o If the sales price is below net five hundred (\$500) a freight charge of one hundred (\$100) will be added.
- o If the Buyer wishes a fixed delivery, a fee of five hundred (\$500) will be added.

#### **BATTERIES' SHIPMENTS**

OE batteries contain Lithium-Ion (Li-ion) cells which are classed as hazardous materials. As such they are individually packed in UN38.3 compliant packaging, including special Li Ion Battery Label. They should be kept in that packaging until they are either fitted in the furniture or get to the site for use.

If one consolidates the battery into an outer carton, it must remain in the box it is shipped to the person in inside the outer carton. The outer carton would then need to be marked with 'OVERPACK' word in English and the local language – the rules are even stricter for air freight - consult details with your freight forwarder (OE can supply UN38.3 certificates).

That is why at HOWE we:

- a) always place a separate order and use road shipments for batteries,
- b) strongly recommend shipping batteries directly to the end customer.

OE is experienced in shipping batteries to a number of international locations. Still, we strongly advise to state in advance to which country destination one is quoting for. On that basis we can confirm that battery export to the said country is allowed and possible.

In case the customer asks for the shipment to the warehouse, they must confirm the place is officially complying with all the regulations regarding storage and handling of dangerous goods which include:

- Staff training on dangerous goods handling chargeable course required (renewable every couple of years) –
  also a DGSA must to be appointed or trained,
- o Being equipped with fire proof cabinet storage,
- o Having Property owner and insurance authorisation.

#### Fee and MOQ for non-standard choices

For any non-standard product there is a \$500 fee. In most cases there is also a minimum order quantity (MOQ).

#### Buyers' cancellation of contract

Provided the manufacture/dispatch/delivery of the goods has not yet commenced the Buyer shall be entitled to cancel the contract up until forty-eight (48) hours after the order confirmation has been issued. A cancellation fee of 5% of the purchase sum and any extra loss incurred by HOWE as a consequence of the cancellation will apply. In the event more than five (5) workdays have passed since the order confirmation was issued, the contract may be cancelled only up until 4 (four) weeks before confirmed shipment time. A cancellation fee of fifty (50) % of the purchase sum plus transport and administration costs, and any extra loss incurred by HOWE as a consequence of the cancellation will apply. Following four (4) weeks before confirmed shipment time the contract cannot be cancelled.

#### **Delays**

The confirmed time of delivery is only an estimated deadline since HOWE shall be entitled to make changes to or temporarily postpone deliveries in order to be able to organize its goods deliveries and administration appropriately. HOWE cannot be held liable for any loss suffered by the Buyer as a result of a changed or postponed time of delivery. Furthermore, HOWE does not automatically offer loan furniture in these situations.

#### Deficiencies, etc.

HOWE shall only be liable for deficiencies in the goods sold if such deficiencies are the result of matters relating to the materials used or the craftsmanship applied. In particular, HOWE shall not be liable for matters resulting from wrong or abnormal use or storage, including in relation to climate and temperature conditions, or any other aspects related to HOWE's instructions.

When the risks in relation to the goods have passed to the Buyer, HOWE can only be held liable for faults and deficiencies to the extent specified in this provision.

The Buyer shall be obliged to carry out a detailed examination of the consignment immediately upon receipt. Complaints regarding deficiencies and/or visible transport damage which are – or should have been – discovered in this examination shall be written on the bill of landing (BOL), which must be given to carrier upon receipt of goods and HOWE CS notified. Any complaints regarding "non-visible" transport damage must reach HOWE not later than seven (7) days after the date of delivery and any complaints regarding any deficiencies ascertained must in each case be forwarded not later than seven (7) days after they were – or should have been – discovered. If the complaint is not made within these deadlines, the Buyer's access to advance claims in relation to any such deficiencies shall be forfeited.

A complaint shall be in writing and shall contain a specific description of the deficiencies with accompanying photo documentation or, alternatively, the deficient component/product shall be forwarded with the complaint.

Unless the deficiency ascertained is the result of gross negligence or intent on the part of HOWE, the Buyer shall in no instance not be entitled to any other rights than to have the goods replaced at no cost to the Buyer. Thus, the Buyer shall not be entitled to cancel the transaction or any rebate, damages, other compensation, or repayment. Further, HOWE shall under no circumstances whatsoever be liable for operating loss, loss of profit, time loss, other indirect loss or damages suffered by the Buyer as a consequence of deficiencies in the goods delivered.

The deficient goods belong to HOWE and shall be returned to HOWE upon request. Basically, the Buyer shall bear the costs and risk of such transport. Unless HOWE has explicitly undertaken to guarantee for the object sold for a longer period, HOWE shall under no circumstances be held liable for faults or deficiencies for which no written complaint has been sent within two years of the hand-over to the Buyer.

#### **Product liability**

The Buyer shall indemnify, defend, and hold harmless HOWE for any and all claims made by third parties for damage or injury for which HOWE is not liable towards the Buyer. HOWE's liability for product liability claims shall not exceed ten thousand (\$10,000), and HOWE shall under no circumstances be held liable to the Buyer for operating loss, loss of profit, time loss, other indirect loss or damages or punitive damages. The Buyer shall immediately inform HOWE of any lawsuit or type of claim for damage or injury caused by products manufactured by HOWE.

#### Design alterations

HOWE reserves the right at all times to make such changes to product design, etc., as HOWE deems to be necessary. In such case, information about significant alterations shall be forwarded to the Buyer prior to delivery.

#### Use and maintenance guides

The Buyer shall not change the content of Use- and Maintenance guides provided by HOWE. Further, the Buyer shall at all times provide its customers with copies of such guides and specifically draw the customers' attention to the warnings contained in the guides.

#### No waiver

If HOWE fails to exercise or claim its' rights under these Sales conditions, such failure shall not constitute a waiver of such right on the part of HOWE. Also, such failure shall not prevent the right to be invoked or claimed by HOWE at a later point in time.

#### Venue and Service of Process

If a dispute of any kind whatsoever arises between the Parties in connection with these Sales Conditions and other aspects in relation to the sales transaction, the Parties shall attempt to settle such dispute amicably.

Provided the Parties are not able to agree upon an amicable settlement within a reasonable time and not later than thirty (30) calendar days after initiation of settlement discussions, any controversy or claim arising (whether contractually or in tort) and including disputes regarding the validity of this provision shall be settled by the American Arbitration Association (AAA). The place of Arbitration shall be Grand Rapids, Michigan. Provided the dispute in question amounts to \$100,000.00 or less, the Arbitration Panel shall consist of one (1) arbitrator. Provided the dispute in question exceeds \$100,000.00 the Arbitration Panel

shall consist of three (3) arbitrators. The right to discovery shall be limited to the widest extent permitted by the AAA procedural rules.

The result of the Arbitration shall be final and binding upon the Parties, and the arbitrator(s) shall in their discretion have to power to award reasonable costs and attorney's fees to the prevailing Party.

Despite the arbitration procedure agreed upon above, the Parties shall not be precluded from carrying out interim measures via the appropriate judicial authority.

These Sales Conditions shall be governed by Michigan State law and applicable US Federal law.

Be advised that HOWE reserves the right to correct any printing errors, inaccuracies, or omissions.

# Shipping zone rates Price list 2024 - USD excl. V.A.T. - Version 1.0

#### Shipping zone rates

- For deliveries in zone 1 please add 2.5% to the list pricing. The minimum freight charge is \$200.
- For deliveries in zone 2 please add 4.5% to the list pricing. The minimum freight charge is \$200.
- For deliveries out of Zone 1 and 2, please ask HOWE.



### Warranties

Price list 2024 - USD excl. V.A.T. - Version 1.1

#### General

At HOWE US we recognize the value of products that can stand up to continuous use, and we know by experience that good material combined with true craftsmanship and thorough design provides sturdy and durable furniture.

Our high and uniform quality policy secures that our products are always tested to the highest level of international standards and legislations. We constantly strive to optimize our products and services to maintain the high level of quality and durability that is expected of a HOWE product.

HOWE US warrants its products against defects in materials and workmanship as follows:

#### **Limited warranty**

HOWE warrants its' products against defects in materials and workmanship as described in the following. All warranties are expressly limited to the types of warranties offered. Thus, no other implied or express warranties shall apply.

#### 10 year warranty

HOWE offers on all chairs of its David Rowland 40/4 chair collection a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Only exception is the 40/4 wood frame, which has a 5 (five) year guarantee.

The 40/4 chair is compliant with the following tests in the ANSI/BIFMA X5.1-2011 Chair Test Standard:

- Back Strength
- o Drop-Dynamic
- Seating Durability
- Backrest Durability-Non-Tilt
- Leg Strength

HOWE offers on Moveo and Tempest table systems, SixE, MN1 and AS chairs a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Excluded are: gas lifts, turn / tilt mechanism, castors, folding adaptors, where 5 (five) year guarantee applies.

#### 5 year warranty

HOWE offers on all other furniture products, except Folding Surfaces, a 5 (five) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

#### 2 year warranty

On all power and data solutions we refer to our sub supplier. Their warranty period is 2 (two) years. The HOWE guarantee period runs from the date of shipment.

HOWE offers on AS privacy screens and Folding Surfaces a 2 (two) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

#### **Exclusions**

This warranty does not apply to product failure resulting from:

- Normal wear and tear
- o Abuse, misuse, accidents, or repeated knocks
- Improper handling/usage or improper cleaning/maintenance
- o Alteration or modification of the product

In addition, HOWE does not warrant:

- o Changes in surface finishes due to aging, scratches, markings, stains, or other damage due to normal wear and tear, or due to contact with sharp or hard objects
- o Changes in surface finishes due to exposure to light
- Oxidizing of outdoor treated frames
- Natural variations in wood grain or the presence of character marks. This includes matching of grains, colors, or textures of natural materials
- Customers own fabrics and leather (COL & COM)
- o All service parts (meaning all moving and mechanical parts)
- Customized solutions
- o Marks in fabric/leather after stacking of chairs
- For leather: Marks as scars, insect bites, fat creases and neck wrinkles. This is beauty marks that reflect the normal life
  of an animal.

HOWE recommends chromium plated steel frames on all 40/4 chairs where repeated handling is intended. Please, be aware that constant impacts from handling of painted linking chairs are likely to cause scratches and flaking over time. This is considered normal wear and tear and therefore not covered by the HOWE Warranty.

#### Original spare parts delivery guarantee

Furniture programs from HOWE US are designed with focus on durability and timeless design. In case a product should be discontinued all original spare parts are available for 5 (five) years from the date the discontinuation has been carried through. If a component to a discontinued product for some reason is not available, a corresponding product is offered instead.

In case David Rowlands 40/4 chair should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through. In case the Tempest and Moveo table systems or the SixE chair family should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through.

The guarantee does not apply to product and component modifications and enhancements.