


SIMPLA®

HOWE

# PRODUCT DESCRIPTION



DESIGNED BY JOHN BOLLEN 2000

# SIMPLA®

Simpla is a four-legged, lightweight table system with a 'lift off' top and a unique flat folding frame, folding within its own length. It is intended for use in training, meeting and conference environments. The separate top and frame elements make the setting up and storing away an easy process even for just one person, probably the trainer him or herself! The folded frame has a thickness of only 80 mm, and with the purpose designed trolley, 8 tables can be wheeled away for storing thereby saving valuable space. Simpla won a Best of NeoCon award in 2001.

## DESCRIPTION

Two-piece table with flat folding frame and lift-off top intended for use in training, meeting, conference and lounge environments.

## PRODUCT DETAILS

### TABLETOPS

#### VENEER VERSION

Natural wood veneer or stained wood veneer.  
0,6 mm knife-cut sanded veneer on both sides.  
Total thickness of 18 mm.

Standard finishes come in maple, beech, oak, cherry, ash, birch, and walnut as well as stained in black, walnut, and white.

#### LAMINATE VERSION

Coloured laminates or wood grain laminates. 0,8 mm laminate on both sides. Total thickness of 18 mm.

Standard coloured laminates are Howe grey, black, white, grey, metal slate and stone grey. Any Formica Colour System Colour available. Standard wood grain laminates are beech, oak, walnut and grey oak.

#### MELAMINE VERSION

Melamine surface on both sides. Total thickness of 18 mm. Standard melamine finish is white.

#### LINOLEUM VERSION

Linoleum surface (Forbo Desktop) on top and light brown paper on backside. Total thickness of 18 mm. Standard colour is black. Any Forbo Desktop colour available.



**NANO LAMINATE VERSION**

Nano laminate surface on top and white laminate on backside. Total thickness of 18 mm.

Standard colours are black, eggshell white and warm grey. Not all sizes are available with nano laminate. See price list for more info.

**LOCATION BLOCKS**

70 x 30 x 45 mm designed to position the tabletop easily in the frame. 8-10 pcs per top. Construction of two plastic types in one mould: Core in PP, surface in SEBS.

**EDGES**

Standard options include: Matching hardwood edge on tabletops in veneer. Matching ABS edge on tabletops in laminate, nano laminate, melamine and linoleum.

**BASES**

Round steel tube Ø38 x 1,5 mm gauge. Norm DIN 2394. Fe content 97-98%. Rectangular subframe 36 x 15 x 1,5 mm gauge. Norm DIN 2394. Fe content 97-98%. Hinges in high pressure die cast zinc.

Base finish comes in chrome3 (20-50 µ) and black, white, Howe grey or aluminium coloured powder coating (40-100 µ).

**GLIDES & CASTORS**

Four adjustable glides in black plastic (PP) as standard. Two swivelling castors (Ø50 mm) with brakes on one end in black plastic (PA6) optional.

**STACKING CAPACITY**

8 tables (frames and tops) can be stacked on mobile table transporter.

Folded frames have a stacking depth of 80 mm. Tabletop with location blocks is 50 mm height with veneer surface.

Tabletop with location blocks is 50 mm height with laminate surface.


Tabletop with location blocks is 50 mm height with melamine surface.

**DIMENSIONS AND WEIGHT**

The height of the table is 730 mm.

**STANDARD SHAPES & SIZES**

<b>RECTANGLES:</b>	<b>TRAPEZOIDS:</b>
1200 x 600 mm	1500 x 750 mm
1400 x 700 mm	1600 x 800 mm
1500 x 750 mm	
1600 x 800 mm	<b>SQUARES:</b> 750 x 750 mm
1800 x 900 mm	<b>V-SHAPES:</b> 1500 x 750 mm
<b>HALF ROUNDS:</b>	<b>ROUNDS:</b>
1400 x 700 mm	Ø1050 mm
1500 x 750 mm	Ø1200 mm
1600 x 800 mm	



## WEIGHT

1400 x 700 mm table, MDF with laminate, ABS edge and chrome base weighs 24,3 kg.

1400 x 700 mm tabletop in laminate and ABS edge weighs 13,8 kg.

## ACCESSORIES

MODESTY PANEL WITH INTEGRATED CABLE MANAGEMENT in perforated steel, 1 mm gauge. "Hang-on" design - to be mounted or demounted on table base without need for screws. Powder coated according to selected base finish or in white. Height 250 mm, length to follow table length. Base is stackable on table transporter with modesty panel attached.

LINKING BRACKETS in U-profile style to be placed on base. No use of tooling or screws. Bracket always in chrome. Steel 40 x 40 x 3 mm gauge. When stored, the brackets nests on the base. Two brackets are recommended per table.

ELECTRIFICATION SOLUTIONS - please see HOWE price list.

TABLE TRANSPORTER made of Ø38 x 1,5 mm gauge steel frame. Bed fitted with rubber mat for anti-slide and edge protection. Powder coated in Howe grey colour. Secure strap to hold tabletops. Stores up to 8 tables, adjustable sizes, 1000-1800 mm. Height: 1900 mm. Height: 1900 mm, depth: 840 mm, width: 900 mm to 1500 mm. Goes through a normal doorway.

## ERGONOMICS & ENVIRONMENT

Due to the two-piece construction of the Simpla table, it is easy to manage for one person. No heavy lifts are required. All parts of the table can be dismantled and recycled.

## TESTS

The table is designed for severe contract use and has been subject to a variety of tests to ensure its highest quality and durability.

The furniture is tested by third-party organizations and passed testing according to the required EN and BIFMA standards, staying also in line with strict emission regulations.

All the certificates are available for access and download [here](#).

## WARRANTIES

HOWE a/s gives a 5 years guarantee on all Simpla tables against weld breakages, defective material, workmanship and performance under normal use.

For full information please see the warranty provision on [howe.com](http://howe.com).

## AWARDS

Simpla won silver medal in Best of NeoCon in 2001.



