PRICE LIST 2025



FLEXIBILITY
DELIVERED



Table of Content

Chairs

Chairs	
40/4	4
Side chair	4
Side chair - upholstered	5
Side chair Xtra	6
Arm chair	7
Arm chair - upholstered	8
Swivel	9
Swivel - upholstered	10
Bar and Lounge	11
Metal and Wood	12
SixE	13
4-leg	13
4-leg on castors	14
Sled	15
Barstool	16
Swivel	17
Learn	18
MN1	19
Cantilever	19
X-base	20
5-star	21
AS100	22
Accessories for chairs	23
Notes for chairs	30




31



Table of Content

Tables 36 Moveo 36 Training 37 Meeting 38 Conference, modular 39 Conference, stand alone 40 Modesty panel 41 Simpla 41 Tables 43 Modesty panel 44 Tempest 44 Flip top 46 Fold 47 Fix 49 Flip top café 50 Fix café and lounge 51 Flip top bar 52 Fix bar 53 Drop-in top 54 Modesty panel 55 Tutor 56 AS table series 56 AS400 57 AS500 58 Folding Surfaces 59 Other accessories for tables 67 Notes for tables





40/4 side chair - polyamide and veneer

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyStacks 40 chairs on a dolly
- EN 15373 / ANSI/BIFMA X5.1 M7.1
 GreenTag^{CertTM}

- Quick ship LINKFSC wood certified



	POLYAMIDE VENEER (DVA)				
STANDARD FRAME COLOURS	PA200 • PA300 •	PA110	V2 0 V3 0	V1	LW17 • LW30
		PA250 PA260 PA320	V13 🧶	V15 V12	
B1 B6 B7 B9 B10 B30		PA360 PA380			
RAL K7 colours available at customer request	\$	PA370 •	\$	\$	\$
Non linking (RA) 14.3 lb				,	
W 559 L 19.3" L 530 mm 19.3" L 530 mm 20.9"	489	528	711	759	823
Brace linking (BA)	S				
## \$530 mm \$20.9"	556	595	780	828	892
Side chair outdoor (DOARA) 14.3 lb	s				
## 530 mm 530 mm 500 mm	731	770	N/A	N/A	N/A

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



40/4 side chair upholstered

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
 Stacks 25 chairs on a dolly
 EN 16139 / Ansi/Bifma X5.1
 GreenTag^{CertTM}
 FSC wood certified

				SEAT UPHOLSTERED						
				POLYAMIDE VENEER (DSA) (DTA)						
STANDARD FRAME (B10 B30	mor roquest	GROUP	PA200 PA300	PA100 PA110	V2 V3 V13	V1 V5 V15 V12	LW17 LW30	FULLY UPHOLSTERED (DUA)	
RAL R7 COIDOIS AVAI	idble di cosic	iller requesi		\$	\$	\$	\$	\$	\$	
Non linking (RA)		13.9 lbs	COM	627	651	848	878	922	711	
0 ()			1	666	690	887	917	961	767	
		/7 I	2	718	742	939	969	1013	841	
		(/ E .	3	768	792	989	1019	1063	914	
	18.1"	30.5"	4	845	869	1066	1096	1140	1023	
	8 8		5	871	895	1092	1122	1166	1059	
		530 mm	COL	785	809	1006	1036	1080	938	
	490 mm 19.3"	530 mm 20.9"	LUBL	845	869	1066	1096	1140	1023	
			LUCL	947	971	1168	1198	1242	1169	
			LSL	1109	1133	1330	1360	1404	1399	
Brace linking (BA)		14.3 lbs	COW	694	718	915	945	989	780	
" '			1	733	757	954	984	1028	836	
		G 7	2	785	809	1006	1036	1080	910	
		1/ =	3	835	859	1056	1086	1130	983	
εī.	EI.	30.5"	4	912	936	1133	1163	1207	1092	
	18.1"	1 1 1 1 1	5	938	962	1159	1189	1233	1128	
			COL	852	876	1073	1103	1147	1007	
	490 mm	530 mm 20.9"	LUBL	912	936	1133	1163	1207	1092	
	17.3	20.7	LUCL	1014	1038	1235	1265	1309	1238	
			LSL	1176	1200	1397	1427	1471	1468	

	Felt glides	20	\$
	Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Г	Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$




40/4 side chair Xtra

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
 Stacks 40 chairs on a dolly
 EN 16139 / Ansi/Bifma X5.1
 GreenTag CenTIM

- 1.6" wider and 0.2" higher than the standard 40/4
 FSC wood certified



STANDARD FRAME COLOURS	V2 (a) V3 (b)	V1	LW17 • LW30	ODOUR	V2 • V3	V1	LW17 • LW30	TERE
	V13	V15 V12		GROUP	V13	V15 • V12 •		FULLY UPHOLSTERE
B1 B6 B7 B9 B10 B30								מורג ו
RAL K7 colours available at customer request	\$	\$	\$		\$	\$	\$	\$
Non linking (RA) 13.9 lb		Ψ		сом	977	1007	1051	818
TOOT IITKING (KA)	,3			1	1016	1046	1090	874
				2	1068	1098	1142	948
				3	1118	1148	1192	1021
30.5 rmm	010	0//	020	4	1195	1225	1269	1130
456 mm 7779 mm 7775 m 20.75 m	818	866	930	5	1221	1251	1295	1166
				COL	1135	1165	1209	1045
530 mm 530 mm				LUBL	1195	1225	1209	1130
250				LUCL	1297	1327	1209	1276
				LSL	1459	#N/D	1209	1506
Brace linking (BA) 14.1 lb	os			COM	1044	1074	1118	887
				1	1083	1113	1157	943
				2	1135	1165	1209	1017
				3	1185	1215	1259	1090
5 mm 775 mm 3775 mm 380 5 mm	887	935	999	4	1262	1292	1336	1199
775 mm 775 m 30.55 mm	007	/33	'''	5	1288	1318	1362	1235
530 mm 530 mm				COL	1202	1232	1276	1114
20.9"				LUBL	1262	1292	1276	1199
				LUCL	1364	1394	1276	1345
				LSL	1526	1556	1276	1575

Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer	+520	\$



40/4 armchair - polyamide and veneer

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyStacks 40 chairs on a dolly
- EN 15373 / ANSI/BIFMA X5.1 M7.1
 GreenTag^{CertTM}
- FSC wood certified



	POLYAMIDE VENEER (DVB)				
STANDARD FRAME COLOURS	PA200 • PA300	PA100 PA110 PA250	V2 V3 V13	V1	LW17 • LW30
B1 B6 B7 B9 B10 B30		PA260 PA320 PA360 PA380 PA380		V12	
RAL K7 colours available at customer request	\$	PA370 •	\$	\$	\$
Non linking (RA) 17 lbs	,,,,	71,	007	0.45	1000
88 2 52 mm 530 mm 500 mm 1500	677	716	897	945	1009
Armlinking (J) 17.2 lb	s				
W W W W W W W W W W W W W W W W W W W	787	826	1007	1055	1119
Armchair outdoor (DOBRA) 17 lbs					
89 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	919	958	N/A	N/A	N/A

Felt glides	20	\$
Table surface protection	+23	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



40/4 armchair upholstered

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.


- 10 year warranty
 Stacks 25 chairs on a dolly
 EN 15373 / ANSI/BIFMA X5.1 M7.1
 GreenTag^{CertTM}
 FSC wood certified

					FULLY	UPHOLS	TERED			
			POLY	AMIDE		VENEER			(DUB)	
			(D	SB)		(DTB)				
STANDARD FRAME	COLOURS		PA200 PA300	PA100 • PA110 •	V2 V3	V1	_		D	2
		GROU	PA300	PA250 PA260	V13	V15 V12		SLACK POLYAMIDE ARMREST	STAINED ARMREST	UPH. ARMRESTS
				PA320		V I Z		S &	ST	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
B1 B6 B7 B9	B10 B30			PA360				A P A	\(\) \(\) \(\) \(\)	- <u>-</u> -
				PA380				\(\(\) \(\)	BLACK !	ᆸ
PALK7 colours ava	ilable at customer request			PA370				A	m 2	ا د ا
KAL KI COIOOI3 GVG	liable at costottlet request		\$	\$	\$	\$	\$	\$	\$	\$
Non linking (RA)	16.81	os COM	815	839	1036	1066	1110	898	972	972
INOTHINKING (KA)	10.01	1	854	878	1075	1105	1149	954	1028	1053
		2	906	930	1127	1157	1201	1028	1102	1143
_	, 9 m	3	956	980	1177	1207	1251	1101	1175	1229
	26.2" 26.2" 36.1" 30.5"	4	1033	1057	1254	1284	1328	1210	1284	1350
	805 mm 2338, 200 m	5	1059	1083	1280	1310	1354	1246	1320	1408
		COL	973	997	1194	1224	1268	1125	1199	1242
		LUBL	1033	1057	1254	1284	1328	1210	1284	1350
	2010 2017	LUCL	1135	1159	1356	1386	1430	1356	1430	1557
		LSL	1297	1321	1518	1548	1592	1586	1660	1805
Armlinking (J)	1 <i>7</i> lk	COM	925	949	1146	1176	1220	1008	1082	1082
		1	964	988	1185	1215	1259	1064	1138	1163
		2	1016	1040	1237	1267	1311	1138	1212	1253
-	1 9 7 7	3	1066	1090	1287	1317	1361	1211	1285	1339
	26.2" 26.2" 50.0mm 18.1" 18.1" 7775 mm 30.5"	4	1143	1167	1364	1394	1438	1320	1394	1460
	26.2" 26.2" 460mm 18.1" 18.1" 30.5 30.5	5	1169	1193	1390	1420	1464	1356	1430	1518
	T 41 " T T	COL	1083	1107	1304	1334	1378	1235	1309	1352
	605 mm 23.8" 530 mm	LUBL	1143	1167	1364	1394	1438	1320	1394	1460
	200	LUCL	1245	1269	1466	1496	1540	1466	1540	1667
		LSL	1407	1431	1628	1658	1702	1696	1770	1915

Felt glides	20	\$
Table surface protection	+23	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



40/4 swivel - polyamide and veneer



Soft lane castors	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer	+520	\$



40/4 swivel upholstered

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyCastors or glides available
- Height adjustable
- Soft lane castor as an option
 GreenTag^{CertTM}
 FSC wood certified

FSC wood certified			SEA1	UPHOLS1	TERED			FULLY	
		POL	Yamide (ds)		VENEER (DT)		UPHO	LSTERE	D (DU)
STANDARD FRAME COLOURS	GROUP	PA200 PA300	PA100 PA110 PA250	V2 V3 V13	V1 V5 V15	LW17 • LW30	BLACK POLYAMIDE ARMREST	BLACK STAINED VENEER ARMREST	ARM
			PA260 PA320	V13	V13		K POLYA/ ARMREST	STAI	UPH.
B1 B6 B7 B9 B10 B30			PA360 PA380				ACK P	SLACK	W-W/O UPH. ARM
RAL K7 colours available at customer request			PA370				BL 8	>	
		\$	\$	\$	\$	\$	\$	\$	\$
Side chair (DUESS) 25.1 lb	COM	1049	1073	1272	1302	1346	N/A	N/A	1135
, ,	1	1088	1112	1311	1341	1385	N/A	N/A	1191
// ET:	2	1140	1164	1363	1393	1437	N/A	N/A	1265
E :. 35.4 m	3	1190	1214	1413	1443	1487	N/A	N/A	1338
	4	1267	1291	1490	1520	1564	N/A	N/A	1447
470 - 595 mm 18.5° - 23.4° 27.5 - 590 mm 30.5° - 33.4°	5	1293	1317	1516	1546	1590	N/A	N/A	1483
5.2	COL	1207	1231	1430	1460	1504	N/A	N/A	1362
660 mm	LUBL	1267	1291	1490	1520	1564	N/A	N/A	1447
20	LUCL	1369	1393	1592	1622	1666	N/A	N/A	1593
	LSL	1531	1555	1754	1784	1828	N/A	N/A	1823
Armchair (DUFSA) 26.9 lb	COM	1237	1261	1460	1490	1534	1322	1396	1396
	1	1276	1300	1499	1529	1573	1378	1452	1477
0 ST	2	1328	1352	1551	1581	1625	1452	1526	1567
EL: 4	3	1378	1402	1601	1631	1675	1525	1599	1653
	4	1455	1479	1678	1708	1752	1634	1708	1774
675 - 800 mm 26.65°-31.5° 470-595 mm 18.5°-23.4° 18.5°-23.4° 18.5°-23.4° 18.5°-23.4° 20.5°-35.4°	5	1481	1505	1704	1734	1778	1670	1744	1832
274 678 0 0 0 0 0 0 1	COL	1395	1419	1618	1648	1692	1549	1623	1666
<u>660 mm</u>	LUBL	1455	1479	1678	1708	1752	1634	1708	1774
26"	LUCL	1557	1581	1780	1810	1854	1780	1854	1981
	LSL	1719	1743	1942	1972	2016	2010	2084	2229

Soft lane castors	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)	+520	\$



40/4 barstool and lounge chair

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways. 10 year warranty Stacks up to 10 barstools on the follor Stacks up to 20 lounge chairs on the floor EN 15373 / ANSI/BIFMA X5.1 FSC wood certified GreenTag Certim						Y	W
• GreenTag ^{CernM}	POLY	AMIDE		VENEER		FUI	
STANDARD FRAME COLOURS B1 B6 B7 B9 B10 B30	PA200 PA300	PA260 PA320 PA360 PA380 PA380	V2 V3 V13	V1 V5 V15 V12	LW17 • LW30	GROUP	PRICE
RAL K7 colours available at customer request	\$	PA370 •	\$	\$	\$		\$
Lounge chair (DVDRA) 13.2 lbs 13.2 lbs	N/A	N/A	895	943	1 007	COM 1 2 3 4 5 COL LUBL LUCL LSL	984 1040 1114 1187 1296 1332 1211 1296 1442 1672
Barstool (DPCAA) 22.9 lbs	900	939	1 123	1 171	1 235	COM 1 2 3 4 5 COL LUBL LUCL LSL	1123 1179 1253 1326 1435 1471 1350 1435 1581 1811
Barstool counter height (DPCCA) 20.3 lbs	900	939	1 123	1 171	1 235	COM 1 2 3 4 5 COL LUBL LUCL LSL	1123 1179 1253 1326 1435 1471 1350 1435 1581

22.9 lbs

1 144

1 183

Price List 2024 - USD excl. sales tax - Version 1.1

Barstool outdoor (DOCCA)

Felt glides 20 Fee per RAL K7 colour for frames (for one colour if below 200 pcs) +520 Fee per RAL K7 colour for veneer (for one colour if below 200 pcs)


N/A

N/A

N/A



40/4 wood frame and 40/4 metal



Felt glides	20	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$
Fee per RAL K7 colour for veneer	+520	\$



SixE 4-leg

By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
 SixE stacks up to 25 chairs on a dolly
 GreenTag CertTM
- Quick ship LINK



	POLYPR	OPYLENE	UPHOLSTERY					
		/EPBMA)						
Standard frame colours:	PP200 •	PP100 PP300		SEAT	UPH.	FULLY UPH.		
B1 B6 B7 B9 B10 B30 Choose matching frame and shell colour without additional costs:		PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)	
	RECYCLED PP200	RECYCLED PP100 PP300 PP120		¢	œ.	¢	•	
RAL K7 colours available at customer request	\$	\$	сом	\$ 599	\$ 647	\$ 1014	\$ N/A	
Sidechair (EPAMA) 11 lbs			1 1	630	678	1110	N/A N/A	
			2	664	712	1208	N/A	
			3	689	737	1285	N/A	
7.7.7 38.9° mm	070	418	4	731	779	1413	N/A	
17.77 30.9	370		5	774	822	1536	N/A	
41_ 1 1			COL	710	758	N/A	N/A	
520 mm 20.5" ,535 mm 21.1"			LUBL	731	779	N/A	N/A	
20.5" 21.1"			LUCL	833	881	N/A	N/A	
			LSL	943	991	N/A	N/A	
Sidechair with Quicklinking (EPAMA-R) 11 lbs			COM	676	724	1091	N/A	
510 mm			1	707	755	1187	N/A	
,530 mm, 20.9°			2	741	789	1285	N/A	
			3	766	814	1362	N/A	
	447	495	4	808	856	1490	N/A	
		170	5	851	899	1613	N/A	
12 mm			COL	787	835	N/A	N/A	
0.5°			LUBL	808	856	N/A	N/A	
41.3"			LUCL	910	958	N/A	N/A	
10.4			LSL	1020	1068	N/A	N/A	
Armchair (EPBMA) 12.6 lb	S		COM 1	733 764	781 812	N/A N/A	1137 1233	
			2	798	846	N/A	1331	
			3	823	871	N/A	1408	
27.4" mm 27.4" mm 27.5" mm 27.			4	865	913	N/A	1536	
695 mm 27.4" 450 mm 17.7" 30.9"	495	543	5	908	956	N/A	1659	
			COL	844	892	N/A	N/A	
565 mm 22.2" 535 mm			LUBL	865	913	N/A	N/A	
22.2 21.1			LUCL	967	1015	N/A	N/A	
			LSL	1077	1125	N/A	N/A	
Armchair with armlinking (EPBMA-Y) 12.6 lb	S		COM	754	802	N/A	1158	
			1	785	833	N/A	1254	
570 mm 22.4°			2	819	867	N/A	1352	
			3	844	892	N/A	1429	
	516	564	4	886	934	N/A	1557	
1 1 1			5	929	977	N/A	1680	
\$2 mm 2"			COL	865	913	N/A	N/A	
1090 mm			LUBL	886	934	N/A	N/A	
42.9"			LUCL	988	1036	N/A	N/A	
			LSL	1098	1146	N/A	N/A	

Felt glides	21	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$



SixE 4-leg on castors

By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
 SixE stacks up to 15 chairs on a dolly
 GreenTag^{CertTM}



	POLYPR	POLYPROPYLENE		UPHOLSTERY						
		C/EPBSE)								
Standard frame colours:	PP200 •	PP100		SEAT	UPH.	FULLY	UPH.			
B1 B6 B7 B9 B10 B30		PP300 O PP310 PP270 PP120		BLACK (EFA/	COLOUR (EFA/	NO ARM (EUA)	BLACK ARM (EUB)			
Choose matching frame and shell colour without additional costs:		PP340 PP350	GROUP	EFB)	EFB)	(23) 9	(===/			
	RECYCLED PP200	RECYCLED PP100 • PP300 OPP120 •								
RAL K7 colours available at customer request	\$	\$		\$	\$	\$	\$			
Sidechair (EPA) 17.421	b		COW	854	902	1246	N/A			
			1	885	933	1342	N/A			
			2	919	967	1440	N/A			
30.9"			3	944	992	1517	N/A			
785 m 30.5	604	702	4	986	1034	1645	N/A			
			5 COL	1029 965	1077	1768	N/A			
.520 mm535 mm .			LUBL	965 986	1013 1034	N/A	N/A N/A			
535 mm 20.5" 535 mm 21.1"			LUCL	1088	1136	N/A N/A	N/A N/A			
			LUCL	1198	N/A	N/A N/A	N/A N/A			
Armchair (EPB) 20.3 lk			COM	988	1036	N/A	1371			
Armchair (EPB) 20.3 lk	7		1	1019	1036	N/A N/A	1467			
			2	1019	1101	N/A N/A	1565			
\			3	1033	1126	N/A N/A	1642			
9.5 mm 0mm 77" 30.9"			4	1120	1168	N/A N/A	1770			
695 mm 27.4" 17.7" 788 mm 30.9"	727	775	5	1163	1211	N/A N/A	1893			
1 41 1 1 1 1			COL	1099	1147	N/A	N/A			
			LUBL	1120	1147	N/A	N/A			
, 565 mm 22.2" , 535 mm 21.1"			LUCL	1222	1270	N/A N/A	N/A N/A			
			LUCE	1332	N/A	N/A N/A	N/A N/A			
			LJL	1332	IN/A	IN/A	IN/A			

Price List 2024 - USD excl. sales tax - Version 1.1

Soft lane castors 21

Fee per RAL K7 colour for frames +520 \$ (for one colour if below 200 pcs)



SixE sled

By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
 SixE stacks up to 25 chairs on a dolly
 GreenTag^{CertTM}



	POLYPRO	POYLENE		UPHOLSTERY					
Standard frame colours:	PP200	PP100 PP300		SEAT UPH. FULLY U			ſ UPH.		
B1 B6 B7 B9 B10 B30 Choose matching frame and shell colour without additional costs:		PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)		
RAL K7 colours available at customer request	RECYCLED PP200 •	RECYCLED PP100 PP300 PP120 \$		\$	\$	\$	\$		
Sidechair (EPARB) 13.2 lb		Ψ	COM	701	749	1104	N/A		
SideChail (Li Akb)	'3		1	732	780	1200	N/A		
			2	766	814	1298	N/A		
			3	791	839	1375	N/A		
77.77 77.77 785 mm	140	500	4	833	881	1503	N/A		
786 m 30.9	460	508	5	876	924	1626	N/A		
\$1_ I			COL	812	860	N/A	N/A		
500 mm 545 mm			LUBL	833	881	N/A	N/A		
19.7" 21.5"			LUCL	935	983	N/A	N/A		
			LSL	1045	1093	N/A	N/A		
Sidechair with bracelinking (EPABB) 13.7)S		COM	783	831	1183	N/A		
			1	814	862	1279	N/A		
,515 mm, 20.3**			2	848	896	1377	N/A		
			3	873	921	1454	N/A		
	539	587	4	915	963	1582	N/A		
		307	5	958	1006	1705	N/A		
12 mm 0.5			COL	894	942	N/A	N/A		
1045 mm			LUBL	915	963	N/A	N/A		
41 1"			LUCL	1017	1065	N/A	N/A		
			LSL	1127	1175	N/A	N/A		
Armchair (EPBRB) 16.1 lb	S		COM	835	883	N/A	1227		
			1	866	914	N/A	1323		
To Te			2	900	948	N/A	1421		
27.4" 27.4" 27.4" 30.5" 30.5"			3	925 967	973	N/A	1498		
885 mm 27.4" 17.7" 7885 mm 30.9"	585	633	5		1015 1058	N/A	1626		
1 41 1			COL	1010 946	994	N/A N/A	1749 N/A		
565 mm 22.2" 545 mm 21.5"			LUBL	967	1015	N/A	N/A		
22.2" 21.5"			LUCL	1069	1117	N/A	N/A		
			LSL	1179	1227	N/A	N/A		
Armchair with armlinking (EPBRB-Y) 16.1 lb	,		COM	856	904	N/A	1248		
· ,	1		1	887	935	N/A	1344		
1 570 mm 22.4"			2	921	969	N/A	1442		
			3	946	994	N/A	1519		
	/0/	/ / [4	988	1036	N/A	1647		
	606	654	5	1031	1079	N/A	1770		
70 mm			COL	967	1015	N/A	N/A		
28			LUBL	988	1036	N/A	N/A		
1075 mm 42.3"			LUCL	1090	1138	N/A	N/A		
			LSL	1200	1248	N/A	N/A		

Felt glides	21	\$
Fee per RAL K7 colour for frames (for one colour if below 200 pcs)	+520	\$



SixE barstool

By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
 SixE stacks up to 10 chairs on a dolly
 GreenTag^{CertTM}



	POLYPR	OPYLENE		UPHOLSTERY				
	l (E	PC)						
Standard frame colours:	PP200 • PP100 •					SEAT UPH.		FULLY
		PP300 O				UPH.		
B1 B6 B7 B9 B10 B30		PP270 •		BLACK	COLOUR	(EUC)		
1000 1000 1000 1000 1000 1000		PP120		(EFC)	(EFC)	(,		
Choose matching frame and shell colour without additional costs:		PP340 PP350	GROUP					
	RECYCLED	RECYCLED						
	PP200 •	PP100 •						
		PP300 0						
RAL K7 colours available at customer request	\$	PP120 (8)		\$	\$	\$		
Barstool 4 Leg (EPCAO) 16.1 lb		Φ	сом	968	1016	1352		
Daisiooi 4 Log (Li C/O)	1		1	999	1047	1448		
			2	1033	1081	1546		
			3	1058	1106	1623		
30.3" 1105 mm	712	760	4	1100	1148	1751		
	/ 12	,00	5	1143	1191	1874		
			COL	1079	1127	N/A		
, 550 mm , 535 mm , 21.1"			LUBL	1100	1148	N/A		
			LUCL	1202 1312	1250 N/A	N/A N/A		
Barstool 4 Leg, counter height (EPCAP) 11.7 lb	.c	_	COM	968	1016	1352		
Baistoot 4 Leg, Coother Height (EFCAF)	'3		1	999	1047	1448		
			2	1033	1081	1546		
T = E			3	1058	1106	1623		
285 mm 8965 mm	712	760	4	1100	1148	1751		
24.8" 84.5 mm	/12	/60	5	1143	1191	1874		
1 8 8 1 1			COL	1079	1127	N/A		
540 mm 21.3" 535 mm 21.1"			LUBL	1100	1148	N/A		
			LUCL	1202	1250	N/A		
			LSL	1312	N/A	N/A		
Barstool Sled frame (EPCAM) 20.9 lb	S		COM 1	1070 1101	1118 1149	1444 1540		
			2	1135	1183	1638		
I I I			3	1160	1208	1715		
33° mm 435° mm	000	050	4	1202	1250	1843		
30.3° 1106.n° 43.5	802	850	5	1245	1293	1966		
			COL	1181	1229	N/A		
530 mm 20.9" 1560 mm			LUBL	1202	1250	N/A		
20.9" 22"			LUCL	1304	1352	N/A		
			LSL	1414	1462	N/A		

Price List 2024 - USD excl. sales tax - Version 1.1

Felt glides 21 Fee per RAL K7 colour for frames (for one colour if below 200 pcs) +520 \$



SixE swivel

By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move. - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10* year warranty
 Design for Disassembly
 GreenTag^{CerlTM}



	POLYPR	OPYLENE	UPHOLSTERY					
	(EPEES	/EPFES)						
Standard frame colours:	PP200 •	PP100 PP300		SEAT	UPH.	FULLY		
B10		PP310 PP270 PP120		BLACK (EPO/	COLOUR (EPO/	UPH. (EFSES/		
BAIN - HOWE Grey		PP120 PP340		EPP)	EPP)	EFTES)		
BATTA TIONE GIEV		PP350	GROUP					
	RECYCLED PP200	RECYCLED PP100 • PP300 OPP120 •						
	\$	\$		\$	\$	\$		
Sidechair 15.9 lb	S		COM	889	937	1286		
			1	920	968	1382		
5.6"-203" 5.6"-203" 7.65-885 mm			2	954	1002	1480		
395-515mm 15.6"-203" 15.6"-203" 265-8855m 30.1"-34.8			3	979	1027	1557		
\$ \frac{1}{2} \text{\tin}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tex{\tex	645	693	4	1021	1069	1685		
\$1% on 100 o 50 0 0 0 0			5 COL	1064	1112 1048	1808		
, 590 mm			LUBL	1000 1021	1046	N/A N/A		
23.2"			LUCL	1123	1171	N/A		
			LSL	1233	1281	N/A		
Armchair 18.3 lb			COM	1023	1071	1411		
Armchair 18.3 lb	5		1	1023	1102	1507		
_			2	1034	1136	1605		
ET: 30 P = 1 E in			3	1113	1161	1682		
344 E			4	1155	1203	1810		
24.4"-29.1" 24.4"-29.1" 15.6"-20.3" 265-885 mm	768	816	5	1198	1246	1933		
3.55 - 51 - 51 - 51 - 51 - 51 - 51 - 51 -			COL	1134	1182	N/A		
214 25 200 mm			LUBL	1155	1203	N/A		
23.2"			LUCL	1257	1305	N/A		
			LSL	1367	1415	N/A		
				1007	1410	14/1		

Price List 2024 - USD excl. sales tax - Version 1.1

Soft lane castors 21 \$



SixE Learn

By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move - bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10* year warranty
 Design for Disassembly
- Chair for active learning environments, classrooms and higher education
 GreenTag^{CertTM}



			POLYPROPYLENE				UPHO	LSTERY	
			(EPC	/EPP)					
Standard frame colours:			PP200 •	PP100 PP300			SEAT	SEAT UPH.	
B10				PP310 PP270 PP120 PP340			BLACK (EFO/ EFP)	COLOUR (EFO/ EFP)	UPH. (EFQ/ EFR)
BAIN - HOWE Grey				PP350 PP350		GROUP			
			RECYCLED PP200	RECYCLED PP100 • PP300 O PP120 •					
			\$	\$	Ц		\$	\$	\$
Learn side chair		25.8 lbs	S		Н	сом	1421	1461	1770
			1127		Н	1	1452	1492	1866
	660 - 780 mm 26" - 30.7" 75 - 515 mm 5.6" - 20.3"	355-515 mm 15.6" - 20.3"			Н	2	1486 1511	1526 1551	1964 2041
	S E E E				Н	3 4	1553	1593	2169
	5115			1167	Н	5	1596	1636	2292
ľ	5,6				Н	COL	1532	1572	N/A
	38				Ш	LUBL	1553	1572	N/A
		28.3"			Ш	LUCL	1655	1695	N/A
					Ш	LSL	1765	1805	N/A
Learn armchair		28 lbs			H	COM	1555	1603	1893
Learnannenan		20 103			П	1	1586	1634	1989
	-				н	2	1620	1668	2087
	. a .	off in			Ш	3	1645	1693	2164
	8 8 1		1050	1200	н	4	1687	1735	2292
660-780 mm 26"-30.7" 15.6"-20.3"	ň	1252	1300	П	5	1730	1778	2415	
	2660	0 m u d o				COL	1666	1714	N/A
-	38	720 mm			П	LUBL	1687	1735	N/A
		28.3"				LUCL	1789	1837	N/A
					П	LSL	1899	1947	N/A

Soft lane castors	21	\$
Bag hook	52	\$
Cupholder	46	\$



MN1 cantilever

By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantyStacks 5 chairsFSC certifiedDesign for Disassembly



		ME	ESH	FULLY	UPH.		chrome	oad with or black
		(KELCC	/KELCD)	(KYLCC	/KYLCD)	Black base	bo	ise
Standard base finish is chrome		V3 ()	LW25	V3 ()	LW25	w. or w/o		
Black base and armrests as an option	GROUP		LW17		LW17	black		
Standard armrests is polished aluminium		Back frame	Back frame	Back frame	Back frame	armrests	Uph.	Veneer
			Black or		Black or		armrests	armrests
(P ●		Oak	walnut	Oak	walnut			
81 87			stained		stained			
		\$	\$	\$	\$	\$	\$	\$
Side chair, normal back (A) 19.8 lbs	COM	1379	1467	1548	1636			
(,	1	1406	1494	1631	1719			
	2	1437	1525	1715	1803			
	3	1467	1555	1815	1903			
ST E	4	1531	1619	2001	2089	+46	+N/A	+N/A
480 mm 880 mm 35° m	5	1552	1640	2064	2152	1 140	114/71	114//
8 8 8	COL	1508	1596	1934	2022			
	LUBL	1531	1619	2001	2089			
480 mm 18,9" 575 mm	LUCL	1684	1772	2460	2548			
Total Relia	LSL	1867	1955	N/A	3099			
Side chair, high back (B) 20.7 lbs	COM	1515	1603	1682	1770			
	1	1542	1630	1765	1853			
PI	2	1573	1661	1849	1937			
	3	1603	1691	1949	2037		+N/A	
7.3	4	1667	1755	2135	2223	+46		+N/A
EI. 80 6	5	1688	1776	2198	2286	1 40	11477	114/7
1887 mm 1887 mm 1897 m	COL	1644	1732	2068	2156			
	LUBL	1667	1755	2135	2223			
480 mm 18.9" 620 mm 24.4"	LUCL	1820	1908	2594	2682			
	LSL	N/A	2091	3145	3233			
Armchair, normal back (A) 20.9 lbs	COM	1510	1598	1548	1767			
	1	1537	1625	1762	1850			
	2	1568	1656	1846	1934			
	3	1598	1686	1946	2034			
88 88 mm	4	1662	1750	2132	2220	+90	+303	+204
880 mm 18.9" 18.9" 880 mm 38.7" 35.8" 35."	5	1683	1771	2195	2283			
88 2 88 8	COL	1639	1727	2065	2153			
	LUBL	1662	1750	2132	2220			
570 mm 22.4" 575 mm 22.6"	LUCL	1815	1903	2591	2679 3230			
		1998 1646	2086 1734	3142 1813	1901	\vdash		
Armchair, high back (B) 21.8 lbs	1 COM	1646	1734	1813	1901			
	2	1704	1761	1980	2068			
	3	1704	1822	2080	2068			
Ε	4	1734	1886	2266	2354			
E 6 EI. 6 E 7.	5	1819	1907	2329	2417	+90	+303	+204
680 mm 18.9° 1085 1	COL	1775	1863	2199	2287			
2 8 m	LUBL	1773	1886	2199	2354			
570 mm	LUCL	1790	2039	2725	2813			
22.4" 24.4"	LUCL	2134	2037	3276	3364			
	LUL	2104	LLLL	32/0	5504			

Price list 2024 - USD excl. V.A.T. - Version 1.1

Felt glides 42 \$



MN1 X-base

By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantySimple and elegant aestheticsDesign for DisassemblyHeight adjustableFSC certified



				M	ESH	FULLY	′ UPH.		Armrest	oad with
				141	EM)	(1/2)	(M)	Black base		ise
Black hase and	armrests as an opt	ion		V3 (NI		V3 (N	LW25	w. or w/o		
DIGCK Dase and	airiiesis as air opi	1011	GROUP	V3 0	LW17	V3 0	LW17	black		
Standard base	and armrests is poli	shed	OKOOI	Back frame	Back frame	Back frame	_	armrests	Uph.	Veneer
aluminium	arra arrirosis is poi	3110 4		Dack Irainio	Black or	Back Irainio	Black or		armrests	armrests
alorriii iiorri				Oak	walnut	Oak	walnut			
	001 07				stained		stained			
	B51 B7			\$	\$	\$	\$	\$	\$	\$
Side chair, norm	nal back (A)	23.1 lbs	COM	1642	1730	1803	1891			
,			1	1669	1757	1886	1974			
		Ø T	2	1700	1788	1970	2058			
		Z:"Z	3	1730	1818	2070	2158			
	8,13	37.	4	1792	1880	2256	2344	+46	+N/A	+N/A
	2 2 4	855 - 945 mm 33.7" - 37.2"	5	1815	1903	2319	2407		,.	''''
	50-540 mm 17.7"-21.3"	88 8	COL	1773	1861	2189	2277			
	817.	570	LUBL	1792	1880	2256	2344			
	485 mm	570 mm	LUCL	1947	2035	2715	2803			
			LSL	2130	2218	3266	3354			
Side chair, high	back (B)	24 lbs	СОМ	1778	1866	1937	2025			
			1	1805	1893	2020	2108			
		Pol	2	1836	1924	2104	2192			
THE REAL PROPERTY.		1055 - 1145 mm 41.5" - 45.1"	3 4	1866 1928	1954	2204 2390	2292			
	E.t.	45	5		2016		2478	+46	+N/A	+N/A
	17.7" - 21.3"	33	COL	1951 1909	2039 1997	2453 2323	2541 2411			
	2 - 5	50 4	LUBL	1909	2016	2323	2411			
	485 mm	615 mm	LUCL	2083	2171	2849	2937			
	19.1"	24.2"	LSL	2266	2354	3400	3488			
Armchair, norm	al back (A)	24.3 lbs	COM	1725	1813	1849	1937			
Afficiali, nomi	ai back (A)	24.0 103	1	1752	1840	1932	2020			
			2	1783	1871	2016	2104			
	_	mm2.7	3	1813	1901	2116	2204			
	Els E. I	45 mr	4	1875	1963	2302	2390		.202	
	645 - 735 mm 25.4" - 28.9" 450 - 540 mm 17.7" - 21.3"	0	5	1898	1986	2365	2453	+90	+303	+204
	58 7	33.7	COL	1856	1944	2235	2323			
	42 -		LUBL	1875	1963	2302	2390			
	5/0 mm	570 mm	LUCL	2030	2118	2761	2849			
	22.4"	22.4"	LSL	2213	2301	3312	3400			
Armchair, high b	back (B)	25.1 lbs		1861	1949	1983	2071			
	· <i>·</i>		1	1888	1976	2066	2154			
		PaT	2	1919	2007	2150	2238			
		/ E :_	3	1949	2037	2250	2338			
	ET& E. N	54 54	4	2011	2099	2436	2524	+90	+303	+204
	25.4" - 28.9" 15.4" - 28.9" 177" - 21.3"	1055-1145 mm 41.5" - 45.1"	5	2034	2122	2499	2587			
	5.4"	105	COL	1992	2080	2369	2457			
	0-0-1		LUBL	2011	2099	2436	2524			
	570 mm 22.4"	615 mm 24.2"	LUCL	2166	2254	2895	2983			
	22.4	A-7-A	LSL	2349	2437	3446	3534			

Price list 2024 - USD excl. V.A.T. - Version 1.1

Fixed with return swivel	61	\$
Felt glides	42	7\$



MN1 5-star

By Morten Nikolajsen

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.

- 5 year warrantySimple and elegant aestheticsDesign for DisassemblyHeight adjustableFSC certified



Standard base is polished aluminium with black costors. Black base and armrests as an option Standard armrest is polished aluminium Standard armset is polished armset is polished aluminium Standard armset is polished aluminium Standard armset is polished aluminium Standard armset is polished armset is polished aluminium Standard armset is polished armset is polished armset is polished ar				M	ESH	FULLY	UPH.			oad with
Standard base is polished aluminium with black castors. W23				/// ENIL A	/VENII DA	/IZENII A	(KEVILD)	Discolute and		
With black castors. Slack brack and armrests as an option Standard armrest is polished aluminium Side chair, normal back (A) Side chair, normal back (A) Side chair, normal back (B) Side	Ctandard bass	is polished aluminium	_	_	1					
Black base and armests as an option Standard armest is polished aluminium Standard Standard armest is polished aluminium Standard armest is polished armest is polished aluminium Standard armest is polished aluminium S			CPOU		_	V3 ()				
Standard armrest is polished aluminium Cok Wadnut Stalined Stalined			GROUI		_		_		Llodo	Vancer
Side chair, normal back (A) 23.6 lbs COM 1824 1912 1978 2066 2147 2235 3 1912 2007 2147 2233 4 1976 2064 2433 2521 1881 1897 2061 2447 2233 2451 2527 2527 2527 2527 2527 2527 2527 25				Back trahe		Back trahe		anniesis		
Side chair, normal back (A) 23.6 lbs COM 1 1851 1797 2061 2147 2235 3 1912 2000 2245 2333 2521 446 4N/A 4N/A 4N/A 4N/A 4N/A 4N/A 4N/A 4N/A	Sianaara armre	si is polisnea aluminium		Oak		Oak			anniesis	diffiesis
Side chair, normal back (A) 23.6 lbs COM 1824 1912 1978 2061 2147 2233 3 1912 2000 2245 233334 4 1976 2064 2433 2521 2601 1953 2041 2344 2433 2521 1001 2552* 24.5 lbs COM 1987 2008 2114 2200 2248 2333 2521 1001 1001 11976 2004 2423 2331 2521 1001 1001 1001 1001 1001 1001 100		• •		Oak		Oak				
Side chair, normal back (A) 23.6 lbs COM 1824 1912 1978 2066 1 2147 2235 3 1912 2000 2245 2333 4 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1976 2064 2433 2521 1081 1977 2075 2197 2285 22018 2106 2283 2371 2469 2479 2479 2575 2570 260 260 2788 2106 22888 2112 2200 2569 2657 260 260 260 2788 2117 2200 2569 2657 260 260 260 2788 2118 2200 2569 2657 260 260 260 2788 2118 2200 2569 2657 260 260 2788 2118 2200 2569 2657 260 260 2788 2788 2788 2788 2788 2788 2788 278		B51 B7		•		•		•	¢	
1 1851 1939 2041 2149 2 1882 1970 2147 2235 3 1912 2000 2245 2333 4 1976 2064 2433 2521 5 1997 2015 2494 2582 COL 1953 2041 2364 2452 LUCL 2129 2217 2890 2978 LSL 2312 2400 3443 3531 Side chair, high back (B) 24.5 lbs COM 1960 2048 2114 2202 2 2016 2106 2283 2371 3 2048 2136 2381 2469 4 2112 2200 2569 2657 LUCL 2265 2333 3026 3114 25.27 25.27 15.1 1937 2075 2197 2508 LUCL 2265 2333 3026 3114 Armchair, normal back (A) 24.7 lbs COM 1907 1995 2032 2120 2 1965 2053 2201 2 1965 2053 2201 2 1965 2053 2201 2 2 1965 2053 22	Ciala alaain naana	and benefit (A)	(lbc COM					Φ	Φ	Φ
2 1882 1970 2147 2235 2335 3 1912 2000 2245 2335 3 1912 2000 2246 2433 2321 5 1977 2065 2494 2582 251 251 252 217 2890 2978 251 252 217 2890 2978 251 252 217 2890 2978 251 252 217 2890 2978 251 252 217 2890 2978 251 252 251 251	side chair, nom	Idi back (A) 23.	3 1.0 3							
3 1912 2000 2245 2333 2521										
## ## ## ## ## ## ## ## ## ## ## ## ##		P c	2							
Cot. 1953 2041 2364 2452 LUBL 1976 2064 2433 2521 LUBL 1976 2064 2433 2521 LUBL 1976 2064 2433 2521 LUBL 2129 2217 2890 2978 LSL 2312 2400 3443 3531 LSL 2312 2400 3443 3531 LSL 2312 2400 3443 3531 LSL 2312 2202 2114 2202 LSL 2318 2469 LSL 2318 2221 2430 2718 LSL 2448 2536 3579 3667 LSL 2448 2536 2521 220 LSL 2448 2536 3579 3667 LSL 2448 2536 2538 2261 2339 LSL 2459 2458 2575 2578 LSL 2459 2458 2452 2575 LSL 2459 2458 2575 2578 LSL 2459 2578 2458 2575 LSL 2459 2578 2458 2575 LSL 2459 2578 2458 2575 LSL 2459 2578 2575 LSL 2		٤) (٤	ώ ω 4							
Cot. 1953 2041 2364 2452 LUBL 1976 2064 2433 2521 LUBL 1976 2064 2433 2521 LUBL 1976 2064 2433 2521 LUBL 2129 2217 2890 2978 LSL 2312 2400 3443 3531 LSL 2312 2400 3443 3531 LSL 2312 2400 3443 3531 LSL 2312 2202 2114 2202 LSL 2318 2469 LSL 2318 2221 2430 2718 LSL 2448 2536 3579 3667 LSL 2448 2536 2521 220 LSL 2448 2536 3579 3667 LSL 2448 2536 2538 2261 2339 LSL 2459 2458 2575 2578 LSL 2459 2458 2452 2575 LSL 2459 2458 2575 2578 LSL 2459 2578 2458 2575 LSL 2459 2578 2458 2575 LSL 2459 2578 2458 2575 LSL 2459 2578 2575 LSL 2	M12-224	% de 513	5					+46	+N/A	+N/A
Side chair, high back (B)		5 1 5	COI							
Side chair, high back (B)	_ fi _	\$ 80 00 00 00 00 00								
Side chair, high back (B) 24.5 lbs COM 1987 2075 2114 2202 1 1987 2075 2114 2202 1 1987 2075 2114 2202 1 1987 2285 2 2018 2 2018 2 2106 2 283 2 3271 3 2048 2 2136 2 2831 2 2430 2 2569 2 2530 2 2180 2 2500 2 2569 2 2503 2 2115 2 2000 2 2569 2 2503 2 2567 2 2500 2 2569 2 2567 2 2503 2 2567 2 2500 2 2569 2 2567 2 2500 2 2569 2 2567 2 2503 2 2018 2 2018 2 2112 2 2000 2 2569 2 2567 2 2500 2 2569 2 2567 2 2500 2 2569 2 2567 2 2500 2 2569 2 2567 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2115 2 2030 2 2148 2 2560 2 2115 2 2030 2 2148 2 2560 2 2569 2 2578 3 3 1995 2 2080 2 2188 2 2569 2 2483 3 3497 3 3585 4 2059 2 2147 2 2487 2 2578 2 2483 3 3497 3 3885 4 2059 2 2147 2 2487 2 2578 2 2188 2 2560 2 2583 2 2018 2 2018 2 2018 2 2030 2 2444 3 3032 2 2483 3 3497 3 3885 4 2059 2 2140 2 2188 2 2560 2 2580 2 2483 3 3497 3 3885 4 2059 2 2115 2 2030 2 2444 3 3032 2 2589 3 3 2131 2 168 2 2563 2 2711 2 2000 2 2444 2 2337 2 2455 2 2337 2 2455 3 2337 2 2455 3 2337 2 2455 3 2337 2 2455 3 2337 2 2455 3 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2199 2 2337 2 2455 3 3 2131 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			23							
Side chair, high back (B) 24.5 lbs COM 1980 2075 2197 2285 22 018 2106 2283 2371 23 2212 2630 2718 260 2569 2657 5 2133 2212 2630 2718 2527 260 2089 2177 2500 2588 2112 2200 2569 2657 2657 2500 2588 2112 2200 2569 2657 2657 2112 2200 2569 2657 2657 2113 2211 2200 2569 2657 2657 2657 2657 2657 2657 2657 2657	•	25.2" 25.2"								
1 1987 2075 2197 2285 2 2018 2106 2283 2371 3 2048 2136 2381 2469 4 2112 2200 2569 2657 5 2133 2221 2630 2718 COL 2089 2177 2500 2588 LUBL 2112 2200 2569 2657 LUCL 2265 2353 3026 3114 25.27 ISL 2448 2536 3579 3667 LUCL 2265 2053 2201 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2148 2536 COL 2036 2124 2418 2506 LUBL 2059 2147 2487 2575 5 2080 2148 2548 2636 COL 2036 2124 2418 2506 LUBL 2059 2147 2487 2575 LUCL 212 2300 2944 3032 LUCL 212 2300 2944 3032 Armchair, high back (B) 25.6 lbs COM 2043 2131 2168 2256 2300 2944 3032 2 2101 2189 2337 2425 3 2131 2219 2435 2523 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 LUBL 2195 2283 2623 2711 LUCL 12172 2260 25554 2642 LUBL 2195 2283 2623 2711 LUCL 12172 2260 25554 2642 LUBL 2195 2283 2623 2711 LUCL 12189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 LUCL 12189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 LUCL 12172 2260 25554 2642 LUBL 2195 2283 2623 2711 LUCL 12189 2337 2425 3 2216 2304 2684 2772 COL 2172 2260 25554 2642 LUBL 2195 2283 2623 2711 LUCL 21348 2436 3080 3168	Side chair high	back (B) 24								
2 2018 2106 2283 2371 3 2048 2136 2381 2469 4 2112 2200 2569 2657 5 2133 2221 2630 2718 COL 2089 2177 2500 2589 LUCL 2265 2353 3026 3114 25.27 2260 2569 2657 LISL 2112 2200 2569 2657 LISL 2265 2353 3026 3114 25.27 260 1995 2032 2120 2 1965 2053 2201 2289 2 1965 2053 2201 2289 2 1965 2053 2209 2387 4 2059 2147 2487 2575 LUCL 2262 2036 2188 2566 LUBL 2059 2147 2487 2575 LUCL 2212 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2212 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2212 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2212 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2147 2487 2575 LUCL 2112 2300 2944 3032 LISL 2059 2483 3497 3585 LUCL 2112 2300 2944 3032 LISL 2059 2483 3497 3585 LUCL 2112 2300 2944 3032 LISL 2059 2483 3497 3585 LUCL 2112 2300 2944 3032 LISL 2059 2483 3497 3585	Side Cridii, riigiri	DUCK (b)	103							
3 2048 2136 2381 2469 4 2112 2200 2569 2657 COL 2089 2177 2500 2588 LIBIL 2112 2200 2569 2657 LIUCL 2265 2353 3026 3114 LIUCL 2265 2353 3026 3114 LIUCL 2265 2353 3026 3114 LIUCL 2265 2035 2201 2289 1 1934 2022 2115 2203 1 1934 2022 2115 2203 2 1965 2033 2201 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 COL 2036 2124 2406 2564 2642 COL 2036 2251 2339 COL 2036 2124 2436 2564 2642 COL 2037 2450 2564 2642 COL 2036 2263 2711 COL 2036 2283 2623 2711 COL 2036 228			2							
## 4 2112 2200 2569 2657 5 2133 2221 2630 2718 COL 2089 2177 2500 2588 LIUEL 2112 2200 2569 2657 LIUEL 2265 2353 3026 3114 LSL 2448 2536 3579 3667 Armchair, normal back (A) 24.7 lbs COM 1907 1975 2032 2120 2 1965 2053 2201 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 LIUEL 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 LIUEL 2059 2147 2487 2575 LIUCL 2212 2300 2944 3032 LSL 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 LIUEL 2059 2147 2487 2575 LIUCL 2212 2300 2944 3032 LSL 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 LIUEL 2059 2147 2487 2575 LSL 2039 2944 3032 LSL 2059 2147 2487 2575 LSL 2039 2944 3032 LSL 2059 2147 2487 2575 LSL 2039 2944 3032 LSL 2059 2147 2487 2575 LSL 2039 2944 3032 LSL 2059 2147 2487 2575 LSL 2039 2944 3032 LSL 2010 2189 2337 2425 3 2131 219 2435 2523 3 2131 2219 2435 2523 3 2131 2219 2435 2523 3 2131 2219 2435 2523 3 2131 2219 2435 2523 4 2195 2283 2623 2711 LUCL 2348 2436 3080 3168		F	3							
Armchair, normal back (A) 24.7 lbs COM 1907 1 1934 2022 2 11965 2032 2 11965 2053 2010 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2148 2586 2586 2587 4 2059 2147 2487 2575 5 2080 2148 2506 1 UBL 2059 2147 2487 2575 5 2080 2148 2506 1 UBL 2059 2147 2487 2575 1 UCL 2212 2300 2944 3032 Armchair, high back (B) 25.6 lbs COM 2043 2131 2168 2256 3 2131 2199 2337 2425 4 2195 2330 2445 2528 2521 2339 2445 2528 2521 2521 2521 2521 2521 25283 2623 2711 1 UBL 1 UCL 2348 2436 3080 3168	No. of the last of	S mr	4							
Armchair, normal back (A) 24.7 lbs COM 1907 1 1934 2022 2 11965 2032 2 11965 2053 2010 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2148 2586 2586 2587 4 2059 2147 2487 2575 5 2080 2148 2506 1 UBL 2059 2147 2487 2575 5 2080 2148 2506 1 UBL 2059 2147 2487 2575 1 UCL 2212 2300 2944 3032 Armchair, high back (B) 25.6 lbs COM 2043 2131 2168 2256 3 2131 2199 2337 2425 4 2195 2330 2445 2528 2521 2339 2445 2528 2521 2521 2521 2521 2521 25283 2623 2711 1 UBL 1 UCL 2348 2436 3080 3168		Eric Sala	5 2133 2221 2630 2718 +46 +N/A	+N/A						
Armchair, normal back (A) 24.7 lbs COM 1907 1 1934 2022 2 11965 2032 2 11965 2053 2010 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2148 2586 2586 2587 4 2059 2147 2487 2575 5 2080 2148 2506 1 UBL 2059 2147 2487 2575 5 2080 2148 2506 1 UBL 2059 2147 2487 2575 1 UCL 2212 2300 2944 3032 Armchair, high back (B) 25.6 lbs COM 2043 2131 2168 2256 3 2131 2199 2337 2425 4 2195 2330 2445 2528 2521 2339 2445 2528 2521 2521 2521 2521 2521 25283 2623 2711 1 UBL 1 UCL 2348 2436 3080 3168		35.	COL							
Armchair, normal back (A) 24.7 lbs COM 1907 1995 2032 2120 2 1965 2083 2299 2387 4 2059 2147 2487 25.75 5 2080 2148 2536 3579 3667 2032 2115 2203 2 1965 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2168 2548 2536 COL 2036 2147 2487 2575 5 2080 2168 2548 2536 COL 2036 2147 2487 2575 LIUCL 2112 22300 2944 3032 LIUCL 212 2300 2944 3032 LIUCL 212 2300 2944 3032 LIUCL 212 2300 2944 3032 LIUCL 2112 2300 2944 3032 2311 2521 2300 2944 3032 2436 2437 2575 LIUCL 2112 2300 2944 3032 2437 2575 2483 3497 3585 Armchair, high back (B) 25.6 lbs COM 2043 2131 2189 2337 2425 3 2131 2199 2435 2523 4 2195 2283 2623 2711 5 2283 2623 2711 LIUCL 2348 2348 2348 3080 3168		0	LUBL	2112		2569	2657			
Armchair, normal back (A) 24.7 lbs COM 1907 1995 2032 2120 1 1944 2022 2115 2203 2 1965 2053 2201 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 COL 2036 2124 2418 2059 2147 2487 2575 5 2080 2148 2575 5 2080 2147 2487 2575 5 2080 2147 2487 2575 LIUCL 2212 2300 2944 3032 LISL 2395 2483 3497 3585 Armchair, high back (B) 25.6 lbs COM 2043 2 1210 2189 2337 2425 3 2131 219 2435 2523 4 2195 283 2425 3 2131 2219 2435 2523 4 2195 283 2623 2711 LIUCL 2112 2260 2554 2642 LIURL LIURL LIURL 21195 2283 2623 2711 LIUCL 2119 2286 2348 3080 3168		840 mm 840 mm								
Armchair, normal back (A) 24.7 lbs COM 1907 1995 2032 2115 2203 2 1965 2053 2201 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 LUBL 2059 2147 2487 2575 LUCL 2212 2300 2944 3032 LSL 2395 2483 3497 3585 Armchair, high back (B) 25.6 lbs COM 2043 2131 2168 2256 2399 2387 4 2059 2147 2487 2575 LUCL 2212 2300 2944 3032 LSL 2395 2483 3497 3585 COM 2043 2131 2168 2256 3 2211 2399 2483 2499 2487 2575 LUCL 2212 2300 2944 3032 2483 2499 2487 2575 LUCL 2212 2300 2944 3032 2488 2435 2251 2339 2 2101 2189 2337 2425 3 2131 2199 2435 2523 4 2195 2283 2623 2711 LUCL 2348 2436 3080 3168		25.2" 25.2"	LSL	2448	2536	3579	3667			
1 1934 2022 2115 2203 2 1965 2053 2201 2289 3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 LUBL 2059 2147 2487 2575 LUCL 2212 2300 2944 3032 LSL 2395 2483 3497 3585 1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 LUBL 2195 2283 2623 2711 LUCL 2348 2436 3080 3168	Armchair norm	al back (A) 24.	7 lbs COM	1907						
3 1995 2083 2299 2387 4 2059 2147 2487 2575 5 2080 2168 2548 2636 COL 2036 2124 2418 2506 LUBL 2059 2147 2487 2575 LUBL 2012 2300 2944 3032 LSL 2395 2483 3497 3585 LSL 2395 2483 2483 2436 2339 2425 LSL 2304 2684 2772 LSL 2304 2684 277	, arriorian, rioriri	ar sack (7.1)	1	1934	2022	2115	2203			
## 2059 2147 2487 2575 2080 2168 2548 2636 2548 2636 2548 2636 2548 2636 2548 2636 2548 2636 2548 2636 2548 2636 2548 2548 2636 2548			2	1965	2053	2201	2289			
Armchair, high back (B) 25.6 lbs COM 2003 2147 2487 2575 LUCL 2212 2300 2944 3032 25.2" 25.6 lbs COM 2043 2131 2168 2256 1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2640 mm 40			3	1995	2083	2299	2387			
Armchair, high back (B) 25.6 lbs COM 2003 2147 2487 2575 LUCL 2212 2300 2944 3032 25.2" 25.6 lbs COM 2043 2131 2168 2256 1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2640 mm 40		E 9 E	8 4	2059	2147	2487	2575	100	1202	1004
Armchair, high back (B) 25.6 lbs COM 2003 2147 2487 2575 LUCL 2212 2300 2944 3032 25.2" 25.6 lbs COM 2043 2131 2168 2256 1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2640 mm 40		8 8 8 3 3 8	5	2080	2168	2548	2636	770	+3∪3	T2U4
Armchair, high back (B) 25.6 lbs COM 2003 2147 2487 2575 LUCL 2212 2300 2944 3032 25.2" 25.6 lbs COM 2043 2131 2168 2256 1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2640 mm 40		33.75	COL	2036	2124	2418	2506			
Armchair, high back (B) 25.6 lbs COM 2043 2131 2168 2251 2399 22101 2188 2251 2339 22101 2189 2337 2425 2311 2189 2337 2425 2311 2199 2435 2523 3 2131 2199 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 LUBL 2195 2283 2623 2711 LUCL 2348 2436 3080 3168		5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		2059	2147	2487	2575			
Armchair, high back (B) 25.6 lbs COM 2043 2131 2168 2256 1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2253 4 2195 2283 2623 2711 2004 +90 +303 +204		640 mm , 640 mm		2212	2300	2944	3032			
1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 IUBL 2195 2283 2623 2711 IUCL 2348 2436 3080 3168	- 54	25.2" 25.2"								
1 2070 2158 2251 2339 2 2101 2189 2337 2425 3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 LUBL 2195 2283 2623 2711 LUCL 2348 2436 3080 3168	Armchair, high b	oack (B) 25.	103							
3 2131 2219 2435 2523 4 2195 2283 2623 2711 5 2216 2304 2684 2772 COL 2172 2260 2554 2642 LUBL 2195 2283 2623 2711 LUCL 2348 2436 3080 3168		· ,								
640 mm 640 mm 640 mm LUCL 2348 2436 3080 3168		IP :								
640 mm 640 mm 640 mm LUCL 2348 2436 3080 3168			3							
640 mm 640 mm 640 mm LUCL 2348 2436 3080 3168		ETIS OF TO THE STATE OF THE STA	53 4					+90	+303	+204
640 mm 640 mm 640 mm LUCL 2348 2436 3080 3168		5 8 8 8 8	5		2304			'/0	. 505	1 .204
640 mm 640 mm 640 mm LUCL 2348 2436 3080 3168		S L L 23.38	4 COI							
640 mm		Elm 3/2000 00 00 00 00 00 00 00 00 00 00 00 00	LUBL							
25.2 25.2 LSL 2531 2619 3633 3721		640 mm _ 640 mm _								
	- 5	25.2" 25.2"	LSL	2531	2619	3633	3721			

Price list 2024 - USD excl. V.A.T. - Version 1.1

Soft lane castors 42 \$



AS100

By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warrantyLightweight and space-saving
- Easy to link multiple chairs for relocation
- Castors are weight activated brake castors
- Stacks horizontally as many chairs as wanted
 Return swivel mechanism with 4 positions



STANDARD ARMRE COLOURS	ESTS, SEATBAR AND BASE	GROUP	FULLY UPHOLSTERED (DU)
			\$
Side chair (CCS)	22 lbs	COW	1537
' '		1	1607
	(= 1	2	1677
		3	1760
	880 mm	4	1887
	19.5 mm 19.5 mm 19.5 mm 19.5 mm	5	1967
	4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	COL	1835
6 3	700	LUBL	1887
	700 mm 27.6" 700 mm	LUCL	2239
		LSL	2666
Armchair (CCA)	24 lbs	COM	1666
		1	1736
		2	1806
		3	1889
		4	2016
	885 mm 19.5°. 880 mm	5	2096
/ %	39 64 6	COL	1964
	10.0	LUBL	2016
	700 mm 700 mm 27 6"	LUCL	2368
		LSL	2795

Price List 2025 - USD excl. sales tax - Version 1.0

Soft castors for hard floors



40/4 Writing tablet

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

chiome hames o	· · · · · ·			
Writing tablet withou	chrome frame, 0.4" compact laminate	No.	Per Piece	
No Cupholder	Black	DAZS	329	
No Cupholder	White	DAZS	329	
Cupholder	Black	DAZS_Y	372	
Cupholder	White	DAZS_Y	372	
40/4 and Siz	kE Transporter for writing tablets			
height: 55". Writing tablet dolly,	ongth: 16", depth: 24",		Per Transporter	
18 Pcs	3 boxes	404WTDLY01	1001	
36 pcs	6 boxes	404WTDLY02	2002	



40/4 Linking

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



Width between seats: 2.6". Linking side chair to side chair; allows to link chairs in a straight line. \$ 40/4 linking device LD1H in chrome 40/4 linking device LD2H in a straight line.	
\$ 40/4 linking device LD1H in chrome 404ACCLD1H 57 Width between seats: 4.9" Linking: side chair to side chair; side chair to armchair; allows to link chairs in a straight line. 40/4 linking device LD2H in chrome 404ACCLD2H 72 Width between seats: 7.3" Linking: side chair to side chair; side chair to armchair; armchair to armchair; allows to link chairs in a straight line.	
Width between seats: 4.9" Linking: side chair to side chair; side chair to armchair; allows to link chairs in a straight line. 40/4 linking device LD2H in chrome 404ACCLD2H 72 Width between seats: 7.3" Linking: side chair to side chair; side chair to armchair; armchair to armchair; allows to link chairs in a straight line.	
side chair to armchair; allows to link chairs in a straight line. 40/4 linking device LD2H in chrome 404ACCLD2H 72 Width between seats: 7.3" Linking: side chair to side chair; side chair to armchair; armchair to armchair; allows to link chairs in a straight line.	
Width between seats: 7.3" Linking: side chair to side chair; side chair to armchair; armchair to armchair; allows to link chairs in a straight line.	
side chair to armchair; armchair to armchair; allows to link chairs in a straight line.	/
40/4 linking daying LD2H in ohrama	
404ACCLD3H / 7	//
Width between seats: 3.2" Linking side chair to side chair; allows to form the arc of chairs; the radius is adjuastable, 0-12 degrees.	
40/4 radius linking device LD2RL in chrome 404ACCLD2R L 86	
Width between seats: 7.9" Linking armchairs with writing tablets to armchairs with writing tablets; allows to link chairs in a straight line.	
40/4 linking device LD4S in chrome 404ACCLD4S 100	
Width between seats: 2.75" Linking side chair to side chair; allows to link chairs in a straight line. Recommended for public spaces where EN 14703 is a requirement.	
40/4 safety linking device LD5S in chrome 404ACCLD5S 86	



40/4 Dolly and Glides

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



Dollies All accessories recommended for chrome frames only. Dollies suit side chairs and arm chairs in polyamide, veneer, or full upholstery. For dollies to other versions of the 40/4 chair - please ask HOWE	No.	Per Piece	
Hook/eye, fin linking or without linking	DLYSSAASF10	875	****
Brace linking	DLYSSBCSF10	875	
Extra glides with felt		Per Piece	
For hook/eye and fin-linking chairs on chrom	e frames	\$	1131
Transparent female glides with felt with screws	02328WS	7	
Transparent male glides with felt with screws	02329WS	7	
Transparent regular glides with felt with pin	02352	7	
For non-linking chairs; for linking armchairs and for brace	e-linking side cl	nairs	
Transparent regular glides with felt with pin	02352	7	
For bar chairs			
Transparent bar glides with felt for both chrome and painted frames	17330	7	
Extra glides without felt		Per Piece	
For hook/eye and fin-linking chairs on chrom	e frames	\$	
Transparent female glides without felt with screws	02325WS	6	
Transparent male glides without felt with screws	02326WS	6	
Transparent regular glides without felt with pin	02351	6	
For non-linking chairs; for linking armchairs and for brace	e-linking side cl	nairs	
Transparent regular glides without felt with pin	02351	6	
For bar chairs			
Transparent bar glides with felt for both chrome and painted frames	17327	6	



40/4 Linking items and book holders

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking continued	No.	Per Piece	
Width between seats: 2.75" Linking side chair to side chair; allows to link chairs in a straight line. Recommended for public spaces where EN 14703 is a requirement.		\$	
40/4 safety linking device LD5S	404ACCLD5S		
Cup holder for 40/4 safety linking device LD5S	404ACCLD5S CUP	11	
Numbering for 40/4 safety linking device LD5S	404ACCLD5S NUM	11	
Linking tool			
40/4 Linking tool In chrome.			
An aid to the linking/unlinking operation of side chairs with integrated linking.			
Linking tool (for side chairs with integrated linking)	404ACC0300 101	72	
Row spacer bar In HOWE grey powdercoating with rubber lock, allows a 13.78" aisle between rows.			
Row spacer bar for armchairs, 13.78" distance between the rows	404ACC027A 350	93	
Row spacer bar for side chairs, 13.78" distance between the rows	04ACC027S35	93	
Bookholders			
40/4 book rack in chrome			
Book rack (for side chairs and armchairs)	404ACC0290 101	172	
Hymn book holder In chrome, 4.72" high and 6.89" long; 6.1" wide (distance between front legs of chairs) with integrated linking. Note! Hymn book holder does not work with the writing tablet.			
Hymn book holder (for side chairs and armchairs, non-linking)	404ACC0280 101	100	



40/4 Numbering tag

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

·			
Numbering tags for row and seat The price of one numbering tag. The start-up fee is 450 \$	- No.	Per Piece	22
		\$	
40/4 Row/seat numbering tag	404SN1120	57	

SixE Writing tablet and Dolly

No matter how you look at SixE, it presents itself as a perfectly bold move – bending the rules of how comfortable a simple polypropylene shell chair can be.

All accessories are recommended for chrome frames only.

Writing tablet without or with cupholder Writing tablet without cupholder SixE writing tablet, chrome frame, 0.4" compact laminate Left and right version is available	No.	Per Piece	
		\$	
No Cupholder Black	EAZS	343	
No Cupholder White	EAZS	343	
Cupholder Black	EAZS_Y	386	
Cupholder White	EAZS_Y	386	
40/4 and SixE Transporter for writing tablets Writing tablet dolly, up to 18 pcs. Dolly with 3 boxes, length: 16", depth: 24", height: 55" Writing tablet dolly, up to 36 pcs. Double dolly with 6 boxes, length: 32", depth: 24", height: 55"		Per Transporter	
18 Pcs 3 boxes	404WTDLY01	1001	
36 pcs 6 boxes	404WTDLY02	2002	
Dolly for SixE 4-leg and sled Single HOWE grey dolly with multidirectional castors Accomodates up to 25 chairs.		Per Dolly	
25 chairs	22920010	1373	9 7 9
ZJ CHUIIS	22720010	13/3	



MN1 Dolly

Whenever comfort, classic lines, and functionality are vital, the MN1 chair is the obvious choice.



Price List 2024 - USD excl. sales tax - Version 1.1

Dolly

Dolly for MN1 chairs with cantilever base Capacity of 5 chairs, HOWE grey coated.

Dolly

Notes for chairs

Price list 2024 - USD excl. V.A.T. - Version 1.1

General

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details

In case of large quantities and/or customized products delivery time is usually longer than for standard products.

For chairs with upholstery, the lead time starts being counted once fabric reaches the production line.

We recommend linking only for chrome frames.

Frame colours from RAL K5 or K7 colour card are available. For quantities < 200 chairs the colour fee is 520 USD per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impressions of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Stained veneer is possible with RAL colours from RAL K5 or K7 colour card. For quantities < 200 chairs the colour fee is 520 USD per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

We recommend only stacking chairs with chrome frame.

Veneer is a natural material - differences in structure and colour may occur.

Upholstered armrests are as standard in the same fabric/leather type and colour as the seat and the back.

Soft castors are recommended for hard floors, hard castors for soft floors.

40/4

Table surface protection protects the table surface when the chairs are hung up; it may be used only for non-linking chairs.

Please be aware that extra glides are not available for wooden frames.

40/4 can be stacked on a single, double, triple or quarto dolly. Double, triple and quarto can only be used with hook/eye linking.

As standard chair top frame and its swivel base are of the same colour but be aware that they are always matched by the chrome gas lift.

Glides for linking side chairs; the whole set for one linking side chair comprises of one male glide and one female glide at the front part of the frame (reinforcing the linking in the front part of the chair frame) plus two regular glides at the rear part of the frame; whether these are glides with or without felt depends only on customer's needs.

Regular glides are suitable for non-linking side chairs, for all types of armchairs and for lounge chairs; the whole set comprises of four clear regular glides per chair.

Glides for barstool with both chrome and painted frames; the whole set comprises of four regular glides per chair.

MN1

Fixed seating height - there is no possibility to install both height adjustable and return mechanism together.

Gas lift is black for black base and chrome for polished aluminium base.

SixE

Bag hook is recommended only for polypropylene backs.



FABRICS

Enhance your designs with consciously chosen fabrics of top-notch performance and sustainable profiles. If you're seeking a solution that goes beyond standard options, please contact HOWE Customer Service.

40/4 MN1 SixE AS100



CURA by Gabriel		Gabriel	EMEA + US/CAN price group 1	
	Composition: Martindale: Washable: Cleanable:	recycled polyester, 2% polyester	Added flame retardant: Flammability M: Crib 5: Ecolabel:	YES NO NO NO YES YES
			VIEW FULL COLOR RANGE	

40/4 MN1 SixE AS100



EVENT by Gabriel	EMEA + US/CAN price group 1	
Martindale: 100.000 Washable: 60°C Cleanable: YES	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES NO NO NO YES YES
	VIEW FULL COLOR RANGE	

40/4 MN1





FIGHTER	by Gabriel	EMEA + US/CAN price gro	EMEA + US/CAN price group 1	
Composition	: 100% recyclable polyester	Flammability CAL 117:	YES	
Martindale:	130.000	Added flame retardant: Flammability M:	NO	
Washable: Cleanable:	YES Only dry	Crib 5: Ecolabel:	NO NO	
		Oeko-Tex:	YES	
		VIEW FULL COLOR RANGE		

40/4 MN1 SixE AS100



MAIN LINE PLUS by Camira		EMEA + US/CAN price group 1	
Composition Martindale: Washable: Cleanable:	n: 67% wool, 20% flame retardant viscose, 13% viscose ≥50,000 YES YES	Flammability CAL 117: Added flame retardant: Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES YES NO YES NO YES
		VIEW FULL COLOR RANGE	

40/4 MN1 SixE



OCEANIC by Camira		EMEA + US/CAN price group 1	
Composition: 100% recy Martindale: ≥100 Washable: 60°C Cleanable: YES	cled polyester ,000	Flammability CAL 117: Added flame retardant Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES NO NO NO YES YES
		VIEW FULL COLOR RANGE	



40/4 MN1 SixE



EMEA + US/CAN price group 1

Composition: 100% post-consumer Flammability CAL 117: recycled polyester Added flame retardant: NO

Martindale: ≥100,000 Flammability M: NO Washable: 60°C Crib 5: NO Cleanable: YES Ecolabel: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



REPLAY by Camira

EMEA + US/CAN price group 1

Composition: 100% post-consumer Flammability CAL 117: recycled flame Added flame retardant: YES retardant polyester

Flammability M: Martindale: ≥100,000 Crib 5: NO 60°C Washable: Ecolabel: YES Cleanable: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE

40/4 MN1 SixE



Resin - EGL04

RIVET by Camira

EMEA + US/CAN price group 1

Composition: 100% post-consumer Flammability CAL 117: YES

recycled polyester Added flame retardant: NO Martindale: >80.000 Flammability M: NO Washable: 60°C Crib 5: NO Cleanable: YES Ecolabel: YES

VIEW FULL COLOR RANGE

NO

Oeko-Tex:

40/4 MN1 SixE



STEP by Gabriel

EMEA + US/CAN price group 1

Composition: 100% Trevira CS Flammability CAL 117: Martindale: 100.000 Added flame retardant: YES Washable: 60-74°C Flammability M: M1 Cleanable: YES Crib 5: YES Ecolabel: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE

40/4 MN1

SixE

AS100



STEP MELANGE by Gabriel

EMEA + US/CAN price group 1

Composition: 100% Trevira CS Flammability CAL 117: YES Martindale: 100.000 Added flame retardant: YES Washable: 60-74°C Flammability M: MΊ Cleanable: YES Crib 5: YES Ecolabel: YES Oeko-Tex: YFS

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



TANNERY by Spradling

EMEA + US/CAN price group 1

Composition: Vinyl topcoat, Flammability CAL 117: YES cotton backing Added flame retardant: YES Flammability M: Martindale: >100.000 M2 Washable: NO Crib 5: NO Cleanable: YES Ecolabel: NO Oeko-Tex: NO

VIEW FULL COLOR RANGE



40/4
MN1
SixE



Blizzard -	YS081

XTREME by Camira

EMEA + US/CAN price group 1

Composition: 100% post-consumer Flammability CAL 117: recycled flame

Added flame retardant: YES retardant polyester Flammability M: NO

Martindale: ≥100,000 Crib 5: YES Washable: 60°C Ecolabel: YES Cleanable: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



Tooting - MLF17

MAIN LINE FLAX by Camira EMEA + US/CAN price group 2

Composition: 70% virgin wool, 30% flax Flammability CAL 117: YES Martindale: ≥50,000 Added flame retardant: NO Washable: NO Flammability M: NO Cleanable: Crib 5: YES YES Ecolabel: YES Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1 SixE



Warrior - 466553-045

METAPHOR by Maharam

EMEA + US/CAN price group 2

Composition: 100% polyester Flammability CAL 117: Martindale: 100,000 double rubs Added flame retardant: NO

Flammability M: Wyzenbeek NO Washable: NO Crib 5: NO Cleanable: YES Ecolabel: NO Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1



Skylight

VALENCIA B1 by Spradling

EMEA + US/CAN price group 2

Composition: Vinyl topcoat, Flammability CAL 117: YES cotton backing Added flame retardant: YES Flammability M: Martindale: >300.000 M1 Washable: NO Crib 5: YES Cleanable: YES NO Ecolabel: Oeko-Tex: NO

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



CRISP by Gabriel

EMEA + US/CAN price group 3

Composition: 93% wool, 7% polyamide Flammability CAL 117: YES Martindale: 200 000 Added flame retardant: NO Flammability M: Washable: NO Cleanable: YES Crib 5: NO Ecolabel: YES Oeko-Tex: YES

VIEW FULL COLOR RANGE

40/4 MN1 SixE AS100



FAME by Gabriel

Composition: 95% wool, 5% polyamide Flammability CAL 117: Martindale: 200 000 Added flame retardant: NO Washable: NO Flammability M: Cleanable: Only dry Crib 5: Ecolabel:

VIEW FULL COLOR RANGE

Oeko-Tex:

EMEA + US/CAN price group 3

NO

YES

YES

YES



40/4 MN1 SixE AS100	0682
40/4 MN1 AS100	0926
40/4 MNI AS100	Black - 41599
AS100	

40/4 MN1 Needs testing

REMIX 3	by Kvadrat	EMEA + US/CAN price group 3	
Composition	: 90% new wool, 10% nylon	Flammability CAL 117:	YES
Martindale:	100,000	Added flame retardant:	NO
Washable:	NO	Flammability M:	NO
Cleanable:	Only dry	Crib 5:	NO
		Ecolabel:	YES
		Oeko-Tex:	NO
		VIEW FULL COLOR RANGE	

CANVAS	2 by Kvadrat	EMEA + US/CAN price group 4	
Composition Martindale: Washable: Cleanable:	: 90% new wool, 10% nylon 100,000 NO Only dry	Flammability CAL 117: Added flame retardant Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES NO NO NO YES
		VIEW FULL COLOR RANGE	

	ULTRA by	Sørensen Leather	EMEA + US/CAN price group 4	
	(TANGO), BL Composition Martindale: Washable: Cleanable:		Flammability CAL 117: Added flame retardant Flammability M: Crib 5: Ecolabel: Oeko-Tex:	YES t: NO - - -
Black - 41599			BLACK ONLY	

	BASIC by Sørensen Leather (KNIGHT), BLACK		EMEA + US/CAN price group 5		
			Flammability CAL 117: Added flame retardant	YES t: NO	
	Composition: Martindale: Washable: Cleanable:	Protected	Flammability M: Crib 5: Ecolabel: Oeko-Tex:	- - - YES	
42438			BLACK ONLY		







40/4 MN1 AS100



SAVANNE by Sørensen Leather EMEA + US/CAN price group LSL

Composition: Semi-aniline Flammability CAL 117:
Martindale: - Added flame retardant:
Washable: - Flammability M:
Cleanable: - Crib 5:
Ecolabel:
Oeko-Tex: YES

VIEW FULL COLOR RANGE

40/4 MN1 AS100



ULTRA by Sørensen Leather

EMEA + US/CAN price group LUCL

(TANGO), COLOURED

Flammability CAL 117: Added flame retardant: Composition: Protected

Martindale: Washable: Cleanable: Cleanable: Coloured

Flammability M: Crib 5: Ecolabel: Coeko-Tex: -

VIEW FULL COLOR RANGE



Moveo Training

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag^{CertTM}
- C-leg style
- Flip top table system



	Laminate (MBB)	Veneer (MBC)	Stained veneer (MBC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood edge.	LU45 LU31 LU35 LU300	VU1 VU3 VU5 VU15	LW17	
Table top thickness is 1"	LU400 LU200			Linking
B6 B51 B52				
Standard frame* with castors with breaks *Other frame colours - see the notes	\$	\$	\$	
m 009 mm 009 mm 007 mm			740 mm	
1200 mm *48"		960 mm 37.8"	450 mm 17.7"	
Rectangular 48"x24" (321L)	2590	3237	3741	
Rectangular 60"x24" (342D)	2731	3414	3918	304
Rectangular 60"x30" (4410)	2795	3493	3997	304
Rectangular 72"x24" (362E)	2809	3511	4015	
	960 mm 37.8"	450 mm 17.7"	29.11	
V-shape 48"x24" (222F)	2701	3376	3880	304
V-shape 60"x30" (442C)	2809	3511	4015	304

Price List 2024 - USD excl. sales tax - Version 1.1

Moveo Training - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops $\bf Rectangle$: length 28"-100" | width 18"-36"



Moveo Meeting

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag^{CertTM}
- Inverted T-leg styleFlip top table system



	Laminate (MTB)	Veneer (MTC)	Stained veneer (MTC)	
Laminate is with matching ABS edge. Veneer is with matching hardwood edge.	LU45 LU31 LU35	VU1 VU3 VU5	LW17	
Table top thickness is 1"	LU300 LU400 LU200	VU15		Linking
B6 B51 B52				
Standard frame* with castors with breaks *Other frame colours - see the notes	\$	\$	\$	\$
		1260 mm	W W W W W W W W W W W W W W W W W W W	
Rectangular 60"x30" (2410)	0700	49.6"	22.5"	
Rectangular 72"x36" (461R)	2798 3012	3498 3765	4002 4269	304
	1250 mm 49.6"	570 mm, 22.5"		
Half-round 60"x30" (121E)	2897	3621	4125	152
	1260 mm 49.6"	570 mm 22.5"	29.1"	
V-Shape 60"x30" (342C)	2811	3514	4018	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

Moveo Meeting - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: length 28"-100" | width 24"-36"



Moveo Conference modular

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag^{CertTM}
- Flip top table system



					7.00				
			Laminat	e (MVB)	Vene	er (MVC)	Stained ve	eneer (MVC)	
Laminate is with mo Veneer is with matc	atching ABS edge. Ching hardwood edge.		LU45 LU31 LU35	•	VU1 VU3 VU5	0	LW17 LW25 LW30	•	
Table top thickness	is 1"		LU300 LU400 LU200	•	VU15	•			Linking
B6 B51 B52									
Standard frame* wi *Other trame colou	ith castors with breaks ors - see the notes		4	\$		\$		\$	\$
1	7	2200 mm	1000 mmm			1960 mm	, 850 mm		
Rectangular	88"x40" (485M)		57	34	7	168	8	176	304
Rectangular	88"x48" (485N)		66	97	8	372	9	380	304
							740 mm		
5	1		⊢—	1960 mm	₩	850 mm	и т		
Half-Boat	96"x42" (786A)		66		8	850 mm	<u> </u>	292	152

Price List 2024 - USD excl. sales tax - Version 1.1

Moveo Conference, Modular - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: length 28"-86" | width 36"-48"



Moveo Conference stand alone

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag^{CertTM}
- Inverted T-leg style
- Flip top table system



		Laminate (MRB)	Veneer (MRC)	Stained veneer (MRC)	
Laminate is with ma Veneer is with matc	tching ABS edge. hing hardwood edge.	LU31	VU1	LW17	
Table top thickness	is 1"	LU300	VU15		Linking
B6 B51 B52					
Standard frame* wi *Other frame colou	th castors with breaks rs - see the notes	\$	\$	\$	\$
		a Pin nr 9		ε	
	2400 mm	E	,1760 mm	850 mm	
Rectangular		5983	7479		
Rectangular Rectangular		- ne -		, 850 mm	304
	96"x42" (472V)	5983	7479	8487	304
	96"x42" (472V)	5983	7479	8487 9700	304
	96"x42" (472V)	5983 6954	7479 8692	8487 9700	304

Price List 2024 - USD excl. sales tax - Version 1.1

Moveo Conference, Stand alone - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Rectangle:** length 48"-100" | width 36"-48"



Moveo modesty panel

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

• 10 year warranty



		Laminate	Veneer
моі	DESTY PANEL	LU45 LU31 LU35	VU1 VU3 VU5
Moveo modesty panel high, mounted on hook		LU300 LU400 LU200	VU15 LW17 LW25 LW30
Beam length	975 mm (4C4C)	484	684
Beam length	1275 mm (4E4E)	532	752
Beam length	1575 mm (4H4H)	532	752



Simpla

By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off top
- Unique flat folding frame
- Up to 8 stacked tables on a transporter
- 5 year warranty



	Lamino	ate	Veneer	
	(SGB)	(SGC)	
Laminate is with a matching ABS edge Veneer is standard with matching hardwood edge. Table top thickness is 3/4" Standard frame with glides - optional to get glides and castors. Linking is incl. 2 brackets	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15 LW17 LW25 LW30	•	Linking
B1 B7 B9 B10 B30)	\$		\$	\$
Rectangular 48"x24" (1L1L)	2320	6	2909	
Rectangular 60"x30" (1010)	2512	2	3141	31
Rectangular 72"x36" (1R1R)	2775	5	3469	
	900 mm			730 mm
	800 mm *72"	1720 mm 67.7"	——————————————————————————————————————	0 mm 2.3"
Square 30"x30" (1Z1Z)	224	5	2807	31
			730 mm	
Half-round 60"x30" (1E1E)	2690		3363	31

Price List 2024 - USD excl. sales tax - Version 1.1

2 glides and 2 castors 20]\$

<u>Simpla - custom size ranges</u> Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: width 12"-40" | length 24"-80"

Square: 24"x24" – 48"x48" **Round:** Ø34" – Ø48" Half-round: 48"x24" – 80"x40" Bar height is NOT available.

Reinforcement applied when the length is 64" or more



Simpla

By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off topUnique flat folding frame
- 5 year warranty



		Laminate	Veneer	
		(SGB)	(SGC)	
Veneer is standar. Table top thickne: Standard frame w and castors. Linkir	vith glides - optional to get glides ng is incl. 2 brackets	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15 LW17 LW25 LW30	Linking
B1 B7 B9 B10	D B30	\$	\$	\$
Trapezoid	60"x30" (1M2A)	2550	3187	31
	1600 mm 62"		610 mm 24"	
V-Shaped	60"x30" (1E2C)	2755	3445	31
	,1	500 mm *60"		
	700-		200mm	
	- 750 mm *30"	750 mm 1420 mm 55.9"	670 mm 26 4"	
Round	Ø42" (1Z1J)	2670	3340	31
Round	Ø48" (2B1K)	2868	3587	ا ا

Price List 2024 - USD excl. sales tax - Version 1.1

2 glides and 2 castors 20

<u>Simpla - custom size ranges</u> Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Round:** Ø34" – Ø48"

Bar height is NOT available.

Simpla modesty panel

By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.



Simpla modesty po 9.8" high, with integ hooks to hang it or	Steel (SPS)	
Simpla modesty po 9.8" high, made of mounted on the ho	\$	
moorned on me no	JOKS.	Ψ
For 48" tops	(3C3CGHY/DEDEY)	443
For 60" tops	(3D3DGHY/DHDHY)	517
For 72" tops	(3F3FGHY/DKDKY)	517



Tempest flip top

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- Nesting depth of 5.1"
- 6 tables can be stacked on table transporter
- Elegant elliptical leg-design
- Quick ship LINK



		Laminate (TPB)	Veneer (TPC)	Stained veneer (TPC)	
Other RAL colours of	ching hardwood edge. available - ASK HOWE BIO B30	LU31 LU35 LU45 LU200 LU300 LU300	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30 •	Linking
Standard frame wit	h glides and castors	\$	\$	\$	\$
			20 mm	550 mm	
Rectangular	48" x 24" (021B)	2021	3327	3831	
Rectangular	48" x 30" (021M)	2078	3444	3948	
Rectangular	60" x 30" (021O)	2155	3601	4105	
Rectangular	72" x 30" (031Q)	2248	3758	4262	304
Rectangular	72" x 36" (031R)	2480	3933	4437	
Rectangular	78" x 40" (031V)	2802	4266	4770	
		705/900 mm 27.8/35.4"	*750 mm	50 mm 21.7"	
V-Shape	60" x 30" (022C)	2647	4109	4613	N/A
Price List 2024 - LISD ev	ccl. sales tax - Version 1.1				

Price List 2024 - USD excl. sales tax - Version 1.1

Tempest flip T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: length 32"-80" | width 22"-42"

Bar height NOT available.



Tempest flip top

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- Nesting depth of 5.1"
- 6 tables can be stacked on table transporter
- Elegant elliptical leg-design
 GreenTag^{CertTM}



Gleenlag			-1	A COLUMN TO SERVICE AND ADDRESS OF THE PERSON OF THE PERSO		The same of the sa
		Lar	minate (TPB)	Veneer (TPC)	Stained veneer (TPC)	
Veneer is with ma Other RAL colours	natching ABS edge Atching hardwood edge. Savailable - ASK HOWE BIO B30 SS is 1 1/8"	LI	LU31 LU35 LU45 U200 U300 U400	VU1 VU3 VU5 VU15	LW17	Linking
	vith glides and castors		\$	\$	\$	\$
			705/900 mm 27.8/35.4"	750 mm *30"	550 mm 21.7"	
Crescent	48" x 30" (021C)		3071	4640	5144	20.4
Crescent	60" x 30" (021D)		3411	5064	5568	304
		-	705/900 mm 27.8/35.4"	750 mm 5	50 mm 21.7"	
Trapezoid	60" x 30" (012A)		2334	3718	4222	N/A
			705/900 mm 27.8/35.4"	*750 mm	550 mm 21.7"	
Half-round	60" x 30" (021E)		2302	3679	4183	152

Tempest fold

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
- Legs: concealed wheel + adjustable glides
- 5 tables can be stacked on table transporter



	Laminate (TDB)	Veneer (TDC)	Stained veneer (TDC)	
Laminate is with matching ABS edge Veneer is with matching hardwood edge. Other RAL colours available - ASK HOWE (1) 6 87 89 810 830 Table top thickness is 1 1/8"	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 LW25 LW30	Linking
Standard frame with glides and castors *2000 mm F84**	\$ umuoooi	\$	\$ I will so with the second se	\$
Conference Rectangular 84" x 42" (051\$) Rectangular 96" x 48" (051W)	4608	5760 6368	5760 6368	304

Price List 2024 - USD excl. sales tax - Version 1.1

Tempest fold T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: length 40"-96" | width 22"-48"

Bar height NOT available.



Tempest fix

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
- Legs: concealed wheel + adjustable glides
 GreenTag^{CertTM}



Laminate (TI2) Veneer (TI3) Stained veneer (TI3) Laminate is with matching ABS edge Lu31 Lu35 Vu3 Lu25 Vu3 Lu25 Vu5 Vu5 Lu200 Lu300 Lu300 Lu300 Lu400 B1 B6 B7 B9 B10 B30 Table top thickness is 1 1/8" Standard frame with glides and castors \$	Linking \$
Veneer is with matching hardwood edge. Other RAL colours available - ASK HOWE LU200 LU300 LU400 B1 B6 B7 B9 B10 B30 Table top thickness is 1 1/8" Standard frame with glides and castors LU35 LU45 LU200 LU400 VU15 VU3 LU400 VU15 VU15 VU15 Standard frame with glides and castors \$ \$ \$	
Standard frame with glides and castors \$ \$ \$	\$
	\$
*800 mm , 550 mm , 21.7°	
Rectangular 48" x 24" (061L) 2378 2971 3464	
Rectangular 48" x 30" (061M) 2464 3079 3572	
Rectangular 60" x 30" (0610) 2578 3221 3714	304
Rectangular 72" x 30" (061Q) 2686 3356 3849	
Rectangular 72" x 36" (061R) 2814 3516 4009	
550 mm 21.7"	
Half-round 60" x 30" (061E) 2631 3288 3781	152

Price List 2024 - USD excl. sales tax - Version 1.1

 $\frac{\text{Tempest fix T/TT legs - custom size ranges}}{\text{Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops}$

Rectangle: length 32"-96" | width 22"-55"

Bar height NOT available.



Tempest fix

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
- Legs: concealed wheel + adjustable glides
 GreenTag^{CertTM}



		Laminate (TI2)	Veneer (TI3)	Stained veneer (TI3)	
	ching hardwood edge. available - ASK HOWE	LU31 LU35 LU45 LU200 LU300 LU400	VU1 5 6 VU5 6 VU15	LW17	Linking
Standard frame wi	th glides and castors	\$	\$	\$	\$
			550 mm 21 7"		
Crescent	48" x 30" (061C)	3317	4144	4637	304
Crescent	60" x 30" (061D)	3617	4520	5013	304
			550 mm		
Trapezoid	60" x 30" (062A)	2659	3323	3816	N/A
			550 mm		
V-Shape	60" x 30" (062C)	2935	3668	4161	N/A

Tempest café flip top

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
 GreenTag^{CertTM}
- Table base is 100% recyclable



		Laminate (TLB)	Veneer (TLC)	Stained veneer (TLC)	
Veneer is with r	n matching ABS edge natching hardwood edge. urs available - ASK HOWE	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17 • LW25 • LW30	Linking
Table top thick	ness is 1 1/8"				
Standard frame	e with 4 glides	\$	\$	\$	\$
		*30° mm	28 28 2 28 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
Square	30" x 30" (121Z)	2048	2928	3307	304
		1200 mm 1200 m	300 mm 31.5"		
Round	Ø30" (111H)	1935	3040	3419	
Round	Ø36" (2211)	2058	3363	3742	NI/A
Round	Ø42" (321J)	2328	3762	4141	N/A
Round	Ø48" (331K)	2382	3886	4265	

Price List 2024 - USD excl. sales tax - Version 1.1

Tempest flip cafe - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Square: 18"x18" - 40"x40" Round: Ø24– Ø48"



Tempest café and lounge fix

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Fixed base
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
 GreenTag^{CertTM}
- Table base is 100% recyclable



10010 0000 10 10070	100,0100.0	1000			
		Laminate (TNB)	Veneer (TNC)	Stained veneer (TNC)	
Laminate is with mate Veneer is with mate! Other RAL colours av	ning hardwood edge.	LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17	Linking
B1 B6 B7 B30					
Table top thickness is					
Standard frame with	4 glides	\$	\$	\$	\$
		*30" mm 25 22 22 23 25 25 25 25 25 25 25 25 25 25 25 25 25	28 mm 31.5"		
Square	30" x 30" (121Z)	2023	2524	2902	304
		*1200 mm 45"	380 mm 28.2 mg		
Round	Ø30" (111H)	2113	2636	3014	
Round	Ø36" (221I)	2275	2838	3216	
Round	Ø42" (321J)	2594	3236	3614	N/A
Round	Ø48" (331K)	2694	3361	3739	
	7	**************************************	450 mm		
			17.7		

Price List 2024 - USD excl. sales tax - Version 1.1

Tempest fix cafe - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Square: 18"x18" - 40"x40" Round: Ø24- Ø48"



Tempest bar flip top

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
 GreenTag^{CertTM}
- Table base is 100% recyclable



		Laminate (TLB)	Veneer (TLC)	Stained veneer (TLC)	
Veneer is with mo Other RAL colours (1) 0 0 0 B1 B6 B7 B3		LU31 LU35 LU45 LU200 LU300 LU400	VU1 VU3 VU5 VU15	LW17	Linking
Table top thickne Standard frame v		\$	\$	\$	\$
Square	30" x 30" (121Z)	*800 mm	450 mm 17.7 " 2969	3348	
Square	36" x 36" (232L)	2317	3255	3634	304
		750 mm	901 80 H 17.7 "		
Round	Ø30" (111H)	1962	3081	3460	N/A
Round	Ø36" (2211)	2084	3444	3823	IN/A

Price List 2024 - USD excl. sales tax - Version 1.1

Tempest flip bar - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Square: 18"x18" - 40"x40" . Round: Ø24" – Ø40"



Tempest bar fix

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Fixed base
- X-leg style with 4 adjustable glides
- Elegant elliptical leg-design
 GreenTag^{CertTM}
- Table base is 100% recyclable



		Laminate (TNB)	Veneer (TNC)	Stained veneer (TNC)	
	matching ABS edge atching hardwood edge.	LU31 LU35 LU45	VU1 VU3 VU5	LW17	
Other RAL colour	s available - ASK HOWE	LU200	VU15		Linking
B1 B6 B7 B30					
Table top thickne	ess is 1 1/8"				
Standard frame	with 4 glides	\$	\$	\$	\$
		25/5 mm 008.	450 mm		
Square	30" x 30" (121Z)	*30"	450 mm 177"	00.40	
Square		2064	2565	2943	304
Square	36" x 36" (232L)	2206	2730	3108	304
		750 mm 4	80 mm 17.7 "		
Round	Ø30" (111H)	2154	2677	3055	NI/A
Round	Ø36" (2211)	2356	2919	3297	N/A

Price List 2024 - USD excl. sales tax - Version 1.1

Tempest fix bar - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Square: 18"x18" – 40"x40" **Round:** Ø24" – Ø40"



Tempest drop-in top

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

• 10 year warranty



	Laminate (ттв)	Veneer	(TTC)	Stained Vene	er (TTC)
aminate is with matching ABS edge	LU31 LU35	0	VU1 VU3	0	LW17 LW25	•
/eneer is with matching hardwood edge.	LU45 LU200		VU5 VU15		LW30	0
Top thickness is 1 1/8"	LU300 LU400					
They can be placed only in straight line between two other tables with straight edges: Linking is included. They cannot be equipped with any accessories.						
	\$		\$		\$	

949

1116

1465

Price List 2024 - USD excl. sales tax - Version 1.1

30" x 30" (1Z1Z)

Square

Tempest modesty panel

By KOMPLOT Design


	It is why the Tempest ds possibilities like no n the world.			
		Laminate	Veneer	Stained veneer
MODESTY PANEL		LU31 LU35 LU45 LU200	VU1 VU3 VU5 VU15	● LW17 ● LW25 ○ LW30
panel height 9,8".	sty panel, on hooks, ular flip-top, fold or fixed tables. ame as tabletop	LU300 LU400		
		\$	\$	\$
Rectangular	30" long tops (3A3A)	444	644	821 *
Rectangular	48" long tops (3C3C)	471	679	856 *
Rectangular	60" long tops (3D3D)	524	732	909 *
Rectangular	72" long tops (3F3F)	548	756	933 *
panel height 9,8".	sty panel, on hooks, ular flip-top or fixed tables. ame as tabletop	Laminate	Veneer	Stained Veneer
Rectangular	30" long tops (3A3A)	467	667	844 *
Rectangular	48" long tops (3C3C)	496	705	882 *
Rectangular	60" long tops (3D3D)	549	758	935 *
Rectangular	72" long tops (3F3F)	573	781	958 *
MODESTY PANEL Rectangular mode: panel height 9,8". Suitabe for rectang *standard colour, so	sty panel, on hooks, ular fold tables.	Laminate	Veneer	Stained Veneer
Rectangular	30" long tops (3A3A)	787	987	1164 *
Rectangular	48" long tops (3C3C)	816	1025	1202 *
Rectangular	60" long tops (3D3D)	869	1078	1255 *
Rectangular	72" long tops (3F3F)	893	1101	1278 *

^{*}Color fee of USD 135 per color per order Price List 2024 - USD excl. sales tax - Version 1.1



Tutor

By John Bollen



Price List 2024 - USD excl. sales tax - Version 1.1

Net price: RAL K7 colours for frame - see notes

HOWE table size ranges

Tutor US custom-size tabletops are not possible.

AS400

By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Café height tables
- Unbelievably easy to maneuver
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord firmly joins concave tables*
 Rubber humber protects tables from scratches.



 Rubber bumper protects tables from scratches An infinite number of tables can then be nested together 	Laminate (ABB)	Linoleum (ABD)	Veneer (ABC)
Table tops have an exposed plywood edge with transparent lacquer.	LU31 LU200 LU300 LU400	FL200	VU1 VU3
Other RAL colors available - ASK HOWE Standard base colors:			
B6 B7 B31 B51	\$	\$	\$
640 mm 25.2"	745 mm	160 mm 6.3°	
Square 25.2" x 25.2" (*tiny pre-drills in the top; possibility to order linking later)	1314	1794	1949
Square with link 25.2" x 25.2"	1395	1875	2030
830 mm 32.7"	745 mm 29.3"	160 mm 6.3°	
Round Ø32.7"	1314	1794	1949
Concave with link Ø32.7"	1422	1911	2074

Price List 2024 - USD excl. sales tax - Version 1.1

oft castors for hard floors 18

HOWE table size ranges

AS400 Custom-size tabletops are not possible.

By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Bar height tables
- Unbelievably easy to maneuver
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord may join square tables together*



 Rubber bumper protects tables from scratches An infinite number of tables can then be nested together 	Laminate (ADB)	Linoleum (ADD)	Veneer (ADC)
Table tops have an exposed plywood edge with transparent lacquer.	LU31 LU200 LU300 LU400	FL200	VU1 VU3
Other RAL colors available - ASK HOWE Standard base colors:			
B6 B7 B31 B51	\$	\$	\$
23.6	45 mm 160 mm 6.5°		
Square 23.6" x 23.6" (*tiny pre-drills in the top; possibility to order linking later)	1408	1901	2064
Square with link 23.6" x 23.6"	1489	1982	2145
700mm 7457 27.5 29.2	Teorma 150 mm		

Price List 2024 - USD excl. sales tax - Version 1.1

Soft castors for hard floors 18

1901

2064

1408

HOWE table size ranges

Round

AS500 Custom-size tabletops are not possible.

Ø27.6"

Folding surfaces

By Jones & Partners

With Folding Surfaces, users gain the ability to adjust their office space as necessary. This innovative product concept allows users to unfold a surface wherever needed, thereby redefining workspace dynamics.

- Cleverly integrated power solutions
- One of the largest mobile double-folding benches on the market
- Fold and tuck away the tables when not in use.



Fold and tuck away the tables when not in use Modern, aesthetic look	The state of the s			
Intuitive and effortless handling	Melamine*	Laminate	Veneer*	
Surface levelling feature	FS1	FS2	FS3	
Melamine and laminate are standard with	M310*	LU200	V3 *	
matching ABS edge.		LU300		
Veneer is with matching hardwood edge. Table top thickness is 25 mm - melamine; 27 mm laminate and veneer				
Standard B6 satin black frame, 4 castors.				
B6	\$	\$	\$	
1500 mm 44.5" 1320 mm 52"		1500 mm *60"	109	
Square 60"x 60" (1010)				
without electrification	3,140	4,200	4,580	
Electrification cover top (CUT-OUTS ONLY) - incl. cover top,				
metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip	3,968	6,121	6,501	
(excl. battery and pip)				
Electrification cover top (incl. pip, excl battery) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip, interconnecting cables, pip, battery docking (excl. battery)	5,283	7,436	7,816	
			Ţ	
29.3 T		*(G-18) (G-18)	"09*	
2030 mm , 1320 mm , 1320 mm				
2400 mm 552"	-	2400 mm *96"		
Rectangular 96" x 60" (6C6C)			
without electrification	3,660	5,200	5580	
Electrification cover top (CUT-OUTS ONLY) - incl. cover top,				
metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip	4,860	7,628	8,008	
(excl. battery and pip)				
Electrification sever ten (incl. nin. evel ballen).				
Electrification cover top (incl. pip, excl battery) - incl. cover top, metal tray, felt cover. 2x cut-outs for battery, 2x cut-outs for pip,	6,175	8,943	9,323	
interconnecting cables, pip, battery docking (excl. battery)	3,1,0	3,, 10	,,520	
Battery**				
Battery and high power USB charging module in a portable		1 4/1		
housing (all black)		1,461		

Price list 2024 - USD excl. V.A.T. - Version 1.1



^{*} longer lead time

^{**}Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer.

Please contact Customer Service for details.

Folding Surfaces Mobile Power Unit

As a natural extension for the family, Folding Surfaces come with mobile power units that provide extra power on demand.



Per Piece

\$

Folding Surfaces Mobile Power Uni	ł	
White melamine		
Single, Rectangular 30"		
Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)	1576	
Cut-outs only - preparation for battery, 1xCUT- OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)	1128	T
Double, Rectangular 60"		1) 11
Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)	2423	
Cut-outs only - preparation for battery, 2xCUT- OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)	1536	7
Black laminate		11
Single, Rectangular 30"		
Semi solution - preparation for battery, 1xQikdoc for battery, 2xPIP TUF-R A+C (HP)	2182	
Cut-outs only - preparation for battery, 1xCUT- OUT for battery, 2x CUT OUTS for pip TUF-R A+C (HP)	1734	
Double, Rectangular 60"		
Semi solution - preparation for battery, 2xQikdoc for battery, 4xPIP TUF-R A+C (HP)	3706	
Cut-outs only - preparation for battery, 2xCUT- OUT for battery, 4x CUT OUTS for pip TUF-R A+C (HP)	2819	
Battery*		
Quickpack carry black - OE animate battery and high power USB charging module in a neat, portable housing	1461	

Price list 2024 - EUR excl. V.A.T. - Version 1.1



^{*}Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer.

Please contact Customer Service for details.

Tables' transporters

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Tempest Flip-top Capacity up to 5 tables standing up (flipped position). Dimensions: 38" high, 79" long and 36" wide. MDF platform, metal powdercoated in B10 Howe grey.	No.	Per Piece	
Transporter Tempest	TFTS0110	3718	
Tempest Fold Capacity: up to 10 pcs Stacks on table edge, secured with straps. Top against top - base against base. Colour B10 Howe grey. Dimensions: 44.5"high x 79" long x 22" wide. Suitable for length 48"-72" and width 24"-36".		Per Piece	
A-kit big Tempest	UNTAS000110	Ţ	-
Tempest Fold Capacity w/rectangular tables: up to 5 pcs Capacity w/ all other shapes: up to 5 pcs Stacks on table edge, secured with straps. Top against top - base against base. Colour B 10 Howe grey. Dimensions: 49.5" high x 79" long x 30.5" wide. Suitable for length 84"-96" and width 42"-48" (when rectangular). L-kit Tempest	UNTLS000310	Per Piece	
	014153000310	2317	

Tables' transporters cont.

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



Simpla Capacity up to 8 tables. Colour B10 Howe grey. Dimensions: height 74.5", depth 33", adjustable width Suitable for rectangular tables: length 40"-72" and width up to 36". For other shapes and sizes, please ask HOWE. Transporter Simpla	No. STRA1000000 010	Per Piece	
Tutor single size Capacity up to 30 tables. Suitable for single size Tutor tables. Color B10 Howe grey. Transporter Tutor	OLYS0600SF1 0	Per Piece	
Tutor double size Capacity up to 30 tables. Suitable for double size Tutor tables. Colour B10 Howe grey. Transporter Tutor	OLYS1200SS1 0	Per Piece	

Linking

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.



	No.	Per Piece		
		\$		
Linking for Simpla tables				
Simpla linking U-bracket, B1 Chrome, 1 pcs*		Per Piece		
0: 1		\$		
Linking Simpla	SAU01	31		
Linking for Tutor tables				
Tutor linking bracket, B7 Black		Per Piece		
		\$		
Linking Tutor	TUA1480	36	V	
Linking for Tutor tables				
Tutor file tray* linking, B30 White		Per Piece		
		\$	V V	
Linking Tutor	TUA1490	286		

Grommets

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

Round SAPOP; white plastic Ø2 3/4"; suitable top thickness ≥ 3/4".	No.	Per Piece	
		\$	
	SAPOP	49	
Round SAPOA; nature andolized aluminium with black brush, Ø3.5"; suitable top thickness ≥ 3/4".	SAPOA	Per Piece	
	0/11 0/1	100	
Rectangular SAPRA¹; rectangular cable outlet comprised of two lids in nature anodized aluminium with black brushes; 12" x 4.25"; suitable top thickness ≥ 3/4".		Per Piece	
	M1*	172	



Electrification

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

All electrification solutions must be consulted with HOWEs Customer Service Team.



Quickpack carry* Quickpack carry black - OE animate battery and high power USB charging module in a neat, portable	No.	Туре	Prices from*	
housing			\$	
	OE4387596	Black	1461	
	OE4387602	White	1461	
Quick dock				
Quick dock black by OE - dedicated container for QIKPAC CARRY portable battery; it locates and secures in/under surfaces			Prices from	
			\$	
	OE438765744 31572	Black	265	
	OE438766444 31572	White	265	
Charger				-4 min
Charger by OE - charging station for up to 3 QIKPAC batteries	OE6002275	charger black	1429	
	OE6002268	charger white	1429	
Wireless charge				
A wireless charger by AH Byrne called Qi Charging Puck. The sleek grommet design can be quickly installed in any worksurface, and once in place, provides cord-free, tangle-free power for any Qienabled device. Forget packing your own charger, simply place your smartphone or tablet on our puck's surface and it's powering up – all from a single outlet.			Prices from	
Wireless. Effortless.	BE07643	wireless charger	119	



^{*}Shipment only directly to the end customer or to a warehouse certified for storage and handling of dangerous goods OE deliveries within North America may have shipping fee.

This depends on the order value and is shown separately in the offer. Please contact Customer Service for details.

Cable trays, channels & fittings

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.

All electrification solutions must be consulted with HOWEs Customer Service Team.

with HOWEs Customer Service Team.		3	
Cable tray L-shaped cable tray in black coated steel; mounted with screws; for table top thickness ≥ 3/4";	No.	Per Piece	
height of cable tray is 4"; works as a low modesty panel.			
15.75"	CTLS040007	72	
25"	CTLL064007	107	
33"	CTLL084007	143	
41"	CTLL104007	172	
Clickable cable channel Tempest	CIEETOAGO	172	
Cable channel for Tempest, in chrome powder coated aluminium as standard ¹		Per Piece	
Tempest		\$	
<u> </u>	CHT053051	72	
Clickable cable channel Moveo Cable channel for Moveo, in anodised aluminium as standard ¹		Per Piece	
Moveo	CHM42052	33	A contract of the contract of
Cable holder	C111V142U32		
Grey plastic cable holder to guide cables underneath the tabletop; 1pc double holder		Per Piece	
All tables	082011	\$ N/A	, e
	002011	IN/A	

I



AS tables privacy screens

Aesthetically pleasing, the innovative felt privacy screen creates enclosure to spaces during work, education, and meeting areas.

It gives flexibility to produce boundaries, as well as visual privacy.



Privacy screen	No.	Per Piece	
Privacy screen for AS round and round concave tables. 46.75"wide x13.75" high; 0.5 thick; light grey felt		\$	
Screen	66091001	572	

Notes for tables

Price list 2024 - USD excl. V.A.T. - Version 1.1

General

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details

In case of large quantities and/or customized products delivery time is usually longer than for standard products.

In case of using any electrification, accessories, or making configurations, the lead time starts being counted once technical drawings are approved by the customer.

Linking is recommended to ensure strong connection and levelling. Please use for both temporary and lasting tables' arrangements.

Crescent shape – the inside curve of top may be exchanged for straight edge, especially if Modesty panels are needed – ask Customer Service for details.

Table ranges are estimates, mostly for rectangular tops. For non-rectangular tables or questions for sizes outside of the ranges, please contact your local Customer Service (CS) representative. If chamfered edges are requested, minimum size increases - check with CS.

Moveo

Moveo linking for rectangular and V-shaped tables includes 4 brackets and 4 fittings. Moveo linking for half-round and half-boat tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Here you also get 4 brackets and 4 fittings for rectangular and V-shape tables and 2 brackets and 2 fitting for half-round and half-boat tables.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 20 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Simpla

Please note that Simpla linking does not need any pre-drills and may be ordered at any time as a separate accessory. There are 2 pcs of linking recommended per a set of two tables.

Please note that Modesty panels for Simpla are just hanged on the frame and may be ordered at any time as a separate accessory.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 50 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Tempest

Tempest linking for rectangular, crescent, and square tables includes 4 brackets and 4 fittings. Tempest linking for half-round tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Please contact HOWE for options.

All RAL colours from RAL K5 or K7 colour card available. For quantities < 20 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Tutor

All RAL colours from RAL K5 or K7 colour card available. For quantities < 50 tables the colour fee is 520 USD per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.



40/4 Seats / backs Natural wood veneers



V2 - beech









V5 - cherry

V12 - ash V13 - birch EMEA ONLY EMEA ONLY

V15 - walnut

40/4 Seats / backs Stains





LW30 - white



All RAL colours available based upon customer sample

40/4 Seats / backs Polyamide





PA100 - Howe grey





PA360 - olive green



PA320 - mandarin

PA250 - blue eyes PA370 - mint turquoise PA380 - aubergine

40/4

Metal

Seats / backs







EMEA ONLY



All RAL colours available based upon customer sample

40/4 WOOD FRAME Seats / backs

Natural wood veneers / stains









SixE Shells Polypropolyne



PP200 - black

VIRGIN OR

100% RECYCLED

PP270 - ocean VIRGIN



PP340 - fawn





PP100 - Howe grey

100% RECYCLED



50% RECYCLED

2



VIRGIN



PP110 - Ayers Rock red PP360 - olive green VIRGIN VIRGIN



MN1 Backs Natural wood veneers / stains



LW17 - black stain LW25 - walnut stain

CHAIRS NORTH AMERICA

40/4 SIXE Frames Steel





B6 - satin black





B9 - alu grey

All RAL colours available based upon customer sample

SIXE ONLY





B30 - white



Any RAL





SIXE SWIVEL SIXE LEARN

Base Polyamide



PA100 - Howe grey

SIXE SWIVEL SIXE LEARN*

Swing arm* Gas lift



B10 - Howe grey

MN1 Bases







- Cantilever only

B7 - black

B51 - polished alu

AS100 Bases / seat frames



B6 - satin black

B7 - black



B51 - polished alu





AS TABLES MOVEO SIMPLA **TEMPEST**

Tops Natural wood veneers / stains



VU1 - maple



VU3 - oak

LW17 - black stain LW25 - walnut stain LW30 - white stain



VU5 - cherry



VU15 - walnut



Any RAL

AS tables standard: VU1 maple, VU3 oak ONLY

All RAL colors available based upon customer sample

FOLDING SURFACES

Natural wood veneers / stains



V3 - oak

AS TABLES MOVEO SIMPLA **TEMPEST**

Tops Wood grain laminates



LU31 - maple




LU35 - cherry



LU45 - walnut

AS tables standard: LU31 maple ONLY



Tops Coloured laminates



LU300 - white



LU400 - grey



LU200 - black



Any FORMICA / WILSONART colored laminates

Folding Surfaces standard: LU300 white, LU200 black ONLY

*Any FORMICA / WILSONART colored laminates does not apply to Folding Surfaces

TUTOR

Tops Bendable compact laminates



F300 - white



F200 - black



Any bendable compact laminate

12



Tops Linoleums



FL200 - black







M310 - white



71



SIMPLA TUTOR Bases Steel







B9 - alu grey





B30 - white

B10 - Howe grey

TEMPEST





B1 - chrome









B10 - Howe grey



MOVEO Bases







B6 - satin black

B51 - polished alu B52 - anodized alu - feet only - columns only

AS TABLES

Aluminum

Bases









B6 - satin black

B7 - black

B31 satin white - columns only

B51 - polished alu - bases only

FOLDING SURFACES

Bases



B6 - satin black







COLOUR REFERENCE ONLY
Variations in colours and structures may occur
Subject to ongoing changes and adjustments



General conditions of sales

Price list 2024 - USD excl. V.A.T. - Version 1.1

General

These general conditions of sale and terms of delivery shall apply to all agreements concluded between HOWE US Inc. (hereinafter HOWE) and its customers (hereinafter the Buyer), unless otherwise specifically agreed in writing between the Parties

Conclusion of agreements, etc.

An agreement has not been concluded until HOWE has accepted an offer made by the Buyer by issuing an order acknowledgement, an invoice or other such written agreement based on the terms and conditions specified in this document. All prices stated in price lists and catalogues include packaging, such as pallets and transport containers, and exclude taxes and/or any other charges. HOWE reserves the right to adjust the prices stated without prior warning in case of an increase in the price of raw materials, production costs, transport costs, packaging, or other sudden changes in the cost level. All agreements are thus concluded on the basis of the prices in force at the time when the order is received.

The agreement basis is thus the information, including information relating to price, materials, qualities, etc., that is stated in the order acknowledgement, invoice, or other such agreement, since other information shall be deemed to be for guidance only and may be corrected up until but not later than the time when the agreement is concluded. Unless otherwise explicitly agreed in writing, the goods have been sold for normal, standard use for the intended purpose.

An Order shall constitute an offer for the sale of goods and does not constitute an acceptance by Buyer of any offer to sell, any quotation, or any proposal. No Order shall become a binding contract for the sale of goods unless and until such Order has been received and accepted by HOWE us Inc. in the state of Michigan.

Payment, etc.

Payment terms are subject to credit insurance at Coface. In case a customer cannot be insured a prepayment, or a bank guarantee will be required. If credit payment terms can be granted, payment shall be made in accordance with the terms of payment stated on the invoice, which basically means that payment shall be made in cash not later than 30 days after the date of invoice ("net 30 days"), unless otherwise explicitly agreed. The Buyer shall not be entitled to withhold any part of its' payments due and may under no circumstances offset. If payment is delayed, HOWE shall be entitled to charge interest at a rate of 0.75 % per month or part thereof from the due date. Also, HOWE shall at its' discretion be entitled to fully or partially withhold subsequent deliveries, to demand special terms of payment, or cancel agreements with the Buyer.

HOWE shall be entitled to charge the following fees:

- o A fee of thirteen (\$13) for each reminder on late payment
- o All invoices sent by paper will be added an invoice fee of five (\$5)

Property reservation

HOWE shall retain property in all the goods stated in the order acknowledgement or other such written agreement until the full purchase sum has been paid. The Buyer shall keep the goods fully insured until such time as the purchase sum has been paid and during this period the Buyer shall be responsible towards HOWE for any all and any damage suffered by the goods. HOWE has the right to inspect the goods at any time.

Delivery

'Unless otherwise agreed, delivery in Zone 1 in the US shall be made to the Buyer's warehouse situated on the ground floor at a price of two and a half $(2\frac{1}{2})$ % of the list price. Delivery in Zone 2 in the US shall be made to the Buyer's warehouse situated on the ground floor at a price of four and a half $(4\frac{1}{2})$ % of the list price. Outside Zone 1 and 2 the added price for delivery is determined on a case-to-case basis by HOWE.

HOWE Standard delivery time within North America is determined on a case-to-case basis – please contact Customer Service for details.

Regardless of whether the Buyer is present at the time of delivery, all risks in relation to the goods shall pass to the Buyer upon delivery to the agreed location. The Buyer shall ensure that the place of delivery is accessible and appropriately laid out for unloading the goods and storing them in their standard packages.

Any deviation from the terms of delivery shall be deemed to constitute one joint deviation from the above, in which case the Buyer shall take over the risk in relation to the goods at the earlier time when the goods were collected or could have been collected in accordance with the agreement made.

If the Buyer requests a postponement of delivery the following charges shall apply:

- o If the Buyer requests postponement no later than five workdays prior to the planned and confirmed time of dispatch, a supplementary charge of ten (\$10) per pallet shall be made per month or part thereof. Minimum charge, forty (\$40) per month or part thereof.
- o If the Buyer changes its' delivery address no later than five workdays prior to dispatch, an administrative charge of one hundred (\$100) shall be added.
- o If the sales price is below net five hundred (\$500) a freight charge of one hundred (\$100) will be added.
- o If the Buyer wishes a fixed delivery, a fee of five hundred (\$500) will be added.

BATTERIES' SHIPMENTS

OE batteries contain Lithium-Ion (Li-ion) cells which are classed as hazardous materials. As such they are individually packed in UN38.3 compliant packaging, including special Li Ion Battery Label. They should be kept in that packaging until they are either fitted in the furniture or get to the site for use.

If one consolidates the battery into an outer carton, it must remain in the box it is shipped to the person in inside the outer carton. The outer carton would then need to be marked with 'OVERPACK' word in English and the local language – the rules are even stricter for air freight - consult details with your freight forwarder (OE can supply UN38.3 certificates).

That is why at HOWE we:

- a) always place a separate order and use road shipments for batteries,
- b) strongly recommend shipping batteries directly to the end customer.

OE is experienced in shipping batteries to a number of international locations. Still, we strongly advise to state in advance to which country destination one is quoting for. On that basis we can confirm that battery export to the said country is allowed and possible.

In case the customer asks for the shipment to the warehouse, they must confirm the place is officially complying with all the regulations regarding storage and handling of dangerous goods which include:

- Staff training on dangerous goods handling chargeable course required (renewable every couple of years) –
 also a DGSA must to be appointed or trained,
- o Being equipped with fire proof cabinet storage,
- o Having Property owner and insurance authorisation.

Fee and MOQ for non-standard choices

For any non-standard product there is a \$500 fee. In most cases there is also a minimum order quantity (MOQ).

Buyers' cancellation of contract

Provided the manufacture/dispatch/delivery of the goods has not yet commenced the Buyer shall be entitled to cancel the contract up until forty-eight (48) hours after the order confirmation has been issued. A cancellation fee of 5% of the purchase sum and any extra loss incurred by HOWE as a consequence of the cancellation will apply. In the event more than five (5) workdays have passed since the order confirmation was issued, the contract may be cancelled only up until 4 (four) weeks before confirmed shipment time. A cancellation fee of fifty (50) % of the purchase sum plus transport and administration costs, and any extra loss incurred by HOWE as a consequence of the cancellation will apply. Following four (4) weeks before confirmed shipment time the contract cannot be cancelled.

Delays

The confirmed time of delivery is only an estimated deadline since HOWE shall be entitled to make changes to or temporarily postpone deliveries in order to be able to organize its goods deliveries and administration appropriately. HOWE cannot be held liable for any loss suffered by the Buyer as a result of a changed or postponed time of delivery. Furthermore, HOWE does not automatically offer loan furniture in these situations.

Deficiencies, etc.

HOWE shall only be liable for deficiencies in the goods sold if such deficiencies are the result of matters relating to the materials used or the craftsmanship applied. In particular, HOWE shall not be liable for matters resulting from wrong or abnormal use or storage, including in relation to climate and temperature conditions, or any other aspects related to HOWE's instructions.

When the risks in relation to the goods have passed to the Buyer, HOWE can only be held liable for faults and deficiencies to the extent specified in this provision.

The Buyer shall be obliged to carry out a detailed examination of the consignment immediately upon receipt. Complaints regarding deficiencies and/or visible transport damage which are – or should have been – discovered in this examination shall be written on the bill of landing (BOL), which must be given to carrier upon receipt of goods and HOWE CS notified. Any complaints regarding "non-visible" transport damage must reach HOWE not later than seven (7) days after the date of delivery and any complaints regarding any deficiencies ascertained must in each case be forwarded not later than seven (7) days after they were – or should have been – discovered. If the complaint is not made within these deadlines, the Buyer's access to advance claims in relation to any such deficiencies shall be forfeited.

A complaint shall be in writing and shall contain a specific description of the deficiencies with accompanying photo documentation or, alternatively, the deficient component/product shall be forwarded with the complaint.

Unless the deficiency ascertained is the result of gross negligence or intent on the part of HOWE, the Buyer shall in no instance not be entitled to any other rights than to have the goods replaced at no cost to the Buyer. Thus, the Buyer shall not be entitled to cancel the transaction or any rebate, damages, other compensation, or repayment. Further, HOWE shall under no circumstances whatsoever be liable for operating loss, loss of profit, time loss, other indirect loss or damages suffered by the Buyer as a consequence of deficiencies in the goods delivered.

The deficient goods belong to HOWE and shall be returned to HOWE upon request. Basically, the Buyer shall bear the costs and risk of such transport. Unless HOWE has explicitly undertaken to guarantee for the object sold for a longer period, HOWE shall under no circumstances be held liable for faults or deficiencies for which no written complaint has been sent within two years of the hand-over to the Buyer.

Product liability

The Buyer shall indemnify, defend, and hold harmless HOWE for any and all claims made by third parties for damage or injury for which HOWE is not liable towards the Buyer. HOWE's liability for product liability claims shall not exceed ten thousand (\$10,000), and HOWE shall under no circumstances be held liable to the Buyer for operating loss, loss of profit, time loss, other indirect loss or damages or punitive damages. The Buyer shall immediately inform HOWE of any lawsuit or type of claim for damage or injury caused by products manufactured by HOWE.

Design alterations

HOWE reserves the right at all times to make such changes to product design, etc., as HOWE deems to be necessary. In such case, information about significant alterations shall be forwarded to the Buyer prior to delivery.

Use and maintenance guides

The Buyer shall not change the content of Use- and Maintenance guides provided by HOWE. Further, the Buyer shall at all times provide its customers with copies of such guides and specifically draw the customers' attention to the warnings contained in the guides.

No waiver

If HOWE fails to exercise or claim its' rights under these Sales conditions, such failure shall not constitute a waiver of such right on the part of HOWE. Also, such failure shall not prevent the right to be invoked or claimed by HOWE at a later point in time.

Venue and Service of Process

If a dispute of any kind whatsoever arises between the Parties in connection with these Sales Conditions and other aspects in relation to the sales transaction, the Parties shall attempt to settle such dispute amicably.

Provided the Parties are not able to agree upon an amicable settlement within a reasonable time and not later than thirty (30) calendar days after initiation of settlement discussions, any controversy or claim arising (whether contractually or in tort) and including disputes regarding the validity of this provision shall be settled by the American Arbitration Association (AAA). The place of Arbitration shall be Grand Rapids, Michigan. Provided the dispute in question amounts to \$100,000.00 or less, the Arbitration Panel shall consist of one (1) arbitrator. Provided the dispute in question exceeds \$100,000.00 the Arbitration Panel

shall consist of three (3) arbitrators. The right to discovery shall be limited to the widest extent permitted by the AAA procedural rules.

The result of the Arbitration shall be final and binding upon the Parties, and the arbitrator(s) shall in their discretion have to power to award reasonable costs and attorney's fees to the prevailing Party.

Despite the arbitration procedure agreed upon above, the Parties shall not be precluded from carrying out interim measures via the appropriate judicial authority.

These Sales Conditions shall be governed by Michigan State law and applicable US Federal law.

Be advised that HOWE reserves the right to correct any printing errors, inaccuracies, or omissions.

Shipping zone rates Price list 2024 - USD excl. V.A.T. - Version 1.0

Shipping zone rates

- For deliveries in zone 1 please add 2.5% to the list pricing. The minimum freight charge is \$200.
- For deliveries in zone 2 please add 4.5% to the list pricing. The minimum freight charge is \$200.
- For deliveries out of Zone 1 and 2, please ask HOWE.



Warranties

Price list 2024 - USD excl. V.A.T. - Version 1.1

General

At HOWE US we recognize the value of products that can stand up to continuous use, and we know by experience that good material combined with true craftsmanship and thorough design provides sturdy and durable furniture.

Our high and uniform quality policy secures that our products are always tested to the highest level of international standards and legislations. We constantly strive to optimize our products and services to maintain the high level of quality and durability that is expected of a HOWE product.

HOWE US warrants its products against defects in materials and workmanship as follows:

Limited warranty

HOWE warrants its' products against defects in materials and workmanship as described in the following. All warranties are expressly limited to the types of warranties offered. Thus, no other implied or express warranties shall apply.

10 year warranty

HOWE offers on all chairs of its David Rowland 40/4 chair collection a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Only exception is the 40/4 wood frame, which has a 5 (five) year guarantee.

The 40/4 chair is compliant with the following tests in the ANSI/BIFMA X5.1-2011 Chair Test Standard:

- Back Strength
- o Drop-Dynamic
- Seating Durability
- Backrest Durability-Non-Tilt
- Leg Strength

HOWE offers on Moveo and Tempest table systems, SixE, MN1 and AS chairs a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Excluded are: gas lifts, turn / tilt mechanism, castors, folding adaptors, where 5 (five) year guarantee applies.

5 year warranty

HOWE offers on all other furniture products, except Folding Surfaces, a 5 (five) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

2 year warranty

On all power and data solutions we refer to our sub supplier. Their warranty period is 2 (two) years. The HOWE guarantee period runs from the date of shipment.

HOWE offers on AS privacy screens and Folding Surfaces a 2 (two) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

Exclusions

This warranty does not apply to product failure resulting from:

- Normal wear and tear
- o Abuse, misuse, accidents, or repeated knocks
- Improper handling/usage or improper cleaning/maintenance
- o Alteration or modification of the product

In addition, HOWE does not warrant:

- o Changes in surface finishes due to aging, scratches, markings, stains, or other damage due to normal wear and tear, or due to contact with sharp or hard objects
- o Changes in surface finishes due to exposure to light
- Oxidizing of outdoor treated frames
- Natural variations in wood grain or the presence of character marks. This includes matching of grains, colors, or textures of natural materials
- Customers own fabrics and leather (COL & COM)
- o All service parts (meaning all moving and mechanical parts)
- Customized solutions
- o Marks in fabric/leather after stacking of chairs
- For leather: Marks as scars, insect bites, fat creases and neck wrinkles. This is beauty marks that reflect the normal life
 of an animal.

HOWE recommends chromium plated steel frames on all 40/4 chairs where repeated handling is intended. Please, be aware that constant impacts from handling of painted linking chairs are likely to cause scratches and flaking over time. This is considered normal wear and tear and therefore not covered by the HOWE Warranty.

Original spare parts delivery guarantee

Furniture programs from HOWE US are designed with focus on durability and timeless design. In case a product should be discontinued all original spare parts are available for 5 (five) years from the date the discontinuation has been carried through. If a component to a discontinued product for some reason is not available, a corresponding product is offered instead.

In case David Rowlands 40/4 chair should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through. In case the Tempest and Moveo table systems or the SixE chair family should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through.

The guarantee does not apply to product and component modifications and enhancements.